Source Code :

Feature: Test StartHealth webpage using cucumber
Scenario Outline: Validate the Star Health Buy Nowflow
 Given User launches the Star Health applicationwith '<URL>'
 Then User waits for the Welcome to Star Healthpop-up and closes it
 And User get home page title and Validates itAnd User clicks on the Buy Now button
 Then User Enters data for '<FullName>','<PhNo>','<email>','<PIN>'
 And User click on getstarted button
 Then User select the checkbox for myself
 Then user navigates to the HomePage with '<URL>'
Examples:
     | URL| FullName | PhNo
     | email| PIN|| https://www.starhealth.in/ |
  |anupam|6306865303 | anupam@gmail.com | 212104 |

```
package runner;
import org.junit.runner.RunWith;

import io.cucumber.junit.Cucumber;

import io.cucumber.junit.CucumberOptions;

@RunWith(Cucumber.class)

 @CucumberOptions(

          features="C:\\Users\\deepa\\eclipse-workspace\\ATE-
Phase2Cucumber-ExtentReport-
Jenkins\\src\\test\\java\\features\\starHealth.feature",

          glue = {"steps"}, //packagename where the steps areplugin=

          {"pretty",

          "html:target/cucumberreport.html",
```

```java
        "com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter:","timeline:test-
                        output-thread/"

}

)

    public class TestRunner1 {

}

Code of Steps:

package steps;

import io.cucumber.java.en.Given;import
io.cucumber.java.en.Then; import static
steps.BaseTest.driver;public class ByNowPageTest
{
@Given("User launches the Star Health application with
{string}")
        public void
user_launches_the_star_health_application_with(Stringstring) {

}

@Then("User waits for the Welcome to Star Health pop-upand closes it"
public void
user_waits_for_the_welcome_to_star_health_pop_up_and_closes_it() {
}
@Then("User get home page title and Validates it")public void
user_get_home_page_title_and_validates_it() {

// Write code here that turns the phrase above intoconcrete actions

}
@Then("User clicks on the Buy Now button")

public void user_clicks_on_the_buy_now_button() {

}

@Then("User Enters data for
{string},{string},{string},{string}")

public void user_enters_data_for(String string, Stringstring2, String string3, String string4) {
```

```java
        }

        @Then("User click on getstarted button") public void
        user_click_on_getstarted_button() {
}

@Then("User select the checkbox for myself") public void
user_select_the_checkbox_for_myself() {

        }

@Then("user navigates to the HomePage with {string}")public void
 user_navigates_to_the_home_page_with(String string) {


        }
```