LAB 7

```
PS C:\Users\admin\Desktop\lab 6> & "C:\Users\admin\Desktop\lab 6\.venv\Scripts\python.exe" fuel_station.py
==== Running parse_purchase ====
Enter grade:litres (e.g. diesel:25): diesel:30
Grade and Litres: ('Diesel', 30.0)

==== Running volume_average ====
Enter pump volumes in litres as CSV (e.g. 10,25,40): 50
Average Volume: 50

==== Running payable_bill ====
Enter bill|discount (e.g. 2500|100): 3500|300
Payable Bill: 3830.0
PS C:\Users\admin\Desktop\lab 6>
```

```
PS C:\Users\admin\Desktop\lab 6> & "C:\Users\admin\Desktop\lab 6\.venv\Scripts\python.exe" -m pytest test_fuel_station.py
============================= test session starts ==============================
platform win32 -- Python 3.14.7, pytest-9.2.0, pluggy-1.7.0
rootdir: C:\Users\admin\Desktop\lab 6
plugins: hypothesis-6.170.15
collected 3 items

test_fuel_station.py FFF                                                 [100%]

=================================== FAILURES ===================================
_____________________ test_parse_purchase_no_crash _____________________
  + Exception Group Traceback (most recent call last):
  |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 7, in test_parse_purchase_no_crash
  |     def test_parse_purchase_no_crash(s):
  |                ^^^
  | ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 9, in test_parse_purchase_no_crash
    |     parse_purchase(s)
    |     ~~~~~~~~~~~~~~^^^
    |   File "C:\Users\admin\Desktop\lab 6\fuel_station.py", line 3, in parse_purchase
    |     return grade.strip().title(), float(litres)
    |                          ~~~~~^^^^^^^^
    | ValueError: could not convert string to float: ''
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 11, in test_parse_purchase_no_crash
    |     assert False, f"parse_purchase crashed unexpectedly with input {s!r}: {e}"
    | AssertionError: parse_purchase crashed unexpectedly with input ':': could not convert string to float: ''
    | assert False
    | Failing test case: test_parse_purchase_no_crash(
    |     s=':',
    | )
    +---------------- 2 ----------------
```

```
+---------------- 2 ----------------
| Traceback (most recent call last):
|   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 9, in test_parse_purchase_no_crash
|     parse_purchase(s)
|     ~~~~~~~~~~~~~~~^^^
|   File "C:\Users\admin\Desktop\lab 6\fuel_station.py", line 2, in parse_purchase
|     grade, litres = text.split(':')
|     ^^^^^^^^^^^^
| ValueError: not enough values to unpack (expected 2, got 1)
|
| During handling of the above exception, another exception occurred:
|
| Traceback (most recent call last):
|   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 11, in test_parse_purchase_no_crash
|     assert False, f"parse_purchase crashed unexpectedly with input {s!r}: {e}"
| AssertionError: parse_purchase crashed unexpectedly with input '': not enough values to unpack (expected 2, got 1)
| assert False
| Failing test case: test_parse_purchase_no_crash(
|     s='',
| )
+---------------- 3 ----------------
| Traceback (most recent call last):
|   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 9, in test_parse_purchase_no_crash
|     parse_purchase(s)
|     ~~~~~~~~~~~~~~~^^^
|   File "C:\Users\admin\Desktop\lab 6\fuel_station.py", line 2, in parse_purchase
|     grade, litres = text.split(':')
|                     ^^^^^^^^^^
| AttributeError: 'NoneType' object has no attribute 'split'
|
| During handling of the above exception, another exception occurred:
|
| Traceback (most recent call last):
|   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 11, in test_parse_purchase_no_crash
|     assert False, f"parse_purchase crashed unexpectedly with input {s!r}: {e}"
| AssertionError: parse_purchase crashed unexpectedly with input None: 'NoneType' object has no attribute 'split'
| assert False
| Failing test case: test_parse_purchase_no_crash(
```

```
_____ test_volume_average_no_crash _____
  + Exception Group Traceback (most recent call last):
  |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 15, in test_volume_average_no_crash
  |     def test_volume_average_no_crash(s):
  |                    ^^^
  | ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 17, in test_volume_average_no_crash
    |     volume_average(s)
    |     ~~~~~~~~~~~~~~~^^^
    |   File "C:\Users\admin\Desktop\lab 6\fuel_station.py", line 6, in volume_average
    |     values = [int(r) for r in volumes_csv.split(',')]
    |                  ~~~^^^
    | ValueError: invalid literal for int() with base 10: ''
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 19, in test_volume_average_no_crash
    |     assert False, f"volume_average crashed unexpectedly with input {s!r}: {e}"
    | AssertionError: volume_average crashed unexpectedly with input '': invalid literal for int() with base 10: ''
    | assert False
    | Failing test case: test_volume_average_no_crash(
    |     s='',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 17, in test_volume_average_no_crash
    |     volume_average(s)
    |     ~~~~~~~~~~~~~~~^^^
    |   File "C:\Users\admin\Desktop\lab 6\fuel_station.py", line 6, in volume_average
    |     values = [int(r) for r in volumes_csv.split(',')]
    |                              ^^^^^^^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
```

```
  |
  | Traceback (most recent call last):
  |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 19, in test_volume_average_no_crash
  |     assert False, f"volume_average crashed unexpectedly with input {s!r}: {e}"
  | AssertionError: volume_average crashed unexpectedly with input None: 'NoneType' object has no attribute 'split'
  | assert False
  | Failing test case: test_volume_average_no_crash(
  |     s=None,
  | )
  +------------------------------------
_____ test_payable_bill_no_crash _____
+ Exception Group Traceback (most recent call last):
|   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 23, in test_payable_bill_no_crash
|     def test_payable_bill_no_crash(s):
|                ^^^
| ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
+-+---------------- 1 ----------------
  | Traceback (most recent call last):
  |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 25, in test_payable_bill_no_crash
  |     payable_bill(s)
  |     ~~~~~~~~~~~~^^^
  |   File "C:\Users\admin\Desktop\lab 6\fuel_station.py", line 11, in payable_bill
  |     total = float(bill) * 1.18 - float(discount)
  |             ~~~~~^^^^^^
  | ValueError: could not convert string to float: ''
  |
  | During handling of the above exception, another exception occurred:
  |
  | Traceback (most recent call last):
  |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 27, in test_payable_bill_no_crash
  |     assert False, f"payable_bill crashed unexpectedly with input {s!r}: {e}"
  | AssertionError: payable_bill crashed unexpectedly with input '|': could not convert string to float: ''
  | assert False
  | Failing test case: test_payable_bill_no_crash(
  |     s='|',
  | )
  +---------------- 2 ----------------
  | Traceback (most recent call last):
```

```
    |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 25, in test_payable_bill_no_crash
    |     payable_bill(s)
    |     ~~~~~~~~~~~~^^^
    |   File "C:\Users\admin\Desktop\lab 6\fuel_station.py", line 10, in payable_bill
    |     bill, discount = text.split('|')
    |     ^^^^^^^^^^^^^^
    | ValueError: not enough values to unpack (expected 2, got 1)
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 27, in test_payable_bill_no_crash
    |     assert False, f"payable_bill crashed unexpectedly with input {s!r}: {e}"
    | AssertionError: payable_bill crashed unexpectedly with input '': not enough values to unpack (expected 2, got 1)
    | assert False
    | Failing test case: test_payable_bill_no_crash(
    |     s='',
    | )
    +---------------- 3 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 25, in test_payable_bill_no_crash
    |     payable_bill(s)
    |     ~~~~~~~~~~~~^^^
    |   File "C:\Users\admin\Desktop\lab 6\fuel_station.py", line 10, in payable_bill
    |     bill, discount = text.split('|')
    |                      ^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\admin\Desktop\lab 6\test_fuel_station.py", line 27, in test_payable_bill_no_crash
    |     assert False, f"payable_bill crashed unexpectedly with input {s!r}: {e}"
    | AssertionError: payable_bill crashed unexpectedly with input None: 'NoneType' object has no attribute 'split'
    | assert False
    | Failing test case: test_payable_bill_no_crash(
    |     s=None,
    | )
```

```
=========================== short test summary info ===========================
FAILED test_fuel_station.py::test_parse_purchase_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_fuel_station.py::test_volume_average_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
FAILED test_fuel_station.py::test_payable_bill_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
============================== 3 failed in 1.47s ==============================
```

```
PS C:\Users\admin\Desktop\lab 6> & "C:\Users\admin\Desktop\lab 6\.venv\Scripts\python.exe" fuel_station.py
==== Running parse_purchase ====
Enter grade:litres (e.g. diesel:25): diesel:25
Grade and Litres: ('Diesel', 25.0)

==== Running volume_average ====
Enter pump volumes in litres as CSV (e.g. 10,25,40): 40
Average Volume: 40

==== Running payable_bill ====
Enter bill|discount (e.g. 2500|100): 2500|100
Payable Bill: 2850.0
PS C:\Users\admin\Desktop\lab 6>
```

```
PS C:\Users\admin\Desktop\lab 6> & "C:\Users\admin\Desktop\lab 6\.venv\Scripts\python.exe" -m pytest test_fuel_station.py
============================= test session starts =============================
platform win32 -- Python 3.14.7, pytest-9.2.0, pluggy-1.7.0
rootdir: C:\Users\admin\Desktop\lab 6
plugins: hypothesis-6.170.15
collected 3 items

test_fuel_station.py ...                                                 [100%]

============================== 3 passed in 1.42s ==============================
```