University of Mumbai

Program: _First Year (All Branches) Engineering - SEM-II
Curriculum Scheme: Rev 2019
C-Programming

Question Bank

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1.	Which storage class is called as default storage class?
Option A:	auto
Option B:	register
Option C:	static
Option D:	extern
2.	What inbuilt function should be used to return a value rounded up to the next higher integer?
Option A:	floor
Option B:	malloc
Option C:	puts
Option D:	ceil
3.	In the following initialization what is value of A[5]? int A[10] = $\{9, 8, 7, 6, 5, 4, 3, 2, 1, 0\}$;
Option A:	5
Option B:	4
Option C:	3
Option D:	2
4.	What is the output for the following code? int main() { int a=5,i; i!=a>10; printf("i=%d",i); return 0; }
Option A:	i=0
Option B:	i=10
Option C:	i=110
Option D:	i=1
5.	How many times will the following while-loop repeat, i.e., how many x are printed? int main() { int i = 5; while(i> 0) { printf("x"); i; } return 0; }
Option A:	2

Option B:	3
Option C:	4
Option D:	5
Option D.	
6.	Which among the following is an exit controlled loop?
Option A:	for
Option B:	while
Option C:	do while ifelse
Option D:	iieise
7	What is another name for 1-D arrays?
Option A:	Linear arrays
Option B:	Lists
Option C:	Horizontal array
Option D:	Vertical array
•	
8	Which of the following operators takes only integer operands?
Option A:	+
Option B:	*
Option C:	
Option D:	9/0
1	
9	What is value of a in following expression?
	int $a = 10 + 4.867$;
Option A:	a=10
Option B:	a=14.867
Option C:	a=14
Option D:	a=4
1	
10	C programs are converted into machine language with the help of
Option A:	an editor
Option B:	an Assembler
Option C:	a compiler
Option D:	an operating system
opiion 2.	
11	What is the output of the program.?
	int main()
	[{
	float $a = 45$;
	printf("%f", a);
	return 0;
	 }
Option A:	45
Option B:	45.0
Option C:	45.000000
Option D:	0.000000
•	
12	Which among the following is a Conditional Operator in C?
Option A:	?:
Option B:	··· !?
Option C:	·- <=
Option D:	>=

```
13
           What is the output of the C statement.?
           int main()
              int a=0;
              a = 5 < 2?4:3;
              printf("%d",a);
              return 0;
Option A:
Option B:
Option C:
Option D:
    14
           Recursion is a process in which a function calls
Option A:
           itself
Option B:
           another function
Option C:
           main() function
Option D:
           sub program
   15
            What is the Format specifier used to print a character in C.?
Option A:
           %s
Option B:
           %c
Option C:
           %C
Option D:
           %w
    16
           Which of the following is not a relational operator?
Option A:
Option B:
           >>
Option C:
           ==
Option D:
    17
           Which one of the following is a valid C expression?
Option A:
           int my_number=1000;
Option B:
           int my-number=1000;
Option C:
           int my@number=1000;
Option D:
           int @mynumber=1000;
    18
           What will be the output of the following C code?
           #include <stdio.h>
           int main()
           int a = 1, b = 1, c;
           c = a+++b;
           printf("a=%d, b=%d", a, b);
Option A:
           a=1, b=1
Option B:
           a=2, b=1
Option C:
           a=2, b=2
Option D:
           a=1, b=2
    19
           What will be the output of the following C code?
```

```
#include <stdio.h>
              void main()
              {
                int x = 5;
                if (x == 5)
                   printf("hi\n");
                else
                   printf("how are u\n");
                   printf("hello\n");
Option A:
            hi
Option B:
            hi
            hello
Option C:
            how are you
            hello
Option D:
            how are you
    20
            What will be the output of the following C code? (Assuming that we have entered
            the value 1 in the standard input).
            #include <stdio.h>
              void main()
              {
                int ch;
                printf("enter a value between 1 to 2:");
                scanf("%d", &ch);
                switch (ch)
                  case 1:
                    printf("1\n");
                    break;
                    printf("hi");
                  default:
                    printf("2\n");
Option A:
Option B:
            hi
Option C:
Option D:
    21
            What will be the output of the following C code?
            #include <stdio.h>
            int main()
              {
                int i = 0;
                while (i = 0)
                   printf("True\n");
                printf("False\n");
Option A:
            True
Option B:
            False
Option C:
            True
            False
Option D:
            True (Infinite Times)
```

```
22
            What will be the output of the following C code?
            #include <stdio.h>
             int main()
                int x = 0;
                if (x = 1)
                   if(x = 0)
                     printf("inside if\n");
                   else
                     printf("inside else if\n");
                else
                  printf("inside else\n");
Option A:
            inside if
            inside else
Option B:
            inside else if
Option C:
            inside if
Option D:
            inside else
    23
            The value obtained in the function is given back to the main program by using
            which keyword?
Option A:
            new
Option B:
            return
Option C:
           volatile
Option D:
           static
    24
            What will be the output of the following C code?
            #include <stdio.h>
              void main()
                m();
                m();
              void m()
                static int x = 5;
                x++;
                printf("%d", x);
Option A:
            5 5
Option B:
            5 6
Option C:
            6 6
Option D:
            6 7
    25
            An array Index starts with.?
Option A:
Option B:
Option C:
            -1
Option D:
    26
            What will be the output of the following C code?
              #include <stdio.h>
              void main()
```

```
char string[]={'E','X','A','M','\0'};
               printf("%s",string);
Option A:
Option B:
            EXAM0
Option C:
            EXAM\0
Option D:
            EXAM
    27
             Which one of the following is NOT an identifier?
Option A:
             cprogram
Option B:
             c_program
Option C:
             20cprogram
Option D:
            cprogram20
    28
             What will be the output of the following program?
             int main()
             int i=9;
               while(i++<10)
             printf("%d\n",i);
              return 0;
Option A:
Option B:
            10
Option C:
Option D:
             11
    29
             What will be the output of the following program?
             int main()
              int a,b,c,d,e,f,g,h,k;
               a=8, b=4, c=2, d=1, e=5, f=20;
              printf("%d\n",a+b-(c+d)*3%e+f/9);
               return 0:
Option A:
            10
Option B:
Option C:
             8
Option D:
            20
    30
             If a is a variable initialized to 1, how many times will the following loop be executed?
             while((a>0)&&(a<25))
            loopbody
            a++;
Option A:
            25
Option B:
            24
            20
Option C:
Option D:
            26
            In an array a[2][2] = \{10,20,30,40,50,60\}, then a[0][1] is which element?
    31
Option A:
```

```
Option B:
            20
            30
Option C:
            40
Option D:
    32
             What will be the output of the following program?
             int main()
            a = 500, b = 100, c;
               if(!a >= 400)
                 b = 300;
               else
                b=b+++b*a/b;
                  c = 10;
                  c=b << 1;
                  c=c>>b+1;
             printf("b = %d c = %d\n", b, c);
               return 0;
            B=600, c=3
Option A:
            B=600, c=2
Option B:
Option C:
            B=600, c=1
            B=600, c=0
Option D:
    33
             Which bitwise operator is used for turning off a particular bit in a number?
Option A:
Option B:
Option C:
            &
Option D:
    34
             What will be the output of the following program?
            int i;
             int goodday();
             int main()
             while(i)
            main();
             goodday();
             i++;
             printf("Exam\n");
             return 0;
            int goodday()
             printf("Goodday");
Option A:
            Goodday
Option B:
             Exam Goodday
Option C:
            Exam
Option D:
             Goodday Exam
```

1.	
]	Write a program to read Title, Author and Price of 5 books using array of structures. Display the records in ascending order of Price.
2.	Implement a program to perform addition of two matrices.
3.	Write a program to check whether a word is palindrome or not
4.	What are bitwise and logical operators in C?
5.	What are strings and give any four string related functions.
	Implement a program to find transpose of a matrix.
	Write a C program to find LCM of two numbers using recursion.
	Distinguish between structure and union.
	What are the tokens of c language explain with example.
	Explain while loop with example.
	Write a program to print Fibonacci series.
	Write a program using recursion to find factorial of a number.
	Explain nested structures with examples.
	Write a C program to perform multiplication of two matrices.
	Explain conditional operator used in C language with proper example.
16.	Explain the term recursion. Write a program to find the power of x raised to n that is: x^n , using recursive function.
17.	Explain following functions with example
5	sqrt(), fabs(), pow(), ceil(), floor()
	Write a program to print the following pattern.
	A
]	ВВ
	CCC
]	D D D D
19.	Write a program to find largest element of an 1D array.
20.	Write a Program to calculate and display sum of all the elements of the matrix.
	Define a structure called player with data members as player name, team name, batting average. Store and display the information of at least 10 players.
I	Write a program to accept three numbers from the user and display the greatest of three using the conditional operator.
	Write a program to display the following for the user specified number of lines. ** *** *** **** ****

	Write a program to check if the entered number is prime number or not.
j	Write a program in C to find out the power of x raised to n (xn), using non-recursive function.
26.	Write a program in C to find the smallest of N elements using an array.
27.	Write a program in C to find the reverse of a given string without using inbuilt string
I	function.

	Find the average of these integers.
29.	Write a program to store and display at least 10 records of the name, roll number and fees of a student using structure.
30.	Explain five arithmetic operators used in C language with proper examples.
31.	Explain String function for the following operations with example.
	i) Copy string from source to destination.ii) Merging of two strings.
32.	Explain the term recursion. Write a program to find summation of n numbers using recursion.
33.	Write a program to print the following pattern. (Note- Not only 4 lines, it should print N lines taken from the user.)
	A
	ВВ
	C C C
	D D D
34.	Write a C-program to create array of structures in order to store details of almost 100 books. The book details are book name, book price, book page number and book author name.
35.	Write a program that will accept two-dimensional square matrix and find the sum of diagonal elements. (Note- sum of diagonal elements should be calculated for both sides).
36.	Explain the use of following in-built functions of C-language by giving suitable programming examples and also mention their respective header files in which they are defined.
	i) getch() ii) pow() iii) ceil() iv) puts()
	v) getchar()
37.	What are the different ways of parameter passing to a function? Explain with examples.
38.	Write a C program to find GCD of two numbers using recursion.
39.	Write a C program to implement month name by accepting month number from user. (Use switch case)
40.	Write a C program to accept 10 integers from the user and arrange them in ascending order and display them.
41.	Give the difference between entry and exit controlled loop with an example.
42.	Differentiate between arrays and structures.