






MySQL Workbench
sumit
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
hospital_manag
Tables
affiliated_
departmen
nurse
patient
patient_di
physician
procedures
Views
Stored Proced
Functions
sumitech
Tables
cities
employees
Administration Schemas
Information
Schema:
hospital_managemer
Object Info Session
sql project hospital management
SQL File 9*
SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 15*
SQL File 16
Limit to 1000 rows
4
5 SELECT NAME AS PHYSICIAN_NAME
6 FROM PHYSICIAN
7 ORDER BY NAME;
8
9 #2. Write a query in SQL to obtain the fullname of the patients whose gender is male.
10
11 SELECT CONCAT(NAME,' ',SURNAME) AS Patients_Fullname,GENDER
12 FROM PATIENT
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
PHYSICIAN_NAME
Dr.Aaliyah Craig
Dr.Alexis Estes
Dr.Anya Bradley
Dr.Berkley McKenzie
Dr.Bob Kelso
Dr.Brynn Harrison
Dr.Cali Vazquez
Dr.Cedric Kelley
Dr.Christopher Turk
PHYSICIAN 1
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t
manually get help for the
current caret position or to
toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
86 23:02:37 INSERT INTO PATIENT_DIAGNOSIS(Diagnosis,Prescription,Patient_ID,Physician_id) VALUES ('... 39 row(s) affected Records: 39 Duplicates: 0 Warnings: 0 0.000 sec
87 23:03:08 CREATE TABLE procedures(code INT PRIMARY KEY, name VARCHAR(150) NOT NULL, cost I... 0 row(s) affected 0.047 sec
Query interrupted
Type here to search
ENG
11:27 PM
2025-10-16



MySQL Workbench
sumit
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
hospital_manag
Tables
affiliated_
departmen
nurse
patient
patient_di
physician
procedures
Views
Stored Proced
Functions
sumitech
Tables
cities
employees
Administration Schemas
Information
Schema:
hospital_managemer
Object Info Session
sql project hospital management
SQL File 9*
SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 15*
SQL File 16
Limit to 1000 rows
1 USE HOSPITAL_MANAGEMENTS;
2
3 CREATE TABLE Physician(
4 employeeid INT PRIMARY KEY,
5 name VARCHAR(150) NOT NULL,
6 position VARCHAR(150) NOT NULL
7);
8
9 INSERT INTO Physician(employeeid,name,position)
10 VALUES
11 (1,'Dr.John Dorian','Staff Internist'),
12 (2,'Dr.Elliot Reid','Attending Physician'),
13 (3,'Dr.Christopher Turk','Surgical Attending Physician'),
14 (4,'Dr.Percival Cox','Senior Attending Physician'),
15 (5,'Dr.Bob Kelso','Head Chief of pulmonology'),
16 (6,'Dr.Todd Quinlan','Surgical Attending Physician'),
17 (7,'Dr.John Wen','Surgical Attending Physician'),
18 (8,'Dr.Keith Dudemeister','Resident'),
19 (9,'Dr.Molly Clock','Attending Psychiatrist'),
20 (10,'Dr.Imani Harper','Senior Attending Nephrologist'),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
86 23:02:37 INSERT INTO PATIENT_DIAGNOSIS(Diagnosis,Prescription,Patient_ID,Physician_id) VALUES ('... 39 row(s) affected Records: 39 Duplicates: 0 Warnings: 0 0.000 sec
87 23:03:08 CREATE TABLE procedures(code INT PRIMARY KEY, name VARCHAR(150) NOT NULL, cost I... 0 row(s) affected 0.047 sec
Query interrupted
Type here to search
ENG
11:27 PM
2025-10-16



MySQL Workbench
sumit
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
hospital_managements
sumitech
Tables
Views
Stored Procedures
Functions
sys
Administration Schemas
Information
No object selected
Object Info Session
sql project hospital management
SQL File 9*
SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 15*
Limit to 1000 rows
USE HOSPITAL_MANAGEMENTS;
CREATE TABLE Physician(
employeeid INT PRIMARY KEY,
name VARCHAR(150) NOT NULL,
position VARCHAR(150) NOT NULL
);
INSERT INTO Physician(employeeid,name,position)
VALUES
(1,'Dr.John Dorian','Staff Internist'),
(2,'Dr.Elliot Reid','Attending Physician'),
(3,'Dr.Christopher Turk','Surgical Attending Physician'),
(4,'Dr.Percival Cox','Senior Attending Physician'),
(5,'Dr.Bob Kelso','Head Chief of pulmonology'),
(6,'Dr.Todd Quinlan','Surgical Attending Physician'),
(7,'Dr.John Wen','Surgical Attending Physician'),
(8,'Dr.Keith Dudemeister','Resident'),
(9,'Dr.Molly Clock','Attending Psychiatrist'),
(10,'Dr.Imani Harper','Senior Attending Nephrologist'),
(11,'Dr.Berkley McKenzie','Resident'),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
SQL Editor Opened.
Type here to search
ENG
10:42 PM
2025-10-25



MySQL Workbench
sumit
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
hospital_menegements
sumitech
Tables
Views
Stored Procedures
Functions
sys
Administration Schemas
Information
No object selected
Object Info Session
sql project hospital management
SQL File 9*
SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 15*
Limit to 1000 rows
1 create table department(
2 department_id int Primary Key ,
3 dept_name VARCHAR(150) NOT NULL,
4 head int not null,
5 Foreign Key(head) references Physician(employeeid)
6);
7
8 Insert into department(department_id,dept_name,head)
9 values
10 (1,'General Medicine',4),
11 (2,'Surgery',7),
12 (3,'Psychiatry',9),
13 (4,'Cardiology',13),
14 (5,'Nephrology',10),
15 (6,'Urology',35),
16 (7,'Neurology',30),
17 (8,'Physiotherapy',27),
18 (9,'ENT',15),
19 (10,'Pulmonology',5),
20 (11,'Gastroenterology',18),
21 (12,'Gynecology',12),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
SQL Editor Opened.
Type here to search
ENG
10:43 PM
2025-10-25


MySQL Workbench
sumit
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
hospital_menegements
sumitech
Tables
Views
Stored Procedures
Functions
sys
Administration Schemas
Information
No object selected
Object Info Session
sql project hospital management
SQL File 9*
SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 15*
Limit to 1000 rows
1 CREATE TABLE Nurse(
2 nurse_id INT NOT NULL ,
3 name VARCHAR(150) NOT NULL,
4 position VARCHAR(150) NOT NULL,
5 registered VARCHAR(10) NOT NULL
6);
7 INSERT INTO Nurse(nurse_id,name,position,registered)
8 VALUES
9 (1,'Carla Espinosa','Head Nurse','Yes'),
10 (2,'Laverne Roberts','Nurse','Yes'),
11 (3,'Paul Flowers','Nurse','No'),
12 (4,'Anna Rubel','Team Leader','No'),
13 (5,'Teresa Buttler','Sister In','Yes'),
14 (6,'Katthie Mathews','Nurse','Yes'),
15 (7,'Rose Hughes','Head Nurse','Yes'),
16 (8,'Carolina Gomez','Nurse','No'),
17 (9,'Danna Martinez','Sister IR','No'),
18 (10,'Olive Peterson','Head Nurse','Yes'),
19 (11,'Amelia Murray','Team Leader','Yes'),
20 (12,'Helena Martinez','Nurse','No'),
21 (13,'Olivia Petterson','NS Supdt','Yes'),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
SQL Editor Opened.
Type here to search
ENG
10:43 PM
2025-10-25


MySQL Workbench
sumit
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
hospital_managements
sumitech
Tables
Views
Stored Procedures
Functions
sys
Administration Schemas
Information
No object selected
Object Info Session
sql project hospital management
SQL File 9*
SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 15*
Limit to 1000 rows
1 CREATE TABLE Patient(
2 patient_id INT Primary key auto_increment,
3 name VARCHAR(100) NOT NULL,
4 surname VARCHAR(100) NOT NULL,
5 address VARCHAR(100) NOT NULL,
6 Gender VARCHAR(150) NOT NULL,
7 phone VARCHAR(150) NOT NULL,
8 primary_check INT NOT NULL,
9 FOREIGN KEY(PRIMARY_CHECK) REFERENCES Physician(employeeid)
10);
11 INSERT INTO Patient(Patient_id,name,surname,address,Gender,phone,primary_check)
12 VALUES
13 (01,'John','Smith','42 Foobar Lane','Male','555-0256-896',2),
14 (02,'Grace','Ritchie','37 Snafu Drive','Female','555-0512-657',2),
15 (03,'Remo','Xavier','101 Omgbbq Street','Male','555-1204-345',9),
16 (04,'Dennis','Doe','1100 Foobaz Avenue','Male','555-2048-345',17),
17 (05,'John','Smith','123 Main St','Male','555-123-4567',24),
18 (06,'Emily','Johnson','56 Elm St','Female','555-234-5678',7),
19 (07,'Michael','Williams','789 Oak St','Male','555-345-6789',13),
20 (08,'Sarah','Brown','101 Pine St','Female','555-456-7890',25),
21 (09,'David','Jones','234 Maple St', 'Male','555-567-8901',28),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
SQL Editor Opened.
Type here to search
ENG
10:43 PM
2025-10-25


MySQL Workbench
sumit
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
hospital_menegements
sumitech
Tables
Views
Stored Procedures
Functions
sys
Administration Schemas
Information
No object selected
Object Info Session
sql project hospital management SQL File 9* SQL File 10* SQL File 11* SQL File 12* SQL File 13* SQL File 14* SQL File 15* SQ
Limit to 1000 rows
1 CREATE TABLE PATIENT_DIAGNOSIS(
2 Diagnosis VARCHAR(150) NOT NULL,
3 Prescription VARCHAR(150) NOT NULL,
4 Patient_ID INT NOT NULL,
5 Physician_id INT NOT NULL,
6 FOREIGN KEY(Patient_id) references Patient(Patient_id),
7 FOREIGN KEY(Physician_id) references Physician(employeeid)
8);
9 INSERT INTO PATIENT_DIAGNOSIS(Diagnosis,Prescription,Patient_ID,Physician_id)
10 VALUES
11 ('Hypertension','Lisinopril',1,2),
12 ('Arthritis','Naproxen & Aspirin',4,17),
13 ('Anxiety Disorder','Fluoxetine',3,9),
14 ('Muscular Dystrophy','Corticosteroids',5,24),
15 ('Asthma','Albuterol',2,2),
16 ('IgA Nephropathy','Budesonide',30,10),
17 ('Chronic Pain','Tramadol',6,7),
18 ('Acoustic neuroma','Radiation therapy',7,13),
19 ('Septic Shock','Corticosteroids:Hydrocortisone',8,25),
20 ('Kidney Stones','Ibuprofen, Acetaminophen',9,28),
21 ('Parkinsons Disease,Pramipexole','Ropinirole',10,19),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
SQL Editor Opened.
Type here to search
ENG
10:43 PM
2025-10-25


MySQL Workbench
sumit
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
hospital_menegements
sumitech
Tables
Views
Stored Procedures
Functions
sys
Administration Schemas
Information
No object selected
Object Info Session
sql project hospital management SQL File 9* SQL File 10* SQL File 11* SQL File 12* SQL File 13* SQL File 14* SQL File 15* SQ
Limit to 1000 rows
1 CREATE TABLE procedures(
2 code INT PRIMARY KEY,
3 name VARCHAR(150) NOT NULL,
4 cost INT NOT NULL
5);
6
7 INSERT INTO procedures(code,name,cost)
8 VALUES
9 (1,'X-ray-Chest',1000),
10 (2,'X-ray-Abdomen',1200),
11 (3,'X-ray-Skull',900),
12 (4,'X-ray-Spine',1500),
13 (5,'MRI-Brain',5000),
14 (6,'MRI-Spine',6000),
15 (7,'CT Scan-Abdomen',3000),
16 (8,'CT Scan-Pelvis',3500),
17 (9,'Ultrasound-Abdomen',700),
18 (10,'Ultrasound-Obstetric',2500),
19 (11,'Mammogram',1200),
20 (12,'Bone Density Scan (DEXA)',1800),
21 (13,'PET-CT Scan',5000),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
SQL Editor Opened.
Type here to search
ENG
10:43 PM
2025-10-25


MySQL Workbench
sumit
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
hospital_menegements
sumitech
Tables
Views
Stored Procedures
Functions
sys
Administration Schemas
Information
No object selected
Object Info Session
sql project hospital management SQL File 9* SQL File 10* SQL File 11* SQL File 12* SQL File 13* SQL File 14* SQL File 15*
Limit to 1000 rows
1 CREATE TABLE affiliated_with(
2 physicianid INT NOT NULL,
3 departmentid INT NOT NULL,
4 primaryaffiliation VARCHAR(1) NOT NULL,
5 FOREIGN KEY(physicianid) references Physician(employeeid),
6 Foreign Key(departmentid) references department(department_id)
7);
8
9 INSERT INTO affiliated_with(physicianid,departmentid,primaryaffiliation)
10 VALUES
11 (1,1,'t'),
12 (2,1,'t'),
13 (3,1,'f'),
14 (3,2,'t'),
15 (4,1,'t'),
16 (5,10,'t'),
17 (6,2,'t'),
18 (7,1,'f'),
19 (7,2,'t'),
20 (8,1,'t'),
21 (9,3,'t'),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
SQL Editor Opened.
Type here to search
ENG
10:43 PM
2025-10-25