Experiment 7

Student Name: Sumit Kumar   **UID: 23BCS11219**
Branch: BE-CSE   **Section/Group: KRG-3B**
Semester: 5   **Date of performance: 29-10-2025**
Subject name: ADBMS   **Subject code: 23CSP-333**

MEDIUM LEVEL PROBLEM

Requirements: design a trigger which:

1. Whenever there is a insertion or deletion on student table then, the currently inserted or deleted row should be printed on the console.

CODE:

```
-- create student table for testing
CREATE TABLE IF NOT EXISTS student
    ( id SERIAL PRIMARY KEY,
    name TEXT NOT NULL,
    age INTEGER,
    class TEXT
);
-- function for student audit (prints inserted/deleted row using RAISE NOTICE)
CREATE OR REPLACE FUNCTION fn_student_audit()
RETURNS TRIGGER
LANGUAGE plpgsql
AS
$$ BE
GIN
    IF TG_OP = 'INSERT' THEN
        RAISE NOTICE 'Inserted Row -> ID: %, Name: %, Age: %, Class: %',
```

```
                NEW.id, NEW.name, NEW.age, NEW.class;

            RETURN NEW;

    ELSIF TG_OP = 'DELETE' THEN

        RAISE NOTICE 'Deleted Row -> ID: %, Name: %, Age: %, Class: %',

                OLD.id, OLD.name, OLD.age, OLD.class;

        RETURN OLD;

    END IF;

    RETURN NULL;

END;

$$;

-- trigger for student table

DROP TRIGGER IF EXISTS trg_student_audit ON student;

CREATE TRIGGER trg_student_audit

AFTER INSERT OR DELETE ON student

FOR EACH ROW

EXECUTE FUNCTION fn_student_audit();
```

```
INSERT 0 1
INSERT 0 1
DELETE 1
 sno |                      message
-----+--------------------------------------------------------------
   1 | Employee name Jyoti has been added at 2025-10-30 07:17:39
   2 | Employee name Neha has been added at 2025-10-30 07:17:39
   3 | Employee name Jyoti has been deleted at 2025-10-30 07:17:39
(3 rows)
```

HARD LEVEL PROBLEM

Requirements: Design postgresql triggers that:

1. Whenever a new employee is inserted in tbl_employee, a record should be added to tbl_employee_audit:

   "Employee name <emp_name> has been added at <current_time>"

2. Whenever an employee is deleted from tbl_employee, a record should be added to tbl_employee_audit:

   "Employee name <emp_name> has been deleted at <current_time>"

CODE:

```
-- Create employee tables
CREATE TABLE IF NOT EXISTS tbl_employee
  ( emp_id SERIAL PRIMARY KEY,
  emp_name VARCHAR(100) NOT NULL,
  emp_salary NUMERIC
);
CREATE TABLE IF NOT EXISTS tbl_employee_audit
  ( sno SERIAL PRIMARY KEY,
  message TEXT
);
-- function to insert audit messages into tbl_employee_audit
CREATE OR REPLACE FUNCTION audit_employee_changes()
RETURNS TRIGGER
LANGUAGE plpgsql
AS
$$ BE
GIN
```

```sql
    IF TG_OP = 'INSERT' THEN
        INSERT INTO tbl_employee_audit(message)
        VALUES (
            'Employee name ' || NEW.emp_name || ' has been added at ' ||
            to_char(NOW(), 'YYYY-MM-DD HH24:MI:SS')
        );
        RETURN NEW;
    ELSIF TG_OP = 'DELETE' THEN
        INSERT INTO tbl_employee_audit(message)
        VALUES (
            'Employee name ' || OLD.emp_name || ' has been deleted at ' ||
            to_char(NOW(), 'YYYY-MM-DD HH24:MI:SS')
        );
        RETURN OLD;
    END IF;

    RETURN NULL;
END;
$$;
-- trigger for tbl_employee
DROP TRIGGER IF EXISTS trg_employee_audit ON tbl_employee;
CREATE TRIGGER trg_employee_audit
AFTER INSERT OR DELETE ON tbl_employee
FOR EACH ROW
EXECUTE FUNCTION audit_employee_changes();
```

------------------------ TESTING THE TRIGGERS ------------------------

-- clear tables for a clean test (optional)

TRUNCATE TABLE tbl_employee_audit RESTART IDENTITY;

TRUNCATE TABLE tbl_employee RESTART IDENTITY;

TRUNCATE TABLE student RESTART IDENTITY;

-- Test student trigger (you should see RAISE NOTICE messages in the console)

INSERT INTO student(name, age, class) VALUES ('Aniket', 15, '10A');

INSERT INTO student(name, age, class) VALUES ('Tanmay', 16, '11B');

DELETE FROM student WHERE name = 'Aniket';

-- Test employee trigger

INSERT INTO tbl_employee(emp_name, emp_salary) VALUES ('Jyoti', 50000);

INSERT INTO tbl_employee(emp_name, emp_salary) VALUES ('Neha', 65000);

DELETE FROM tbl_employee WHERE emp_name = 'Jyoti';

-- Check audit logs

SELECT * FROM tbl_employee_audit ORDER BY sno;

```
psql:commands.sql:42: NOTICE:  trigger "trg_student_audit" for relation "student" does not exist, skipping
psql:commands.sql:100: NOTICE:  trigger "trg_employee_audit" for relation "tbl_employee" does not exist, skipping
psql:commands.sql:115: NOTICE:  Inserted Row -> ID: 1, Name: Aniket, Age: 15, Class: 10A
psql:commands.sql:116: NOTICE:  Inserted Row -> ID: 2, Name: Tanmay, Age: 16, Class: 11B
psql:commands.sql:117: NOTICE:  Deleted Row -> ID: 1, Name: Aniket, Age: 15, Class: 10A
```