

```
In [2]: import pandas as pd
import numpy as np
from sklearn import linear_model
from sklearn.model_selection import train_test_split
```

```
In [3]: from sklearn.datasets import load_boston
boston = load_boston()
print(boston)
```

```
{'data': array([[6.3200e-03, 1.8000e+01, 2.3100e+00, ..., 1.5300e+01, 3.9690e+02,
 4.9800e+00],
 [2.7310e-02, 0.0000e+00, 7.0700e+00, ..., 1.7800e+01, 3.9690e+02,
 9.1400e+00],
 [2.7290e-02, 0.0000e+00, 7.0700e+00, ..., 1.7800e+01, 3.9283e+02,
 4.0300e+00],
 ...,
 [6.0760e-02, 0.0000e+00, 1.1930e+01, ..., 2.1000e+01, 3.9690e+02,
 5.6400e+00],
 [1.0959e-01, 0.0000e+00, 1.1930e+01, ..., 2.1000e+01, 3.9345e+02,
 6.4800e+00],
 [4.7410e-02, 0.0000e+00, 1.1930e+01, ..., 2.1000e+01, 3.9690e+02,
 7.8800e+00]]), 'target': array([24. , 21.6, 34.7, 33.4, 36.2, 28.7, 22.9, 2
7.1, 16.5, 18.9, 15. ,
 18.9, 21.7, 20.4, 18.2, 19.9, 23.1, 17.5, 20.2, 18.2, 13.6, 19.6,
 15.2, 14.5, 15.6, 13.9, 16.6, 14.8, 18.4, 21. , 12.7, 14.5, 13.2,
 13.1, 13.5, 18.9, 20. , 21. , 24.7, 30.8, 34.9, 26.6, 25.3, 24.7,
 21.2, 19.3, 20. , 16.6, 14.4, 19.4, 19.7, 20.5, 25. , 23.4, 18.9,
 35.4, 24.7, 31.6, 23.3, 19.6, 18.7, 16. , 22.2, 25. , 33. , 23.5,
 19.4, 22. , 17.4, 20.9, 24.2, 21.7, 22.8, 23.4, 24.1, 21.4, 20. ,
 20.8, 21.2, 20.3, 28. , 23.9, 24.8, 22.9, 23.9, 26.6, 22.5, 22.2,
 23.6, 28.7, 22.6, 22. , 22.9, 25. , 20.6, 28.4, 21.4, 38.7, 43.8,
 33.2, 27.5, 26.5, 18.6, 19.3, 20.1, 19.5, 19.5, 20.4, 19.8, 19.4,
 21.7, 22.8, 18.8, 18.7, 18.5, 18.3, 21.2, 19.2, 20.4, 19.3, 22. ,
 20.3, 20.5, 17.3, 18.8, 21.4, 15.7, 16.2, 18. , 14.3, 19.2, 19.6,
 23. , 18.4, 15.6, 18.1, 17.4, 17.1, 13.3, 17.8, 14. , 14.4, 13.4,
 15.6, 11.8, 13.8, 15.6, 14.6, 17.8, 15.4, 21.5, 19.6, 15.3, 19.4,
 17. , 15.6, 13.1, 41.3, 24.3, 23.3, 27. , 50. , 50. , 50. , 22.7,
 25. , 50. , 23.8, 23.8, 22.3, 17.4, 19.1, 23.1, 23.6, 22.6, 29.4,
 23.2, 24.6, 29.9, 37.2, 39.8, 36.2, 37.9, 32.5, 26.4, 29.6, 50. ,
 32. , 29.8, 34.9, 37. , 30.5, 36.4, 31.1, 29.1, 50. , 33.3, 30.3,
 34.6, 34.9, 32.9, 24.1, 42.3, 48.5, 50. , 22.6, 24.4, 22.5, 24.4,
 20. , 21.7, 19.3, 22.4, 28.1, 23.7, 25. , 23.3, 28.7, 21.5, 23. ,
 26.7, 21.7, 27.5, 30.1, 44.8, 50. , 37.6, 31.6, 46.7, 31.5, 24.3,
 31.7, 41.7, 48.3, 29. , 24. , 25.1, 31.5, 23.7, 23.3, 22. , 20.1,
 22.2, 23.7, 17.6, 18.5, 24.3, 20.5, 24.5, 26.2, 24.4, 24.8, 29.6,
 42.8, 21.9, 20.9, 44. , 50. , 36. , 30.1, 33.8, 43.1, 48.8, 31. ,
 36.5, 22.8, 30.7, 50. , 43.5, 20.7, 21.1, 25.2, 24.4, 35.2, 32.4,
 32. , 33.2, 33.1, 29.1, 35.1, 45.4, 35.4, 46. , 50. , 32.2, 22. ,
 20.1, 23.2, 22.3, 24.8, 28.5, 37.3, 27.9, 23.9, 21.7, 28.6, 27.1,
 20.3, 22.5, 29. , 24.8, 22. , 26.4, 33.1, 36.1, 28.4, 33.4, 28.2,
 22.8, 20.3, 16.1, 22.1, 19.4, 21.6, 23.8, 16.2, 17.8, 19.8, 23.1,
 21. , 23.8, 23.1, 20.4, 18.5, 25. , 24.6, 23. , 22.2, 19.3, 22.6,
 19.8, 17.1, 19.4, 22.2, 20.7, 21.1, 19.5, 18.5, 20.6, 19. , 18.7,
 32.7, 16.5, 23.9, 31.2, 17.5, 17.2, 23.1, 24.5, 26.6, 22.9, 24.1,
 18.6, 30.1, 18.2, 20.6, 17.8, 21.7, 22.7, 22.6, 25. , 19.9, 20.8,
 16.8, 21.9, 27.5, 21.9, 23.1, 50. , 50. , 50. , 50. , 50. , 13.8,
 13.8, 15. , 13.9, 13.3, 13.1, 10.2, 10.4, 10.9, 11.3, 12.3, 8.8,
 7.2, 10.5, 7.4, 10.2, 11.5, 15.1, 23.2, 9.7, 13.8, 12.7, 13.1,
 12.5, 8.5, 5. , 6.3, 5.6, 7.2, 12.1, 8.3, 8.5, 5. , 11.9,
 27.9, 17.2, 27.5, 15. , 17.2, 17.9, 16.3, 7. , 7.2, 7.5, 10.4,
 8.8, 8.4, 16.7, 14.2, 20.8, 13.4, 11.7, 8.3, 10.2, 10.9, 11. ,
 9.5, 14.5, 14.1, 16.1, 14.3, 11.7, 13.4, 9.6, 8.7, 8.4, 12.8,
 10.5, 17.1, 18.4, 15.4, 10.8, 11.8, 14.9, 12.6, 14.1, 13. , 13.4,
 15.2, 16.1, 17.8, 14.9, 14.1, 12.7, 13.5, 14.9, 20. , 16.4, 17.7,
 19.5, 20.2, 21.4, 19.9, 19. , 19.1, 19.1, 20.1, 19.9, 19.6, 23.2,
 29.8, 13.8, 13.3, 16.7, 12. , 14.6, 21.4, 23. , 23.7, 25. , 21.8,
 20.6, 21.2, 19.1, 20.6, 15.2, 7. , 8.1, 13.6, 20.1, 21.8, 24.5,
```

```

23.1, 19.7, 18.3, 21.2, 17.5, 16.8, 22.4, 20.6, 23.9, 22. , 11.9]], 'feature
_names': array(['CRIM', 'ZN', 'INDUS', 'CHAS', 'NOX', 'RM', 'AGE', 'DIS', 'RAD',
'TAX', 'PTRATIO', 'B', 'LSTAT'], dtype='<U7'), 'DESCR': ".. _boston_datase
t:\n\nBoston house prices dataset\n-----\n\n**Data Set Charac
teristics:** \n\n      :Number of Instances: 506 \n\n      :Number of Attributes: 13 n
umeric/categorical predictive. Median Value (attribute 14) is usually the target.\n
\n      :Attribute Information (in order):\n          - CRIM      per capita crime rate
by town\n          - ZN      proportion of residential land zoned for lots over 25,0
00 sq.ft.\n          - INDUS  proportion of non-retail business acres per town\n
- CHAS    Charles River dummy variable (= 1 if tract bounds river; 0 otherwise)\n
- NOX     nitric oxides concentration (parts per 10 million)\n          - RM      a
verage number of rooms per dwelling\n          - AGE      proportion of owner-occupe
d units built prior to 1940\n          - DIS      weighted distances to five Boston e
mployment centres\n          - RAD      index of accessibility to radial highways\n
- TAX     full-value property-tax rate per $10,000\n          - PTRATIO  pupil-teach
er ratio by town\n          - B        1000(Bk - 0.63)^2 where Bk is the proportion o
f blacks by town\n          - LSTAT    % lower status of the population\n          - ME
DV        Median value of owner-occupied homes in $1000's\n\n      :Missing Attribute Va
lues: None\n\n      :Creator: Harrison, D. and Rubinfeld, D.L.\n\nThis is a copy of U
CI ML housing dataset.\nhttps://archive.ics.uci.edu/ml/machine-learning-databases/h
ousing/\n\n\nThis dataset was taken from the StatLib library which is maintained at
Carnegie Mellon University.\n\nThe Boston house-price data of Harrison, D. and Rubi
nfeld, D.L. 'Hedonic\nprices and the demand for clean air', J. Environ. Economics &
Management,\nvol.5, 81-102, 1978.  Used in Belsley, Kuh & Welsch, 'Regression diag
nostics\n...', Wiley, 1980.  N.B. Various transformations are used in the table on
\npages 244-261 of the latter.\n\nThe Boston house-price data has been used in many
machine learning papers that address regression\nproblems.  \n      \n.. topic:: Re
ferences\n\n      - Belsley, Kuh & Welsch, 'Regression diagnostics: Identifying Influe
ntial Data and Sources of Collinearity', Wiley, 1980. 244-261.\n      - Quinlan,R. (19
93). Combining Instance-Based and Model-Based Learning. In Proceedings on the Tenth
International Conference of Machine Learning, 236-243, University of Massachusetts,
Amherst. Morgan Kaufmann.\n", 'filename': 'C:\\Users\\HP\\Anaconda3\\lib\\site-pack
ages\\sklearn\\datasets\\data\\boston_house_prices.csv'}

```

In [4]: boston.feature_names

Out[4]: array(['CRIM', 'ZN', 'INDUS', 'CHAS', 'NOX', 'RM', 'AGE', 'DIS', 'RAD',
'TAX', 'PTRATIO', 'B', 'LSTAT'], dtype='<U7')

```
In [5]: boston.target
```

```
Out[5]: array([24. , 21.6, 34.7, 33.4, 36.2, 28.7, 22.9, 27.1, 16.5, 18.9, 15. ,
18.9, 21.7, 20.4, 18.2, 19.9, 23.1, 17.5, 20.2, 18.2, 13.6, 19.6,
15.2, 14.5, 15.6, 13.9, 16.6, 14.8, 18.4, 21. , 12.7, 14.5, 13.2,
13.1, 13.5, 18.9, 20. , 21. , 24.7, 30.8, 34.9, 26.6, 25.3, 24.7,
21.2, 19.3, 20. , 16.6, 14.4, 19.4, 19.7, 20.5, 25. , 23.4, 18.9,
35.4, 24.7, 31.6, 23.3, 19.6, 18.7, 16. , 22.2, 25. , 33. , 23.5,
19.4, 22. , 17.4, 20.9, 24.2, 21.7, 22.8, 23.4, 24.1, 21.4, 20. ,
20.8, 21.2, 20.3, 28. , 23.9, 24.8, 22.9, 23.9, 26.6, 22.5, 22.2,
23.6, 28.7, 22.6, 22. , 22.9, 25. , 20.6, 28.4, 21.4, 38.7, 43.8,
33.2, 27.5, 26.5, 18.6, 19.3, 20.1, 19.5, 19.5, 20.4, 19.8, 19.4,
21.7, 22.8, 18.8, 18.7, 18.5, 18.3, 21.2, 19.2, 20.4, 19.3, 22. ,
20.3, 20.5, 17.3, 18.8, 21.4, 15.7, 16.2, 18. , 14.3, 19.2, 19.6,
23. , 18.4, 15.6, 18.1, 17.4, 17.1, 13.3, 17.8, 14. , 14.4, 13.4,
15.6, 11.8, 13.8, 15.6, 14.6, 17.8, 15.4, 21.5, 19.6, 15.3, 19.4,
17. , 15.6, 13.1, 41.3, 24.3, 23.3, 27. , 50. , 50. , 50. , 22.7,
25. , 50. , 23.8, 23.8, 22.3, 17.4, 19.1, 23.1, 23.6, 22.6, 29.4,
23.2, 24.6, 29.9, 37.2, 39.8, 36.2, 37.9, 32.5, 26.4, 29.6, 50. ,
32. , 29.8, 34.9, 37. , 30.5, 36.4, 31.1, 29.1, 50. , 33.3, 30.3,
34.6, 34.9, 32.9, 24.1, 42.3, 48.5, 50. , 22.6, 24.4, 22.5, 24.4,
20. , 21.7, 19.3, 22.4, 28.1, 23.7, 25. , 23.3, 28.7, 21.5, 23. ,
26.7, 21.7, 27.5, 30.1, 44.8, 50. , 37.6, 31.6, 46.7, 31.5, 24.3,
31.7, 41.7, 48.3, 29. , 24. , 25.1, 31.5, 23.7, 23.3, 22. , 20.1,
22.2, 23.7, 17.6, 18.5, 24.3, 20.5, 24.5, 26.2, 24.4, 24.8, 29.6,
42.8, 21.9, 20.9, 44. , 50. , 36. , 30.1, 33.8, 43.1, 48.8, 31. ,
36.5, 22.8, 30.7, 50. , 43.5, 20.7, 21.1, 25.2, 24.4, 35.2, 32.4,
32. , 33.2, 33.1, 29.1, 35.1, 45.4, 35.4, 46. , 50. , 32.2, 22. ,
20.1, 23.2, 22.3, 24.8, 28.5, 37.3, 27.9, 23.9, 21.7, 28.6, 27.1,
20.3, 22.5, 29. , 24.8, 22. , 26.4, 33.1, 36.1, 28.4, 33.4, 28.2,
22.8, 20.3, 16.1, 22.1, 19.4, 21.6, 23.8, 16.2, 17.8, 19.8, 23.1,
21. , 23.8, 23.1, 20.4, 18.5, 25. , 24.6, 23. , 22.2, 19.3, 22.6,
19.8, 17.1, 19.4, 22.2, 20.7, 21.1, 19.5, 18.5, 20.6, 19. , 18.7,
32.7, 16.5, 23.9, 31.2, 17.5, 17.2, 23.1, 24.5, 26.6, 22.9, 24.1,
18.6, 30.1, 18.2, 20.6, 17.8, 21.7, 22.7, 22.6, 25. , 19.9, 20.8,
16.8, 21.9, 27.5, 21.9, 23.1, 50. , 50. , 50. , 50. , 50. , 13.8,
13.8, 15. , 13.9, 13.3, 13.1, 10.2, 10.4, 10.9, 11.3, 12.3, 8.8,
7.2, 10.5, 7.4, 10.2, 11.5, 15.1, 23.2, 9.7, 13.8, 12.7, 13.1,
12.5, 8.5, 5. , 6.3, 5.6, 7.2, 12.1, 8.3, 8.5, 5. , 11.9,
27.9, 17.2, 27.5, 15. , 17.2, 17.9, 16.3, 7. , 7.2, 7.5, 10.4,
8.8, 8.4, 16.7, 14.2, 20.8, 13.4, 11.7, 8.3, 10.2, 10.9, 11. ,
9.5, 14.5, 14.1, 16.1, 14.3, 11.7, 13.4, 9.6, 8.7, 8.4, 12.8,
10.5, 17.1, 18.4, 15.4, 10.8, 11.8, 14.9, 12.6, 14.1, 13. , 13.4,
15.2, 16.1, 17.8, 14.9, 14.1, 12.7, 13.5, 14.9, 20. , 16.4, 17.7,
19.5, 20.2, 21.4, 19.9, 19. , 19.1, 19.1, 20.1, 19.9, 19.6, 23.2,
29.8, 13.8, 13.3, 16.7, 12. , 14.6, 21.4, 23. , 23.7, 25. , 21.8,
20.6, 21.2, 19.1, 20.6, 15.2, 7. , 8.1, 13.6, 20.1, 21.8, 24.5,
23.1, 19.7, 18.3, 21.2, 17.5, 16.8, 22.4, 20.6, 23.9, 22. , 11.9])
```

```
In [6]: x = pd.DataFrame(boston.data, columns = boston.feature_names)
y = pd.DataFrame(boston.target)
```

```
In [7]: x.head(10)
```

Out[7]:

	CRIM	ZN	INDUS	CHAS	NOX	RM	AGE	DIS	RAD	TAX	PTRATIO	B	LSTAT
0	0.00632	18.0	2.31	0.0	0.538	6.575	65.2	4.0900	1.0	296.0	15.3	396.90	4.98
1	0.02731	0.0	7.07	0.0	0.469	6.421	78.9	4.9671	2.0	242.0	17.8	396.90	9.14
2	0.02729	0.0	7.07	0.0	0.469	7.185	61.1	4.9671	2.0	242.0	17.8	392.83	4.03
3	0.03237	0.0	2.18	0.0	0.458	6.998	45.8	6.0622	3.0	222.0	18.7	394.63	2.94
4	0.06905	0.0	2.18	0.0	0.458	7.147	54.2	6.0622	3.0	222.0	18.7	396.90	5.33
5	0.02985	0.0	2.18	0.0	0.458	6.430	58.7	6.0622	3.0	222.0	18.7	394.12	5.21
6	0.08829	12.5	7.87	0.0	0.524	6.012	66.6	5.5605	5.0	311.0	15.2	395.60	12.43
7	0.14455	12.5	7.87	0.0	0.524	6.172	96.1	5.9505	5.0	311.0	15.2	396.90	19.15
8	0.21124	12.5	7.87	0.0	0.524	5.631	100.0	6.0821	5.0	311.0	15.2	386.63	29.93
9	0.17004	12.5	7.87	0.0	0.524	6.004	85.9	6.5921	5.0	311.0	15.2	386.71	17.10

```
In [8]: y.head(10)
```

Out[8]:

	0
0	24.0
1	21.6
2	34.7
3	33.4
4	36.2
5	28.7
6	22.9
7	27.1
8	16.5
9	18.9

```
In [9]: reg = linear_model.LinearRegression()
```

```
In [10]: x_train, x_test, y_train, y_test = train_test_split(x, y, test_size=0.20, random_state=
```

```
In [11]: reg.fit(x_train, y_train)
```

Out[11]: LinearRegression(copy_X=True, fit_intercept=True, n_jobs=None, normalize=False)

```
In [12]: print(reg.coef_)
```

```
[[-1.13055924e-01  3.01104641e-02  4.03807204e-02  2.78443820e+00
 -1.72026334e+01  4.43883520e+00 -6.29636221e-03 -1.44786537e+00
  2.62429736e-01 -1.06467863e-02 -9.15456240e-01  1.23513347e-02
 -5.08571424e-01]]
```

```
In [13]: y_pred = reg.predict(x_test)
print(y_pred)
```

```
[[28.99672362]
 [36.02556534]
 [14.81694405]
 [25.03197915]
 [18.76987992]
 [23.25442929]
 [17.66253818]
 [14.34119   ]
 [23.01320703]
 [20.63245597]
 [24.90850512]
 [18.63883645]
 [-6.08842184]
 [21.75834668]
 [19.23922576]
 [26.19319733]
 [20.64773313]
 [ 5.79472718]
 [40.50033966]
 [17.61289074]
 [27.24909479]
 [30.06625441]
 [11.34179277]
 [24.16077616]
 [17.86058499]
 [15.83609765]
 [22.78148106]
 [14.57704449]
 [22.43626052]
 [19.19631835]
 [22.43383455]
 [25.21979081]
 [25.93909562]
 [17.70162434]
 [16.76911711]
 [16.95125411]
 [31.23340153]
 [20.13246729]
 [23.76579011]
 [24.6322925 ]
 [13.94204955]
 [32.25576301]
 [42.67251161]
 [17.32745046]
 [27.27618614]
 [16.99310991]
 [14.07009109]
 [25.90341861]
 [20.29485982]
 [29.95339638]
 [21.28860173]
 [34.34451856]
 [16.04739105]
 [26.22562412]
 [39.53939798]
 [22.57950697]
 [18.84531367]
 [32.72531661]
 [25.0673037 ]]
```

```
[12.88628956]
[22.68221908]
[30.48287757]
[31.52626806]
[15.90148607]
[20.22094826]
[16.71089812]
[20.52384893]
[25.96356264]
[30.61607978]
[11.59783023]
[20.51232627]
[27.48111878]
[11.01962332]
[15.68096344]
[23.79316251]
[ 6.19929359]
[21.6039073 ]
[41.41377225]
[18.76548695]
[ 8.87931901]
[20.83076916]
[13.25620627]
[20.73963699]
[ 9.36482222]
[23.22444271]
[31.9155003 ]
[19.10228271]
[25.51579303]
[29.04256769]
[20.14358566]
[25.5859787 ]
[ 5.70159447]
[20.09474756]
[14.95069156]
[12.50395648]
[20.72635294]
[24.73957161]
[-0.164237 ]
[13.68486682]
[16.18359697]
[22.27621999]
[24.47902364]]
```

In []: