Name: Chauhan Sumit K.

Dept:- Data engineering

Creating an storage account:



Lifecycle management:

Open storage account resource

On left side bar in data management tab see lifecycle management:



Click on add-rule

Cool-tier rule

Add a rule ···

1 Details 2 Base blobs

A rule is made up of one or more conditions and actions that apply to the entire storage account. Optionally, specify that rules will apply to particular blobs by limiting with filters.

Rule name *

cool-tier-rule

Rule scope *

- (●) Apply rule to all blobs in your storage account
- ( ) Limit blobs with filters

Blob type *

- [x] Block blobs
- [ ] Append blobs

Blob subtype *

- [x] Base blobs
- [ ] Snapshots
- [ ] Versions



Archive storage rule

Add a rule ...

Details 2 Base blobs

Lifecycle management uses your rules to automatically move blobs to cooler tiers or to delete them. If you create multiple rules, the associated actions must be implemented in tier order (from hot to cool storage, then archive, then deletion).

If

Base blobs were *

- (●) Last modified
- ( ) Created

More than (days ago) *

90

Then

Move to archive storage

[x] Skip blobs that have been rehydrated in the last 7 days

⚠ If you have workloads that require real-time read-access to these blobs, moving them to archive is not recommended. Blobs in archive must first be rehydrated to hot or cool to read them. Learn more

+ Add conditions

Delete rule

Add a rule ...

Details 2 Base blobs

Lifecycle management uses your rules to automatically move blobs to cooler tiers or to delete them. If you create multiple rules, the associated actions must be implemented in tier order (from hot to cool storage, then archive, then deletion).

If

Base blobs were *

- (●) Last modified
- ( ) Created

More than (days ago) *

365

Then

Delete the blob

Move to cool storage
For infrequently accessed data that you want to keep on cool storage for at least 30 days.

Move to cold storage
For rarely accessed data that you want to keep for at least 90 days.

Move to archive storage
Use if you don't need online access and want to keep the object for 180 days or longer.

Delete the blob
Deletes the object per the specified conditions.

All rules:

simlifecyclemgmt01 | Lifecycle management
Storage account

Help me save costs by tiering unused blobs

Search

- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions
- Resource visualizer
- Data storage
- Security + networking
- Data management
- Storage Actions
- Redundancy

+ Add a rule | Enable | Disable | Refresh | Delete | Give feedback

Lifecycle management offers a rich, rule-based policy for general purpose v2 and blob storage accounts. Use the policy to transition your data to the appropriate access tiers or expire at the end of the data's lifecycle. A new or updated rule can take up to 24 hours t
Learn more

List View Code View

Enable access tracking ☐

Name	Status	Blob type
cool-tier-rule	Enabled	Block
archive-tier-rule	Enabled	Block
delete-rule	Enabled	Block