

Fabric Assignment

Name: - Chauhan Sumit

Dept: - Data Engineering

Task 1: OneLake & Lakehouse

Creating Fabric Lakehouse

The screenshot shows the Microsoft Fabric console interface. At the top, there's a search bar and a 'Power BI trial: 52 days left' notification. The main area displays a table of items in the 'My workspace'. A modal dialog titled 'New Lakehouse' is open in the center, allowing the user to create a new lakehouse. The dialog has fields for 'Name' (filled with 'lh_lms') and 'Location' (set to 'My workspace'). There is a checkbox for 'Lakehouse schemas' which is checked. 'Create' and 'Cancel' buttons are at the bottom right of the dialog.

Name	Status	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity
demo-eventstream		Eventstream	—	Sumit Chauhan	—	—	—	—
dp700_ep06_windowing_functions		Eventstream	—	Sumit Chauhan	—	—	—	—
dp700_ep10_spark_settings						—	—	—
dp700_ep10_spark_settings						—	—	—
dp700_ep11_sss_main						—	—	—
dp700_ep11_sss_setup						—	—	—
dp700_ep15_eventhouse						—	—	—
dp700_runtime_enviroment						—	—	—
eh_dp700						—	—	—
eh_dp700		KQL Database	—	Sumit Chauhan	—	—	—	—
GraphQL_1		API for GraphQL	—	Sumit Chauhan	—	—	—	—
Lakehouse_table_maitanence		Notebook	—	Sumit Chauhan	—	—	—	—
lh_dp700		Lakehouse	—	Sumit Chauhan	—	—	Promoted	—
lh_dp700		SQL analytics endp...	—	Sumit Chauhan	—	—	—	—
Master_Pipeline		Notebook	—	Sumit Chauhan	—	—	—	—
MyDataflowGen2	✓	Dataflow Gen2 (CI/...	—	Sumit Chauhan	5/15/2026, 2:44:17 PM	—	—	—

Upload files in file section in lakehouse

The screenshot displays the Microsoft Fabric interface. The top navigation bar shows the 'Fabric' logo and the selected workspace 'lh_lms'. The left sidebar contains navigation icons for Home, Workspaces, Copilot, OneLake catalog, Monitor, Real-Time, Workloads, and My workspace. The main content area is titled 'Materialized lake views' and includes a search bar and a list of actions: 'Get data', 'New semantic model', 'Open notebook', 'Add to data agent', 'Manage OneLake security', and 'Update all variables'. The 'Explorer' pane on the left shows the 'lh_lms' workspace with a tree view containing 'Tables', 'dbo', and 'Files'. The 'Files' section is currently selected. The 'Upload files' dialog box is open, showing the path 'My workspace/lh_lms/Files/' and an 'Upload' button. Below the dialog, the 'Current uploads' table lists two files: 'activity_logs.csv' and 'user_activity.csv', both with a status of 'Completed'.

Upload files

My workspace/lh_lms/Files/


☐ Overwrite if files already exist

Upload

Current uploads

File Name	Lakehouse Name	Status	Size	Action
activity_logs.csv	lh_lms	Completed	611 B / 611 B	
user_activity.csv	lh_lms	Completed	901 B / 901 B	

Load the data in lakehouse tables



Result in lakehouse

The screenshot displays the Microsoft Fabric interface. The top navigation bar includes the 'Fabric' logo, a search bar, and a 'Power BI trial: 52 days left' notification. The main content area is titled 'Home' and 'Materialized lake views'. Below this, there are two informational messages: 'For optimal refresh to work efficiently, enable the delta CDF property on both source tables and materialized lake views used as source.' and 'A SQL analytics endpoint for SQL querying was created with this item.'

The 'Explorer' pane on the left shows the hierarchy of the lakehouse 'lh_lms'. It includes a search bar and a list of items: 'Tables' (containing 'dbo' and 'lms'), 'Files' (containing 'activity_logs' and 'user_activity'), and 'My workspace'. The 'Files' folder is currently selected.

The main pane displays the contents of the 'Files' folder. It shows a table with the following data:

Name	Date modified	Type	Size
activity_logs.csv	5/22/2026, 10:35:24 AM	csv	611 B
user_activity.csv	5/22/2026, 10:35:24 AM	csv	901 B

The bottom status bar indicates 'Succeeded (2 sec 92 ms)' and 'Folders 0 Files 2'.

Fabric | lh_lms | Search

Home Security Management Help

New SQL query Monitor New semantic model New API for GraphQL Download SQL database project Open in Copilot

Explorer

- Warehouses
- lh_lms
 - Schemas
 - dbo
 - INFORMATION_...
 - lms
 - Tables
 - activity_log
 - user_activit
 - Views

SQL query 1

Run Save as Save as view Create rule Explain query Fix query errors

```
1 select * from lms.activity_logs;
```

Messages Results

	Timestamp	ABC UserId	ABC EventType	ABC Status
1	2025-01-01 09:05:00.000000	U101	Login	Success
2	2025-01-01 09:10:00.000000	U102	Login	Success
3	2025-01-01 10:00:00.000000	U103	Login	Failed
4	2025-01-01 10:15:00.000000	U101	FileUpload	Success
5	2025-01-01 10:30:00.000000	U102	FileDownload	Success
6	2025-01-02 09:00:00.000000	U105	Login	Success
7	2025-01-02 09:05:00.000000	U101	Login	Success

Tables in SQL endpoint

Fabric | lh_lms | Search

Home Security Management Help

New SQL query Monitor New semantic model New API for GraphQL Download SQL database project Open in Copilot

Explorer

- Warehouses
- lh_lms
 - Schemas
 - dbo
 - INFORMATION_...
 - lms
 - Tables
 - activity_log
 - user_activit
 - Views
 - Functions
 - Stored Proce...

SQL query 1

Run Save as Save as view Create rule Explain query Fix query errors


```
1 select * from lms.user_activity;
```

Messages Results


	ABC UserId	ABC UserName	ABC ActivityType	ActivityDate	ActivityTime	ABC Country
1	U101	Rahul	Login	2025-01-01	2026-05-22 09:05:00.000000	India
2	U102	Anita	Login	2025-01-01	2026-05-22 09:10:00.000000	India
3	U103	John	Login	2025-01-01	2026-05-22 10:00:00.000000	USA
4	U101	Rahul	FileUpload	2025-01-01	2026-05-22 10:15:00.000000	India
5	U102	Anita	FileDownload	2025-01-01	2026-05-22 10:30:00.000000	India
6	U104	Emma	Login	2025-01-01	2026-05-22 11:00:00.000000	UK
7	U103	John	Logout	2025-01-01	2026-05-22 11:30:00.000000	USA
8	U105	Arjun	Login	2025-01-02	2026-05-22 09:00:00.000000	India
9	U101	Rahul	Login	2025-01-02	2026-05-22 09:05:00.000000	India
10	U104	Emma	FileUpload	2025-01-02	2026-05-22 10:20:00.000000	UK

Task 2: Dataflow Gen2

Creating Dataflow gen2



Adding lakehouse tables as source in df



Fabric

lh_lms

lh_lms

df_gen2_lms

Search

Power BI trial: 52 days left

Home

Workspaces

Copilot

OneLake catalog

Monitor

Real-Time

Workloads

My workspace

...

Fabric

Power Query

Draft saved

Search (Alt + Q)

Get data

Choose data source

lh

No results found

Recents & My Queries (Preview)

AllRecentMy QueriesFavorites

No results found

OneLake catalog

Name	Type	Owner	Refreshed	Location	Endorsement	Sensitivity
lh_lms	Lakehouse	Sumit Chauhan	—	My Workspace	—	—
lh_dp700	Lakehouse	Sumit Chauhan	—	My Workspace	Promoted	—

Connecting to lh_lms

Cancel

Fabric

lh_ims

lh_ims

df_gen2_ims

Search

Power BI trial: 52 days left

Home

Workspaces

Copilot

OneLake catalog

Monitor

Real-Time

Workloads

My workspace

Power Query

Draft saved

Search (Alt + Q)

Get data

Choose data

Search

Display options

lh_ims [15]

Files

queryinsights.exec_requests...

queryinsights.exec_sessions...

queryinsights.frequently_run...

queryinsights.long_running...

queryinsights.sql_pool_insights

sys.dm_db_external_tables_lo...

sys.external_delta_tables

sys.managed_delta_table_che...

sys.managed_delta_table_forks

sys.managed_delta_table_log...

sys.managed_delta_tables

sys.sys_dvw_schemas

lms.activity_logs

lms.user_activity

lms.user_activity

UserId	UserName	ActivityType	ActivityDate	ActivityTime	Country
U101	Rahul	Login	1/1/2025	5/22/2026, 9:05:00 AM	India
U102	Anita	Login	1/1/2025	5/22/2026, 9:10:00 AM	India
U103	John	Login	1/1/2025	5/22/2026, 10:00:00 AM	USA
U101	Rahul	FileUpload	1/1/2025	5/22/2026, 10:15:00 AM	India
U102	Anita	FileDownload	1/1/2025	5/22/2026, 10:30:00 AM	India
U104	Emma	Login	1/1/2025	5/22/2026, 11:00:00 AM	UK
U103	John	Logout	1/1/2025	5/22/2026, 11:30:00 AM	USA
U105	Arjun	Login	1/2/2025	5/22/2026, 9:00:00 AM	India
U101	Rahul	Login	1/2/2025	5/22/2026, 9:05:00 AM	India
U104	Emma	FileUpload	1/2/2025	5/22/2026, 10:20:00 AM	UK
U102	Anita	Logout	1/2/2025	5/22/2026, 10:45:00 AM	India
U105	Arjun	FileDownload	1/2/2025	5/22/2026, 11:10:00 AM	India
U106	Sophia	Login	1/2/2025	5/22/2026, 11:30:00 AM	Canada
U103	John	Login	1/3/2025	5/22/2026, 9:15:00 AM	USA
U106	Sophia	FileUpload	1/3/2025	5/22/2026, 10:00:00 AM	Canada
U101	Rahul	Logout	1/3/2025	5/22/2026, 10:30:00 AM	India
U104	Emma	Login	1/3/2025	5/22/2026, 11:00:00 AM	UK
U105	Arjun	Logout	1/3/2025	5/22/2026, 11:20:00 AM	India
U102	Anita	Login	1/3/2025	5/22/2026, 11:45:00 AM	India
U106	Sophia	Logout	1/3/2025	5/22/2026, 12:00:00 PM	Canada

Back

Cancel

Create

Change activity date to Date type

The screenshot shows the Power Query Editor interface. A dialog box titled "Change column type with locale" is open, prompting the user to change the data type and select the locale of origin. The "Data type" dropdown is set to "Date", and the "Locale" dropdown is empty. The background shows a data table with columns: UserId, UserName, ActivityType, ActivityDate, ActivityTime, and Country. The formula bar displays the M code: `Table.TransformColumnTypes(#"Navigation 2", {{"ActivityDate", type date}})`.

Change column type with locale

Change the data type and select the locale of origin.

Data type *

Date

Locale

OK Cancel

Table.TransformColumnTypes(#"Navigation 2", {{"ActivityDate", type date}})

	UserId	UserName	ActivityType	ActivityDate	ActivityTime	Country
1	U101	Rahul	Login	1/1/2025	5/22/2026, 9:05:00 AM	India
2	U102	Anita	Login	1/1/2025	5/22/2026, 9:10:00 AM	India
3	U103	John	Login	1/1/2025	5/22/2026, 10:00:00 AM	USA
4	U101	Rahul	FileUpload	1/1/2025	5/22/2026, 10:15:00 AM	India
5	U102	Anita	FileDownload	1/1/2025	5/22/2026, 10:30:00 AM	India
6	U104	Emma	Login	1/1/2025	5/22/2026, 11:00:00 AM	UK
7	U103	John	Logout	1/1/2025	5/22/2026, 11:30:00 AM	USA
8	U105	Arjun	Login	1/2/2025	5/22/2026, 9:00:00 AM	India
9	U101	Rahul	Login	1/2/2025	5/22/2026, 9:05:00 AM	India
10	U104	Emma	FileUpload	1/2/2025	5/22/2026, 10:20:00 AM	UK
11	U102	Anita	Logout	1/2/2025	5/22/2026, 10:45:00 AM	India
12	U105	Arjun	FileDownload	1/2/2025	5/22/2026, 11:10:00 AM	India

The screenshot shows the Power Query Editor interface with the "Changed column type" step highlighted in the query history. The formula bar displays the M code: `Table.TransformColumnTypes(#"Navigation 2", {{"ActivityDate", type date}})`. The data table is visible below the formula bar.

Source Navigation Navigation 1 Navigation 2 Changed column... Inserted hour Renamed columns

Table.TransformColumnTypes(#"Navigation 2", {{"ActivityDate", type date}})

	UserId	UserName	ActivityType	ActivityDate	ActivityTime	Country
1	U101	Rahul	Login	1/1/2025	5/22/2026, 9:05:00 AM	India
2	U102	Anita	Login	1/1/2025	5/22/2026, 9:10:00 AM	India
3	U103	John	Login	1/1/2025	5/22/2026, 10:00:00 AM	USA
4	U101	Rahul	FileUpload	1/1/2025	5/22/2026, 10:15:00 AM	India
5	U102	Anita	FileDownload	1/1/2025	5/22/2026, 10:30:00 AM	India
6	U104	Emma	Login	1/1/2025	5/22/2026, 11:00:00 AM	UK
7	U103	John	Logout	1/1/2025	5/22/2026, 11:30:00 AM	USA
8	U105	Arjun	Login	1/2/2025	5/22/2026, 9:00:00 AM	India
9	U101	Rahul	Login	1/2/2025	5/22/2026, 9:05:00 AM	India
10	U104	Emma	FileUpload	1/2/2025	5/22/2026, 10:20:00 AM	UK
11	U102	Anita	Logout	1/2/2025	5/22/2026, 10:45:00 AM	India
12	U105	Arjun	FileDownload	1/2/2025	5/22/2026, 11:10:00 AM	India

Adding ActivityHour from Activity time (and renaming it)

The screenshot shows the Power Query Editor with a data table named 'Ims user_activity'. A context menu is open over the 'ActivityTime' column, showing the 'Add column from time' option. The menu includes options for Start of week, End of week, Day, Day of week, Day of year, Start of day, End of day, Name of day, Time only, Hour, Start of hour, End of hour, Minute, and Second. The 'Hour' option is highlighted.

Table: Ims user_activity



	AB Userid	AB UserName	AB ActivityType	AB ActivityTime	AB Country	
1	U101	Rahul	Login	1/1/2025	5/22/2026, 11:30:00 AM	USA
2	U102	Anita	Login	1/2/2025	5/22/2026, 9:00:00 AM	India
3	U103	John	Login	1/2/2025	5/22/2026, 9:05:00 AM	India
4	U101	Rahul	FileUpload	1/2/2025	5/22/2026, 10:20:00 AM	UK
5	U102	Anita	FileDownload	1/2/2025	5/22/2026, 10:45:00 AM	India
6	U104	Emma	Login			
7	U103	John	Logout			
8	U105	Arjun	Login			
9	U101	Rahul	Login			
10	U104	Emma	FileUpload			
11	U102	Anita	Logout			

The screenshot shows the Power Query Editor with a data table named 'Ims user_activity'. The formula bar displays the formula: `Table.RenameColumns("#Inserted hour", {"Hour", "ActivityHour"})`. The resulting data table is shown below.

Table: Ims user_activity

	AB Userid	AB UserName	AB ActivityType	AB ActivityTime	AB Country	123 ActivityHour	
1	U101	Rahul	Login	1/1/2025	5/22/2026, 9:05:00 AM	India	9
2	U102	Anita	Login	1/1/2025	5/22/2026, 9:10:00 AM	India	9
3	U103	John	Login	1/1/2025	5/22/2026, 10:00:00 AM	USA	10
4	U101	Rahul	FileUpload	1/1/2025	5/22/2026, 10:15:00 AM	India	10
5	U102	Anita	FileDownload	1/1/2025	5/22/2026, 10:30:00 AM	India	10
6	U104	Emma	Login	1/1/2025	5/22/2026, 11:00:00 AM	UK	11
7	U103	John	Logout	1/1/2025	5/22/2026, 11:30:00 AM	USA	11
8	U105	Arjun	Login	1/2/2025	5/22/2026, 9:00:00 AM	India	9
9	U101	Rahul	Login	1/2/2025	5/22/2026, 9:05:00 AM	India	9
10	U104	Emma	FileUpload	1/2/2025	5/22/2026, 10:20:00 AM	UK	10
11	U102	Anita	Logout	1/2/2025	5/22/2026, 10:45:00 AM	India	10
12	U105	Arjun	FileDownload	1/2/2025	5/22/2026, 11:10:00 AM	India	11
13	U106	Sophia	Login	1/2/2025	5/22/2026, 11:30:00 AM	Canada	11
14	U103	John	Login	1/3/2025	5/22/2026, 9:15:00 AM	USA	9
15	U106	Sophia	FileUpload	1/3/2025	5/22/2026, 10:00:00 AM	Canada	10

Load data back to destination (in lakehouse)



Data destination

Choose destination settings

ⓘ To improve the performance of the data load into the destination, we are going to disable staging for the source query. ✕

☒ Use automatic settings ?

Column mapping ⓘ

☐ Source	Source type	Destination	Destination type
☐ UserId	A B C Text	UserId	Text
☐ UserName	A B C Text	UserName	Text
☐ ActivityType	A B C Text	ActivityType	Text
☐ ActivityDate	Calendar Date	ActivityDate	Date
☐ ActivityTime	Calendar Date/Time	ActivityTime	Date/Time
☐ Country	A B C Text	Country	Text
☐ ActivityHour	1 2 3 Whole number	ActivityHour	Whole number

Successful run of dataflow transformations

My workspace > LMS_assignment

Run Succeeded

Last updated: 5/22/2026, 11:38:52 AM

	Name		Task
☐	 df_gen2_lms	 ... 	Dataflow Gen2 (CI/... —
	 lh_lms		Lakehouse —
	 lh_lms		SQL analytics endp... —

```

14
15 select * from lms.transformed_activity_logs;
16

```

	Timestamp	ABC UserId	ABC EventType	ABC Status
1	2025-01-01 09:05:00.000000	U101	Login	Success
2	2025-01-01 09:10:00.000000	U102	Login	Success
3	2025-01-01 10:00:00.000000	U103	Login	Failed
4	2025-01-01 10:15:00.000000	U101	FileUpload	Success
5	2025-01-01 10:30:00.000000	U102	FileDownload	Success
6	2025-01-02 09:00:00.000000	U105	Login	Success

Verifying transformed data

```

12
13
14 select * from lms.transformed_user_activity;
15
16

```

	ABC UserId	ABC UserName	ABC ActivityType	ActivityDate	ActivityTime	ABC Country	123 ActivityHour
1	U101	Rahul	Login	2025-01-01	2026-05-22 09:05:00.000000	India	9
2	U102	Anita	Login	2025-01-01	2026-05-22 09:10:00.000000	India	9
3	U103	John	Login	2025-01-01	2026-05-22 10:00:00.000000	USA	10
4	U101	Rahul	FileUpload	2025-01-01	2026-05-22 10:15:00.000000	India	10
5	U102	Anita	FileDownload	2025-01-01	2026-05-22 10:30:00.000000	India	10
6	U104	Emma	Login	2025-01-01	2026-05-22 11:00:00.000000	UK	11
7	U103	John	Logout	2025-01-01	2026-05-22 11:30:00.000000	USA	11
8	U105	Arjun	Login	2025-01-02	2026-05-22 09:00:00.000000	India	9
9	U101	Rahul	Login	2025-01-02	2026-05-22 09:05:00.000000	India	9
10	U104	Emma	FileUpload	2025-01-02	2026-05-22 10:20:00.000000	UK	10
11	U102	Anita	Logout	2025-01-02	2026-05-22 10:45:00.000000	India	10
12	U105	Ariun	FileDownload	2025-01-02	2026-05-22 11:10:00.000000	India	11

Copilot completions: Off Columns: 7 Rows: 20

Task 3: KQL Analytics

Creating KQL database

The screenshot displays the Microsoft Fabric user interface for creating a new KQL database. The top navigation bar includes the 'Fabric' logo, a tab for 'eh_lms', a search bar, and a 'Power BI trial: 51 days left' notification. The main content area is titled 'Eventhouse Database' and shows a list of 'KQL databases' on the left sidebar. The 'eh_lms' database is selected, and its details are shown in the center. The database is currently empty, with a large plus sign icon and the text 'This database is empty'. A 'Get data' button is visible at the bottom of the main area. The right sidebar provides 'Database details' for 'eh_lms', including storage size (0B compressed, 0B original), OneLake availability status (disabled), and an overview of database properties such as creation date, region, and source.

eh_lms

System overview
Databases
Monitoring

Search

KQL databases

- eh_lms
 - eh_lms_queryset
 - Tables
 - No tables
 - Shortcuts
 - Materialized views
 - Functions
 - Data streams

eh_lms

Overview Entity diagram

Database details

Compressed 0B Original 0B

OneLake

Availability Disabled

When enabled, tables in this database are available in OneLake. [Learn more](#)

Overview


Created by Sumit Chauhan
Created on May 22, 2026
Region Southeast Asia
Database source Eventhouse
Query URI Copy URI
MCP Server URI Copy URI
Last ingestion Data was not ingested
Ingestion URI Copy URI
Caching policy Unlimited
Retention policy Unlimited

Related elements

Find by name

eh_lms

Creating KQL table



pipeline for loading data from lakehouse to kql database (source)

The screenshot shows the Microsoft Fabric interface with the 'Get data' dialog box open. The dialog box has a search bar and a list of 'New sources'. Below this, the 'OneLake catalog' is displayed with a table of data sources.


New sources

- SQL Server database (Database)
- SharePoint folder (File)
- Dataverse (Power Platform)
- SharePoint Online list (Online services)
- Azure SQL database (Azure)
- Folder (File)
- OData (Other)
- Oracle database (Database)
- Odbc (Other)
- MySQL database (Database)

OneLake catalog

Name	Type	Owner	Refreshed	Location	Endorsement	Sensitivity
lh_lms	Lakehouse	Sumit Chauhan	—	My Workspace	—	—
eh_lms	KQL Database	Sumit Chauhan	—	My Workspace	—	—
lh_dp700	Lakehouse	Sumit Chauhan	—	My Workspace	Promoted	—
wh_dp700	Warehouse	Sumit Chauhan	—	My Workspace	—	—

Adding destination as KQL table for pipeline



Successful run of copy data activity (lakehouse -> kql database)

The screenshot displays the Microsoft Fabric user interface. At the top, a navigation bar includes tabs for 'Fabric', 'lh_lms', 'df_gen2_lms', 'eh_lms', 'KustoQueryWorkbench_1', and 'load_activity_to_kql'. Below this is a search bar and a 'Power BI trial: 51 days left' notification. The main toolbar contains icons for 'Home', 'Activities', 'Run', and 'View', followed by a set of action buttons: 'Validate', 'Run', 'Schedule', 'Trigger', 'View run history', 'Copy data', 'Dataflow', 'Notebook', 'Lookup', and 'Invoke Pipeline'. The central workspace area shows a 'Copy data' activity icon with a green checkmark and a dropdown menu labeled 'Copy data1'. The bottom section, titled 'Output', shows the 'Pipeline run ID' as 'c5d21c53-8e4f-4ec2-8cb2-78555bfab7d2' and the 'Pipeline status' as 'Succeeded'. A table below this lists the activity details:

Activity name	Activity status	Run start	Duration	Input	Output
Copy data1	✓ Succeeded	5/22/2026, 1:59:22 PM	1m 19s	→	→

Successfully loaded data in kql database

The screenshot displays the Microsoft Fabric Kusto Query Editor interface. The top navigation bar shows the 'Fabric' workspace and several open tabs, including 'lh_lms', 'df_gen2_lms', 'eh_lms', 'KustoQueryWorkbench_1', and 'load_activity_to_kql'. The left sidebar contains the 'Explorer' pane, which shows the 'eh_lms' data source and a table named 'activity_logs'. The main editor area shows a KQL query that creates a table named 'activity_logs' with columns: Timestamp (datetime), UserId (string), EventType (string), and Status (string). The query is executed, and the results are displayed in a table below the editor. The table has 15 records, showing a mix of Login, FileUpload, and FileDownload events, with some failures and some successes.

```
1 .create table activity_logs (  
2     Timestamp: datetime,  
3     UserId: string,  
4     EventType: string,  
5     Status: string  
6 )  
7  
8 activity_logs
```

Timestamp	UserId	EventType	Status
> 2025-01-01 09:05:00.000	U101	Login	Success
> 2025-01-01 09:10:00.000	U102	Login	Success
> 2025-01-01 10:00:00.000	U103	Login	Failed
> 2025-01-01 10:15:00.000	U101	FileUpload	Success
> 2025-01-01 10:30:00.000	U102	FileDownload	Success
> 2025-01-02 09:00:00.000	U105	Login	Success
> 2025-01-02 09:05:00.000	U101	Login	Success
> 2025-01-02 10:20:00.000	U104	FileUpload	Failed
> 2025-01-02 11:30:00.000	U106	Login	Success
> 2025-01-03 09:15:00.000	U103	Login	Success
> 2025-01-03 10:00:00.000	U106	FileUpload	Success
> 2025-01-03 10:30:00.000	U101	Logout	Success
> 2025-01-03 11:00:00.000	U104	Login	Success
> 2025-01-03 11:20:00.000	U105	Logout	Success
> 2025-01-03 12:00:00.000	U106	Logout	Success

KQL queries to analyze

```
10
11 // Total event count
12 activity_logs
13 | count
```

Table 1 + Add visual Stats

Count ▾ ⋮
> 15

```
18
19 // Successful vs failed logins
20 activity_logs
21 | where EventType == 'Login'
22 | summarize TotalLogins = count() by Status
23
```

Table 1 + Add visual Stats

Status ▾ ⋮	TotalLogins ▾ ⋮
> Success	7
> Failed	1


```
14
15 // Events by event type
16 activity_logs
17 | summarize TotalEvents = count() by EventType
```

Table 1 + Add visual Stats

EventType ▾ ⋮	TotalEvents ▾ ⋮
> Login	8
> FileUpload	3
> FileDownload	1
> Logout	3

Task 4: Power BI Report (Fabric)

In power BI desktop connecting with lakehouse



FileHomeInsertModelingViewOptimizeHelp

PasteCutCopyFormat painter

Get dataExcelOneLakeSQL ServerEnter dataDataverseRecent sources

Transform dataRefresh data

New visualText boxMore visuals

New visual calculationNew measureQuick measure

SensitivityPublish

Prep data for CopilotAI

Clipboard

Visualizations

Build visual

Filters

Visualizations

Build visual

Filters

Visualizations

Build visual

Filters

Import data from

Import data from

Navigator

Display Options

engyd5bvhcdu3j64k6qzbdjji-rjv2bqxqfhe7kj...

queryinsights.exec_requests_history

queryinsights.exec_sessions_history

queryinsights.frequently_run_queries

queryinsights.long_running_queries

queryinsights.sql_pool_insights

sys.dm_db_external_tables_log_status

sys.external_delta_tables

sys.managed_delta_table_checkpoints

sys.managed_delta_table_forks

sys.managed_delta_table_log_files

sys.managed_delta_tables

sys.sys_dw_schemas

lms.activity_logs

☒ lms.transformed_activity_logs

☒ lms.transformed_user_activity

☐ lms.user_activity

Select Related Tables

lms.transformed_user_activity

Userid	UserName	ActivityType	ActivityDate	ActivityTime
U101	Rahul	Login	01-01-2025	22-05-2026 09:05:00
U102	Anita	Login	01-01-2025	22-05-2026 09:10:00
U103	John	Login	01-01-2025	22-05-2026 10:00:00
U101	Rahul	FileUpload	01-01-2025	22-05-2026 10:15:00
U102	Anita	FileDownload	01-01-2025	22-05-2026 10:30:00
U104	Emma	Login	01-01-2025	22-05-2026 11:00:00
U103	John	Logout	01-01-2025	22-05-2026 11:30:00
U105	Arjun	Login	02-01-2025	22-05-2026 09:00:00
U101	Rahul	Login	02-01-2025	22-05-2026 09:05:00
U104	Emma	FileUpload	02-01-2025	22-05-2026 10:20:00
U102	Anita	Logout	02-01-2025	22-05-2026 10:45:00
U105	Arjun	FileDownload	02-01-2025	22-05-2026 11:10:00
U106	Sophia	Login	02-01-2025	22-05-2026 11:30:00
U103	John	Login	03-01-2025	22-05-2026 09:15:00
U106	Sophia	FileUpload	03-01-2025	22-05-2026 10:00:00
U101	Rahul	Logout	03-01-2025	22-05-2026 10:30:00
U104	Emma	Login	03-01-2025	22-05-2026 11:00:00
U105	Arjun	Logout	03-01-2025	22-05-2026 11:20:00
U102	Anita	Login	03-01-2025	22-05-2026 11:45:00
U106	Sophia	Logout	03-01-2025	22-05-2026 12:00:00

Load

Transform Data

Cancel

Final Dashboard

