

Ideal Customer Profile

CoExtend Global LLP | ICP, buyer roles, prospect qualification and automated lead-scoring framework

1. ICP Executive Summary

The strongest-fit customer for CoExtend Global is a specialist façade, cladding, roofing or broader building-envelope contractor/fabricator/consultancy in the UK, US or Canada that regularly faces tender-volume pressure, needs accurate takeoffs and pricing support, and can benefit from a dedicated offshore technical resource without adding permanent local headcount.

ICP dimension	Primary target	Secondary target	Low priority
Geography	United Kingdom; United States; Canada	Australia / selected English-speaking AEC markets	Markets requiring heavy local-language/local-code support
Company type	Façade/cladding/roofing/building-envelope subcontractors, specialist contractors, fabricators	Design-build firms, façade consultants, architects/engineers with production overflow	General businesses with little façade/envelope work
Size	Approx. 10-250 employees	250-1,000 where a dedicated offshore pod is justified	1-9 unless tender volume or founder-led outsourcing need is clear
Buying need	Recurring tender/takeoff/drafting workload; resource gaps; deadline pressure	Backlog support, second-estimate validation, BIM/shop-drawing capacity	One-off low-value drawing/measurement requests
Engagement	Retainer / dedicated resource / recurring project support	Hourly overflow / fixed-scope pilot	Price-only transactional work

2. TARGET MARKET

Country

- Tier 1 - United Kingdom: highest strategic fit for façade estimating, quantity takeoffs, BOQ/tender support and shop/fabrication drawings. UK procurement and tender cycles create recurring pre-construction workload.
- Tier 1 - United States: strong fit for façade, roofing and building-envelope contractors that need scalable estimating and drafting capacity and can operate with offshore technical teams.
- Tier 1 - Canada: strong fit for cladding/façade contractors and estimators requiring drawing review, material takeoffs, quotations and production support.
- Tier 2 - Australia: potentially attractive as an expansion market, but use only once delivery standards, target lists and regional code/measurement requirements are validated.

Research basis: CoExtend's current public hiring description explicitly states support for clients in the United Kingdom, United States and Canada; its public LinkedIn/company presence also describes façade, roofing and building-envelope technical services and virtual staffing. [Sources listed at end.]

Industry / trade

- Façade / cladding contractors and subcontractors
- Curtain wall, glazing and aluminium façade specialists
- Rainscreen, ACM/MCM, fibre cement, terracotta, stone and architectural cladding contractors

- Roofing contractors with commercial estimating or drafting workload
- Building-envelope contractors and remediation specialists
- Façade/architectural metal fabricators and installers
- Design-build and specialist construction firms with significant pre-construction workload
- Façade engineering / design consultancies needing production, detailing or BIM overflow

Company type

- Best: specialist subcontractor/fabricator with an internal estimator, commercial manager, pre-construction team or design/drafting function.
- Good: smaller founder-led specialist contractor where the managing director directly controls estimating and outsourcing decisions.
- Good: mid-sized contractor with repeated peaks in bids and shop-drawing workload.
- Selective: larger contractors if the opportunity can be packaged as a dedicated team/pod rather than general outsourced support.

Company size

Employee band	Priority	Why it matters	Typical offer
1-9	Selective	Often founder-controlled and price-sensitive; can have abrupt workload spikes.	Pilot project / hourly overflow
10-49	Very high	Enough recurring work to justify external technical capacity; usually limited need for large in-house departments.	Retainer / dedicated estimator / drafting resource
50-249	Very high	Multiple bids, PMs and disciplines create repeatable outsourcing opportunities.	Dedicated multi-person resource / managed delivery
250-1,000	Medium-high	Larger budgets and volume, but stronger procurement, QA and security expectations.	Department-specific dedicated pod
1,000+	Selective	Potentially large volume but longer procurement cycles and more incumbent suppliers.	Enterprise / specialist work package

3. TARGET JOB TITLES

Tier 1 - economic buyer: Managing Director; Commercial Director; Pre-Construction Director; Estimating Director / Head of Estimating; Director of Commercial; Operations Director

Tier 2 - primary champion: Commercial Manager; Estimating Manager; Senior Estimator; Estimator; Pre-Construction Manager; Design Manager; Technical Director; Façade Design Manager

Tier 3 - influencers: Procurement Manager; Quantity Surveyor; Senior QS; BIM Manager; Design Coordinator; Technical Manager; Project Manager

Founder-led targets: Managing Partner; Owner; Founder; Director / Principal of a specialist façade or cladding contractor

Sales Navigator note: prioritise decision makers and champions rather than generic “construction” titles. Current UK market job postings show Pre-Construction Directors commonly own bid strategy, estimators, cost planning, commercial performance, client relationships and work-winning outcomes, making them strong prospects for a capacity/outsourcing proposition. [Research sources at end.]

4. IDEAL COMPANY CHARACTERISTICS

Characteristic	Ideal signal	Why it increases fit
Specialist trade focus	Facade/cladding/roofing/building envelope forms a material part of revenue	CoExtend can sell deep trade familiarity rather than generic estimating
Recurring tender activity	Multiple live bids every month; active tender pipeline	Creates recurring takeoff, BOQ and pricing workload
Peak workload	Backlog, tender deadline pressure, recruitment gaps, holiday cover	Strong trigger for outsourced resource
Technical drawing workload	Shop drawings, fabrication details, as-builts, BIM or coordination required	Creates cross-sell from estimating into drafting/BIM
Existing estimator/commercial team	Has in-house experts but insufficient capacity	Best “extension of your team” positioning
Digital workflow	Uses PDF/DWG/Revit/Bluebeam/Excel/Teams or cloud collaboration	Lower friction for offshore delivery
Quality conscious	Values QA, revisions tracking, assumptions and traceability	Matches CoExtend delivery model
International collaboration	Already uses remote/offshore suppliers or distributed teams	Lower resistance to retained-resource model
Growth orientation	Hiring estimators/designers or taking on more bids	Outsourcing can solve capacity before permanent hiring
Repeatable project types	Commercial/residential towers, retrofit/remediation, public/commercial buildings, industrial or mixed-use	Repeatable assemblies improve delivery efficiency and account value

5. BAD PROSPECT CHARACTERISTICS

- Purely price-shopping enquiry with no interest in quality, continuity, communication or repeat work.
- Very low tender volume where one occasional takeoff does not justify an ongoing relationship.
- No drawings/specifications available and expectation that CoExtend should discover or invent scope without adequate information.
- Customer needs licensed local engineering sign-off, statutory design responsibility or other regulated services outside the agreed support scope.
- Customer refuses reasonable QA/review cycles, document controls or communication protocols.
- Persistent late payment, unclear commercial terms, unrealistic deadlines or repeated unpaid “test” work.
- Project work is outside CoExtend’s proven trade/geography capability and requires unfamiliar local standards with no allowance for learning/QA.
- Customer is a direct competitor primarily seeking CoExtend internal methods, staff, pricing or proprietary workflows rather than buying a service.

6. HIGH-VALUE PROSPECT CHARACTERISTICS

High-value signal	What to look for in research	Potential commercial value
10+ tenders / month	Active estimator/commercial team; frequent bid activity	Recurring takeoff and estimating revenue
Hiring estimators/designers	Open roles for estimators, BIM, CAD, design or commercial staff	Immediate capacity gap; strong timing signal
Multiple offices / regions	Regional teams and central pre-construction	Potential for multi-resource account

High-value signal	What to look for in research	Potential commercial value
Large project pipeline	Commercial, residential, healthcare, education, infrastructure, remediation or mixed-use projects	Larger project fees and repeat work
High documentation burden	Shop/fabrication drawings and BIM as part of delivery	Cross-sell estimating + drafting + BIM
Peak/seasonal workload	Tender bursts, framework bids, programme acceleration	Good retainer and overflow fit
Existing outsourcing	Already uses offshore or external drafting/estimating	Lower adoption friction
Founder / director accessible	Decision maker active on LinkedIn and responsive to direct outreach	Shorter sales cycle
Strong gross-margin focus	Commercial team talks about margin, bid/no-bid, productivity, overheads	Outcome-based value proposition is easier to quantify
Need for continuity	Concern around staff turnover or recruiting shortages	Retainer model becomes strategically attractive

7. AUTOMATED PROSPECT-SCORING FRAMEWORK

This framework is designed for eventual automation in the sales system. Start with a 100-point fit/intent score. Use public/company data first, then enrich with Sales Navigator and CRM activity. Do not score on sensitive personal characteristics.

Factor	Weight	Scoring guidance
Trade / service fit	20	20 = façade/cladding/roofing/building-envelope specialist; 10 = adjacent specialist; 0 = unrelated
Geography	10	10 = UK/US/Canada; 5 = approved expansion market; 0 = poor delivery fit
Company size / capacity need	10	10 = 10-249 employees or clear resource gap; 5 = smaller/larger with evidence; 0 = poor economics
Tender / project volume	15	15 = frequent active tenders / visible pipeline; 8 = moderate; 0 = little evidence
Need for estimating/takeoff	10	10 = explicit need, hiring or service description; 5 = likely; 0 = none
Need for drafting/BIM	10	10 = active shop drawings/BIM/design workload; 5 = occasional; 0 = none
Hiring / capacity trigger	10	10 = actively hiring relevant staff or showing workload expansion; 5 = historical growth; 0 = no signal
Decision-maker access	5	5 = direct economic buyer/champion; 3 = influencer; 0 = weak access
Outsourcing readiness	5	5 = already outsources/uses remote teams; 3 = likely; 0 = resistant/unknown
Commercial attractiveness	5	5 = repeat work + retainer potential + multi-service fit; 3 = project-only; 0 = low value

Score interpretation

Score	Classification	Recommended action
80-100	A+ / Priority	Personalised founder/director outreach; add to immediate call list; research trigger before message
65-79	A / Strong fit	Targeted outreach sequence; offer relevant pilot or capacity conversation
50-64	B / Nurture	Automated sequence; monitor triggers and revisit when hiring/tender workload appears
35-49	C / Low priority	Light nurture only; do not spend high-touch sales time
0-34	D / Disqualify	Exclude or suppress unless new evidence changes the score

8. ICP DECISION TREE

1. Is the company in a target geography? If no, disqualify or route to expansion-market list.
2. Does the company perform façade, cladding, roofing, building-envelope or closely related specialist work? If no, downgrade heavily.
3. Does it have recurring tenders, shop-drawing demand or visible pre-construction workload? If yes, continue.
4. Is there a capacity trigger - hiring, backlog, growth, multiple bids, deadlines, staff absence, new region or new project award? If yes, raise intent score.
5. Can we identify a decision maker or operational champion? Prioritise directors, commercial/pre-construction/estimating/design leaders.
6. Is there a realistic service-to-account path: pilot -> recurring project support -> retainer/dedicated resource -> multi-service account? If yes, prioritise.

9. ICP-SPECIFIC VALUE PROPOSITION

Buyer	Primary pain	Positioning
Managing Director / Owner	Growth constrained by technical capacity and overhead	Scale estimating/drafting capacity without immediately building a larger permanent team
Commercial Director	Tender deadlines, margin risk, overloaded estimators	Reliable technical capacity for takeoffs, BOQs, pricing support and tender documentation
Pre-Construction Director	High bid volume, work-winning pressure, team capacity	Extend pre-construction capacity with dedicated estimating and technical support
Head of Estimating / Estimating Manager	Too many bids, recruitment gaps, revision workload	Add trained estimating capacity that works to your templates, programme and QA process
Design / Technical Director	Shop-drawing backlog, coordination pressure	Dedicated drafting/BIM production support that can operate as an extension of the design team

Buyer	Primary pain	Positioning
Estimator	Repetitive measuring/document work consuming high-value time	Offload production-heavy takeoff and documentation tasks while keeping commercial control in-house

10. PRIORITY ACCOUNT LIST STRUCTURE FOR SALES NAVIGATOR

Recommended account filters: geography + industry + headcount + specialist trade keywords + growth/hiring signals. Then build people lists around the job titles above. Keep separate lists for UK Façade, UK Roofing/Envelope, US Façade/Roofing, Canada Façade/Cladding and Design/Engineering partners.

- Account keywords: facade, façade, cladding, curtain wall, glazing, rainscreen, ACM, MCM, building envelope, roofing, architectural metal, building remediation, external envelope.
- People titles: Managing Director, Commercial Director, Pre-Construction Director, Head of Estimating, Estimating Manager, Commercial Manager, Senior Estimator, Estimator, Technical Director, Design Manager, BIM Manager.
- Intent triggers: hiring estimator, hiring designer, tender announcement, project award, new framework, office expansion, growth announcement, backlog, bid deadline, new market entry.
- Negative keywords / exclusions: residential home-builder only, small one-off builders, unrelated MEP-only contractors, pure staffing/recruitment firms, competitors selling the same offshore service.

11. RESEARCH & VERIFICATION NOTES

The ICP is based on three layers: (1) CoExtend's publicly stated positioning and current hiring information, (2) observable market patterns from comparable estimating/BIM providers and contractor job descriptions, and (3) the internal service model and operating context developed in our work together. Public sources do not disclose every commercial fact, so headcount bands, score weights and priority tiers are strategic recommendations rather than audited company facts.

- CoExtend Global LLP job/company description on LinkedIn: current public description states construction estimating, quantity takeoffs, drafting and software development for clients in the UK, US and Canada; also identifies contractors, fabricators, consultants and technology companies as supported customers.
<https://in.linkedin.com/jobs/view/facade-estimator-commercial-assistant-remote-at-coextend-global-llp-4451703137>
- CoExtend Global LLP public LinkedIn/company presence: façade, roofing and building-envelope drafting, estimation and virtual staffing positioning, with 10+ experienced façade professionals stated publicly.
<https://in.linkedin.com/company/coextend-global-llp>
- Facade Estimators UK: market example focused on UK façade subcontractors/commercial teams, overflow tender support, fixed-fee takeoffs and pricing support. <https://facade-estimators.co.uk/>
- TSC Facades: market example showing specialist UK façade estimating positioning across BOQs, takeoffs, pricing and tender support. <https://tscfacades.com/>
- BIM Takeoff: market example of specialist subcontractor takeoffs/priced bills and the use of formats such as NRM2/SMM7.
<https://www.bimtakeoff.com/>
- Fast Estimator: market example showing construction takeoff/estimating outsourcing across UK, US, Canada and other markets, with emphasis on deadlines, overflow and cost vs in-house hiring. <https://uk.linkedin.com/company/fastestimator>
- Current UK pre-construction director postings: examples show senior pre-construction roles owning bid strategy, estimating teams, commercial risk, client relationships and work winning. <https://uk.linkedin.com/jobs/pre-construction-director-jobs>
- Current Canadian façade estimator posting: Globalpanel role includes drawing/specification review, material takeoffs, quotations, supplier coordination and pricing databases for architectural façade systems.
<https://ca.indeed.com/viewjob?jk=30e2861613f8148b>

12. IMPORTANT DATA HYGIENE RULES FOR AUTOMATION

- Treat the ICP score as a prioritisation aid, not as a statement of buying intent.
- Keep evidence fields alongside each score: source URL, trigger date, title, company size, trade, geography and reason for qualification.
- Recalculate intent signals regularly because hiring, tender activity and project pipelines change.
- Do not infer sensitive personal traits. Score company fit, role relevance, observable business triggers and engagement only.
- Use a human review gate before high-value personalised outreach, especially when the system relies on ambiguous public signals.