CLI AWS command

List IAM users using AWS CLI commands

Command Prompt

```
Microsoft Windows [Version 10.0.19045.5965]
(c) Microsoft Corporation. All rights reserved.

C:\Users\WELCOME>aws configure
AWS Access Key ID [****************FI75]: AKIA6MK3GITU7W5EFI75
AWS Secret Access Key [****************/HNH]: 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
Default region name [south-ap-1]:
Default output format [None]:

C:\Users\WELCOME>aws iam list-users
{
    "Users": [
        {
            "Path": "/",
            "UserName": "karthick1808",
            "UserId": "AIDA6MK3GITU3YS2PI7ZI",
            "Arn": "arn:aws:iam::988570600681:user/karthick1808",
            "CreateDate": "2025-07-03T02:53:29+00:00"
        },
        {
            "Path": "/",
            "UserName": "karthick180887",
            "UserId": "AIDA6MK3GITU7PZD6A6Y4",
            "Arn": "arn:aws:iam::988570600681:user/karthick180887",
            "CreateDate": "2025-07-03T02:53:56+00:00"
        },
        {
            "Path": "/",
            "UserName": "raviteja",
            "UserId": "AIDA6MK3GITU6VU7XWBXY",
            "Arn": "arn:aws:iam::988570600681:user/raviteja",
            "CreateDate": "2025-07-01T03:02:48+00:00",
            "PasswordLastUsed": "2025-07-03T15:15:09+00:00"
        }
    ]
```

Create IAM users using AWS CLI commands



Code :

C:\Users\WELCOME>aws configure
AWS Access Key ID [
FI75]: AKIA6MK3GITU7W5EFI75
AWS Secret Access Key [
/HNH]: 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
Default region name [south-ap-1]:
Default output format [None]:

C:\Users\WELCOME>aws iam list-users

C:\Users\WELCOME>aws iam create-user --user-name TestUser

Python script using boto3 to:

List all IAM users:

code:

import boto3

def list_iam_users():
iam = boto3.client('iam')
print("Printing all IAM users:")

paginator = iam.get_paginator('list_users')
for page in paginator.paginate():
    for user in page['Users']:
        print(user['UserName'])

list_iam_users()

Create a new S3 bucket:

```
import boto3
s3 = boto3.client('s3', region_name='ap-south-1')
s3.create_bucket(
```

```
Bucket='my-unique-bucket-name-123456',  # Bucket names must be globally
CreateBucketConfiguration={
'LocationConstraint': 'ap-south-1'
}
)
```

```
DETraining > DE PYTHON > exms > ptn > ...
1  import boto3
2  s3 =  boto3.client('s3', region_name='ap-south-1')
3  s3.create_bucket(
4  Bucket='my-unique-bucket-name-123456',  # Bucket names must be globally
5  CreateBucketConfiguration={
6  'LocationConstraint': 'ap-south-1'
7  }
8  )
```

```
PROBLEMS   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS                                   Python

PS D:\python classworks> & C:/Users/WELCOME/AppData/Local/Programs/Python/Python312/python.exe "d:/python classworks/DETraining/
DE PYTHON/exms/ptn"
Traceback (most recent call last):
  File "d:\python classworks\DETraining\DE PYTHON\exms\ptn", line 3, in <module>
    return self._make_api_call(operation_name, kwargs)
           ^^^
```

il-central-1 (Doing business with Israel supports atrocities.)	236 ms
me-south-1 (Doing business with Bahrain supports slavery.)	272 ms
me-central-1 (Doing business with the UAE supports slavery.)	186 ms
af-south-1 (Cape Town)	319 ms
ap-east-1 (Hong Kong)	132 ms
ap-southeast-3 (Jakarta)	116 ms
ap-south-1 (Mumbai)	73 ms
ap-south-2 (Hyderabad)	49 ms
ap-northeast-3 (Osaka)	181 ms
ap-northeast-2 (Seoul)	194 ms
ap-southeast-1 (Singapore)	103 ms
ap-southeast-2 (Sydney)	185 ms
ap-southeast-4 (Melbourne)	201 ms
ap-northeast-1 (Tokyo)	212 ms
sa-east-1 (São Paulo)	427 ms
cn-north-1 (Beijing)	420 ms
cn-northwest-1 (Ningxia)	timeout
mx-central-1 (Mexico)	327 ms
us-gov-east-1	272 ms
us-gov-west-1	299 ms

Latency Check Summary (via cloudping.info): The low Latency Available are:

- HYDERABAD : 49MS
- MUMBAI : 73MS
- SINGAPORE : 103MS

AWS Web Console Navigation:

✅ The **AWS Web Console** (https://console.aws.amazon.com) is a graphical interface to manage all your AWS services.

Steps to Explore IAM and Create a User:

- Login to AWS Console.
- Go to **IAM (Identity and Access Management)** from the Services menu.
- Explore the dashboard where you can manage:
  - **Users**
  - **Groups**
  - **Roles**
  - **Policies**
- To create a user manually:
  1. Click **Users → Add User**
  2. Assign Username, choose Programmatic Access or Console Access.
  3. Attach Permissions (like AdministratorAccess or custom policy).
  4. Review & Create.

Enable MFA for Root Account (Best Practice):

- Go to **Account Settings** → **Security Credentials**.
- Find the **MFA** option.
- Activate it using a mobile app like Google Authenticator or Authy.
- Adds extra security to your AWS root account.

AWS CLI Advanced Tasks:

The **AWS CLI** lets you interact with AWS from the terminal.

Delete IAM User:

```
bash
CopyEdit
```

```
aws iam delete-user --user-name TestUser
```

✔️ Deletes the user named **TestUser**.

✔️ Only works if the user has no active resources (access keys, groups, etc.).

Launch an EC2 Instance via CLI:

```
bash
CopyEdit
aws ec2 run-instances --image-id ami-xxxxxxxx --instance-type t2.micro --key-na
me MyKey --security-groups MySG
```

✔️ Replace values with your region's valid AMI ID, key pair, and security group.

✔️ Launches a virtual machine directly from CLI.

✔️ Refer AWS EC2 documentation for AMI IDs and more options.

Region & Service Validation:

AWS has different **Regions**, each containing **Availability Zones (AZs)**.

Example:

- **Mumbai (ap-south-1)**
- **Hyderabad (ap-south-2)**

How to Check Available Services in a Region:

Via Console:

- Choose region from top-right dropdown in AWS Console.
- Explore services – some services are region-specific.

CLI Example:

```
bash
CopyEdit
aws ec2 describe-regions --all-regions
```

✔️ Lists all regions and their status.

✔️ Not all regions offer every service – newer regions may lack older services.

Example Difference: Mumbai vs Hyderabad

Service	Mumbai (ap-south-1)	Hyderabad (ap-south-2)
EC2, S3, RDS	Available	Available
Some AI/ML Services	Available	Limited or rolling out
Legacy Services	Fully Supported	May not be present yet

➡️ Always verify service availability before planning deployments.