

Api Test Cases

SN	Method	Endpoint	Body	Expected status code	Actual status code	Status	Remarks
1	GET	https://api.escuelajs.co/api/v1/products		200	200	Pass	
2	GET	https://api.escuelajs.co/api/v1/products/:id		200	200	Pass	Variable id=6
3	GET	https://api.escuelajs.co/api/v1/products/slug/:slug		200	200	Pass	Variable slug=classic-comfort-fit-jogger
4	POST	https://api.escuelajs.co/api/v1/products/	{ "title": "skirt", "price": 61, "description": "woolen skirt", "categoryid": 1, "images": ["https://placeholder.co/600x400"] }	201	201	Pass	
5	PUT	https://api.escuelajs.co/api/v1/products/:id	{ "id": 7, "title": "abc", "slug": "change-title", "price": 200, "description": "The automobile layout consists of a front-engine design, with transaxle-type transmissions mounted at the rear of the engine and four wheel drive", "images": ["https://placeholder.co/600x400"], "category": { "id": 4, "name": "Shoes", "image": "https://placeholder.co/600x400", "slug": "shoes" } }	200	200	Pass	Variable id = 13
6	DELETE	https://api.escuelajs.co/api/v1/products/:id		200	200	Pass	Variable id=144
7	GET	https://api.escuelajs.co/api/v1/products?offset&limit		200	200	Pass	Variable offset = 2 and limit = 10
8	GET	https://api.escuelajs.co/api/v1/products/slug/:slug/related		200	200	Pass	Variable slug = classic-comfort-fit-jogger
9	GET	https://api.escuelajs.co/api/v1/products/:id/related		200	200	Pass	Variable id = 7
10	GET	https://api.escuelajs.co/api/v1/products?title		200	200	Pass	variable title = Efficient 2-Slice Toaster
11	GET	https://api.escuelajs.co/api/v1/products?price		200	200	Pass	variable price = 61
12	GET	https://api.escuelajs.co/api/v1/products?price_min&price_max		200	200	Pass	Variable price_min = 60 and price_max = 100
13	GET	https://api.escuelajs.co/api/v1/products?categoryid		200	200	Pass	Variable categoryid = 2

14	GET	https://api.escuelajs.co/api/v1/products/?categorySlug		200	200	Pass	Variable categorySlug = clothes
15	GET	https://api.escuelajs.co/api/v1/products/?title&price_min&price_max&categoryId		200	200	Pass	Variable title = abc, price_min = 60, price_max = 100 and categoryId = 1
16	GET	https://api.escuelajs.co/api/v1/products/?price_min&price_max&categoryId&limit&offset		200	200	Pass	Variable price_min = 20, price_max = 100, categoryId = 2, limit = 10 and offset = 1
17	GET	https://api.escuelajs.co/api/v1/products/?price_min&price_max&limit&offset		200	200	Pass	Variable price_min = 20, price_max = 100, limit = 10 and offset = 2
18	GET	https://api.escuelajs.co/api/v1/categories		200	200	Pass	
19	GET	https://api.escuelajs.co/api/v1/categories/:id		200	200	Pass	Variable id = 2
20	GET	https://api.escuelajs.co/api/v1/categories/slug/:slug		200	200	Pass	Variable slug = shoes
21	GET	https://api.escuelajs.co/api/v1/categories?:id&:slug		200	200	Fail	Variable id = 2 and slug = clothes The variables id = 2 and slug = clothes are provided, but the API does not return the correct filtered data.
22	POST	https://api.escuelajs.co/api/v1/categories/	{ "name": "Flowers", "image": "https://placeimg.com/640/480/any" }	201	201	Pass	
23	PUT	https://api.escuelajs.co/api/v1/categories/:id	{ "id": 3, "name": "Skirts", "slug": "skirts", "image": "https://placeholder.co/600x400" }	200	200	Pass	Variable id = 2
24	DELETE	https://api.escuelajs.co/api/v1/categories/:id		200	200	Pass	Variable id = 2
25	GET	https://api.escuelajs.co/api/v1/categories/:id/products		200	200	Pass	Variable categoryId = 2
26							
27	GET	https://api.escuelajs.co/api/v1/users		200	200	Pass	
28	GET	https://api.escuelajs.co/api/v1/users/:id		200	200	Pass	variable id = 36
29	POST	https://api.escuelajs.co/api/v1/users/	{ "name": "sainaaaaaaa", "email": "sainaa@gmail.com", "password": "1234", "avatar": "https://picsum.photos/800" }	201	201	Pass	

30	PUT	https://api.escuelajs.co/api/v1/users/:id	{ "email": "a@gmail.com", "password": "1234", "name": "sainaaaaaaaa", "role": "customer", "avatar": "https://picsum.photos/800", "creationAt": "2026-04-23T11:28:04.000Z", "updatedAt": "2026-04-23T11:28:04.000Z" }	200	200	Pass	Variable id = 36
31	POST	https://api.escuelajs.co/api/v1/users/is-available	{ "email": "abc@mail.com" }	201	201	Pass	
32	POST	https://api.escuelajs.co/api/v1/auth/login	{ "email": "john@mail.com", "password": "changeme" }	201	201	Pass	
33	GET	https://api.escuelajs.co/api/v1/auth/profile		200	200	Pass	
34	POST	https://api.escuelajs.co/api/v1/auth/refresh-token	{ "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9. eyJzdWIiOiJlbnR5cCI6IkpXVCJ9. eyJzdWIiOiJlbnR5cCI6IkpXVCJ9. MiwizXhwIjoxNzc3MDUwODkyfQ.qxK_ 4Dsu0l28MFT53WXlFexsQ_NcwGyMAg QmJv3xkf4" }	201	201	Pass	
35							
36	GET	https://api.escuelajs.co/api/v1/locations?origin		200	200	Pass	
37	GET	https://api.escuelajs.co/api/v1/locations					Variable origin =6.2071641,-75.5720321
38	GET	https://api.escuelajs.co/api/v1/locations?size		200	200	Fail	Variable size = 4 It should return locations equal to mention in size paramters but it returns all the available locations.
39	GET	https://api.escuelajs.co/api/v1/locations?origin&:radius		200	200	Pass	Variable origin = 4.712664126107684,-74.3594817021293 and radius = 7
40	POST	https://api.escuelajs.co/api/v1/files/upload		201	201	Pass	
	GET	https://api.escuelajs.co/api/v1/files/:filename		200	200	Pass	Variable filename = 67aa.png