

RES-OPT — Design Optimisation

July 19, 2026

Table of Contents

1	Domain Purpose and Scope	7
2	Domain Deliverables	7
3	RES-OPT-PRB — Optimisation Problem and Design-Space Definition	7
3.1	Purpose and Scope	7
3.2	Research Questions	7
3.3	Terminology and Definitions	7
3.4	Literature Evidence	7
3.5	Governing Relations and Quantitative Definitions	7
3.6	Decision Variables	7
3.7	Objective Functions	8
3.8	Constraints	8
3.9	Sampling Strategy	8
3.10	Optimisation Method	8
3.11	Computational Budget	8
3.12	Termination and Selection Criteria	8
3.13	Candidate Approaches	8
3.14	Critical Comparison	8
3.15	Assumptions and Applicability	8
3.16	Limitations and Failure Conditions	8
3.17	Project-Specific Conclusions	8
3.18	Selected Approach and Rationale	8
3.19	Unresolved Decisions	8
3.20	Requirements and Handoffs	8
3.21	Deliverable Completion Record	8

4	RES-OPT-OBJ — Objective Functions and Performance Measures	8
4.1	Purpose and Scope	8
4.2	Research Questions	9
4.3	Terminology and Definitions	9
4.4	Literature Evidence	9
4.5	Governing Relations and Quantitative Definitions	9
4.6	Decision Variables	9
4.7	Objective Functions	9
4.8	Constraints	9
4.9	Sampling Strategy	9
4.10	Optimisation Method	9
4.11	Computational Budget	9
4.12	Termination and Selection Criteria	9
4.13	Candidate Approaches	9
4.14	Critical Comparison	9
4.15	Assumptions and Applicability	9
4.16	Limitations and Failure Conditions	9
4.17	Project-Specific Conclusions	9
4.18	Selected Approach and Rationale	10
4.19	Unresolved Decisions	10
4.20	Requirements and Handoffs	10
4.21	Deliverable Completion Record	10
5	RES-OPT-CST — Constraints, Feasibility and Design Admissibility	10
5.1	Purpose and Scope	10
5.2	Research Questions	10
5.3	Terminology and Definitions	10
5.4	Literature Evidence	10
5.5	Governing Relations and Quantitative Definitions	10
5.6	Decision Variables	10
5.7	Objective Functions	10
5.8	Constraints	10
5.9	Sampling Strategy	11
5.10	Optimisation Method	11
5.11	Computational Budget	11
5.12	Termination and Selection Criteria	11
5.13	Candidate Approaches	11
5.14	Critical Comparison	11
5.15	Assumptions and Applicability	11
5.16	Limitations and Failure Conditions	11
5.17	Project-Specific Conclusions	11

5.18	Selected Approach and Rationale	11
5.19	Unresolved Decisions	11
5.20	Requirements and Handoffs	11
5.21	Deliverable Completion Record	11
6	RES-OPT-DOE — Design of Experiments and Simulation-Sampling Strategy	11
6.1	Purpose and Scope	11
6.2	Research Questions	12
6.3	Terminology and Definitions	12
6.4	Literature Evidence	12
6.5	Governing Relations and Quantitative Definitions	12
6.6	Decision Variables	12
6.7	Objective Functions	12
6.8	Constraints	12
6.9	Sampling Strategy	12
6.10	Optimisation Method	13
6.11	Computational Budget	13
6.12	Termination and Selection Criteria	13
6.13	Candidate Approaches	13
6.14	Critical Comparison	13
6.15	Assumptions and Applicability	13
6.16	Limitations and Failure Conditions	13
6.17	Project-Specific Conclusions	13
6.18	Selected Approach and Rationale	13
6.19	Unresolved Decisions	13
6.20	Requirements and Handoffs	13
6.21	Deliverable Completion Record	13
7	RES-OPT-ALG — Optimisation Algorithm Assessment and Selection	13
7.1	Purpose and Scope	13
7.2	Research Questions	13
7.3	Terminology and Definitions	13
7.4	Literature Evidence	13
7.5	Governing Relations and Quantitative Definitions	13
7.6	Decision Variables	13
7.7	Objective Functions	13
7.8	Constraints	13
7.9	Sampling Strategy	13
7.10	Optimisation Method	13
7.11	Computational Budget	13

7.12	Termination and Selection Criteria	13
7.13	Candidate Approaches	13
7.14	Critical Comparison	13
7.15	Assumptions and Applicability	13
7.16	Limitations and Failure Conditions	13
7.17	Project-Specific Conclusions	13
7.18	Selected Approach and Rationale	13
7.19	Unresolved Decisions	13
7.20	Requirements and Handoffs	13
7.21	Deliverable Completion Record	13
8	RES-OPT-MOO — Multi-Objective Trade-Off and Design-Selection Framework	13
8.1	Purpose and Scope	13
8.2	Research Questions	13
8.3	Terminology and Definitions	13
8.4	Literature Evidence	13
8.5	Governing Relations and Quantitative Definitions	13
8.6	Decision Variables	13
8.7	Objective Functions	13
8.8	Constraints	13
8.9	Sampling Strategy	13
8.10	Optimisation Method	13
8.11	Computational Budget	13
8.12	Termination and Selection Criteria	13
8.13	Candidate Approaches	13
8.14	Critical Comparison	13
8.15	Assumptions and Applicability	13
8.16	Limitations and Failure Conditions	13
8.17	Project-Specific Conclusions	13
8.18	Selected Approach and Rationale	13
8.19	Unresolved Decisions	13
8.20	Requirements and Handoffs	13
8.21	Deliverable Completion Record	13
9	RES-OPT-ROB — Robust and Uncertainty-Aware Optimisation	13
9.1	Purpose and Scope	13
9.2	Research Questions	13
9.3	Terminology and Definitions	13
9.4	Literature Evidence	13
9.5	Governing Relations and Quantitative Definitions	13

9.6	Decision Variables	13
9.7	Objective Functions	13
9.8	Constraints	13
9.9	Sampling Strategy	13
9.10	Optimisation Method	13
9.11	Computational Budget	13
9.12	Termination and Selection Criteria	13
9.13	Candidate Approaches	13
9.14	Critical Comparison	13
9.15	Assumptions and Applicability	13
9.16	Limitations and Failure Conditions	13
9.17	Project-Specific Conclusions	13
9.18	Selected Approach and Rationale	13
9.19	Unresolved Decisions	13
9.20	Requirements and Handoffs	13
9.21	Deliverable Completion Record	13

10	RES-OPT-BUD — Computational Budget, Convergence and Termination Strategy	13
10.1	Purpose and Scope	13
10.2	Research Questions	14
10.3	Terminology and Definitions	14
10.4	Literature Evidence	14
10.5	Governing Relations and Quantitative Definitions	14
10.6	Decision Variables	14
10.7	Objective Functions	14
10.8	Constraints	14
10.9	Sampling Strategy	14
10.10	Optimisation Method	14
10.11	Computational Budget	14
10.12	Termination and Selection Criteria	15
10.13	Candidate Approaches	15
10.14	Critical Comparison	15
10.15	Assumptions and Applicability	15
10.16	Limitations and Failure Conditions	15
10.17	Project-Specific Conclusions	15
10.18	Selected Approach and Rationale	15
10.19	Unresolved Decisions	15
10.20	Requirements and Handoffs	15
10.21	Deliverable Completion Record	15

11 RES-OPT-SPEC — Integrated Optimisation Specification	15
11.1 Purpose and Scope	15
11.2 Research Questions	16
11.3 Terminology and Definitions	16
11.4 Literature Evidence	16
11.5 Governing Relations and Quantitative Definitions	16
11.6 Decision Variables	16
11.7 Objective Functions	16
11.8 Constraints	16
11.9 Sampling Strategy	16
11.10 Optimisation Method	16
11.11 Computational Budget	16
11.12 Termination and Selection Criteria	16
11.13 Candidate Approaches	16
11.14 Critical Comparison	16
11.15 Assumptions and Applicability	16
11.16 Limitations and Failure Conditions	16
11.17 Project-Specific Conclusions	16
11.18 Selected Approach and Rationale	16
11.19 Unresolved Decisions	17
11.20 Requirements and Handoffs	17
11.21 Deliverable Completion Record	17

1 Domain Purpose and Scope

RES-OPT is deferred under the current 2026-07-19 scope decision. The active Research work compares fixed-rigid barrier classes in the Kamaishi and Sendai Tohoku corridors using hydrodynamic metrics; it does not run surrogate optimisation, unrestricted inverse design or final design selection. Future optimisation may consume validated barrier-class outputs after data handling, hydrodynamic load extraction and the V1–V2–V3 validation hierarchy are accepted.

2 Domain Deliverables

3 RES-OPT-PRB — Optimisation Problem and Design-Space Definition

3.1 Purpose and Scope

This Deliverable records the optimisation problem as deferred. The active project defines barrier-class comparison cases and metrics, not an optimisation search space. Future optimisation must start from validated hydrodynamic outputs and accepted geometry descriptors.

3.2 Research Questions

3.3 Terminology and Definitions

3.4 Literature Evidence

3.5 Governing Relations and Quantitative Definitions

3.6 Decision Variables

Future decision variables may be controlled geometry descriptors admitted by RES-GEO-SPEC, such as class, magnitude and placement, subject to constructability and numerical-feasibility constraints. They are not active optimisation variables in the current scope.

3.7 Objective Functions

3.8 Constraints

3.9 Sampling Strategy

3.10 Optimisation Method

3.11 Computational Budget

3.12 Termination and Selection Criteria

3.13 Candidate Approaches

3.14 Critical Comparison

3.15 Assumptions and Applicability

3.16 Limitations and Failure Conditions

3.17 Project-Specific Conclusions

3.18 Selected Approach and Rationale

3.19 Unresolved Decisions

3.20 Requirements and Handoffs

3.21 Deliverable Completion Record

4 RES-OPT-OBJ — Objective Functions and Performance Measures

4.1 Purpose and Scope

This Deliverable records future objective-function candidates but does not activate optimisation. In the current project phase, run-up, overtopping, transmission/reflection, pressure, force, impulse, moment and energy are comparison metrics for fixed-rigid barrier classes, not optimisation objectives. Structural response, adequacy, damage classification and surrogate uncertainty are deferred.

4.2 Research Questions

4.3 Terminology and Definitions

4.4 Literature Evidence

4.5 Governing Relations and Quantitative Definitions

4.6 Decision Variables

4.7 Objective Functions

Future objective components may include reducing peak force, overturning moment, overtopping, transmitted energy or downstream hazard while preserving constructability. Displacement, stress, permanent deformation, damage probability and surrogate uncertainty are excluded until structural and ML extensions are activated and validated.

4.8 Constraints

4.9 Sampling Strategy

4.10 Optimisation Method

4.11 Computational Budget

4.12 Termination and Selection Criteria

4.13 Candidate Approaches

4.14 Critical Comparison

4.15 Assumptions and Applicability

4.16 Limitations and Failure Conditions

4.17 Project-Specific Conclusions

For the active Studentship, these quantities are reported as hydrodynamic comparison metrics only. No objective aggregation, final design ranking or optimisation claim shall be made from unvalidated outputs.

4.18 Selected Approach and Rationale

The selected active approach is metric reporting, not optimisation. Future objective functions may be defined after RES-VER-MET accepts the relevant hydrodynamic quantities.

4.19 Unresolved Decisions

4.20 Requirements and Handoffs

4.21 Deliverable Completion Record

5 RES-OPT-CST — Constraints, Feasibility and Design Admissibility

5.1 Purpose and Scope

This Deliverable records future optimisation constraints as deferred. The active project uses RES-GEO-CST feasibility checks for fixed-rigid barrier-class comparison; it does not define an admissible optimisation space or reinforcement-intervention campaign.

5.2 Research Questions

5.3 Terminology and Definitions

5.4 Literature Evidence

5.5 Governing Relations and Quantitative Definitions

5.6 Decision Variables

5.7 Objective Functions

5.8 Constraints

Future constraints may include geometry validity, constructability, material limits, foundation limits, meshability, numerical feasibility, validated-domain limits and direct-simulation confirmation requirements. In the active scope, only geometry validity, terrain/corridor fit, meshability and unresolved-physics flags are required for barrier-class comparison.

5.9 Sampling Strategy

5.10 Optimisation Method

5.11 Computational Budget

5.12 Termination and Selection Criteria

5.13 Candidate Approaches

5.14 Critical Comparison

5.15 Assumptions and Applicability

5.16 Limitations and Failure Conditions

5.17 Project-Specific Conclusions

5.18 Selected Approach and Rationale

5.19 Unresolved Decisions

5.20 Requirements and Handoffs

5.21 Deliverable Completion Record

6 RES-OPT-DOE — Design of Experiments and Simulation-Sampling Strategy

6.1 Purpose and Scope

This Deliverable is deferred beyond the active barrier-class comparison. The current scope may define a small reproducible set of wall, obstacle, dissipating and array cases, but it does not define an optimisation DOE or ML training campaign.

6.2 Research Questions

6.3 Terminology and Definitions

6.4 Literature Evidence

6.5 Governing Relations and Quantitative Definitions

6.6 Decision Variables

6.7 Objective Functions

6.8 Constraints

6.9 Sampling Strategy

Future sampling may cover baseline cases, bounded intervention options, controlled event-condition variations and independent final test simulations. High-uncertainty surrogate regions, failure-boundary regions and ML-driven active sampling are deferred until validated outputs exist.

6.10	Optimisation Method	
6.11	Computational Budget	
6.12	Termination and Selection Criteria	
6.13	Candidate Approaches	
6.14	Critical Comparison	
6.15	Assumptions and Applicability	
6.16	Limitations and Failure Conditions	
6.17	Project-Specific Conclusions	
6.18	Selected Approach and Rationale	
6.19	Unresolved Decisions	
6.20	Requirements and Handoffs	
6.21	Deliverable Completion Record	
7	RES-OPT-ALG — Optimisation Algorithm Assessment and Selection	
7.1	Purpose and Scope	
7.2	Research Questions	
7.3	Terminology and Definitions	
7.4	Literature Evidence	
7.5	Governing Relations and Quantitative Definitions	
7.6	Decision Variables	
7.7	Objective Functions	
7.8	Constraints	
7.9	Sampling Strategy	
7.10	Optimisation Method	13
7.11	Computational Budget	
7.12	Termination and Selection Criteria	
7.13	Candidate Approaches	
7.14	Critical Comparison	

replay preparation, local fixed-barrier metric extraction and validation planning.

10.2 Research Questions

10.3 Terminology and Definitions

10.4 Literature Evidence

10.5 Governing Relations and Quantitative Definitions

10.6 Decision Variables

10.7 Objective Functions

10.8 Constraints

10.9 Sampling Strategy

10.10 Optimisation Method

10.11 Computational Budget

No model-training or optimisation budget is accepted in the active scope. Computational budget records shall include solver fidelity, convergence requirements, quality labels, expected reruns and validation cases. Direct FSI confirmation triggered by surrogate uncertainty is deferred.

10.12 Termination and Selection Criteria**10.13 Candidate Approaches****10.14 Critical Comparison****10.15 Assumptions and Applicability****10.16 Limitations and Failure Conditions****10.17 Project-Specific Conclusions****10.18 Selected Approach and Rationale****10.19 Unresolved Decisions****10.20 Requirements and Handoffs****10.21 Deliverable Completion Record****11 RES-OPT-SPEC — Integrated Optimisation Specification****11.1 Purpose and Scope**

This Deliverable records that optimisation is deferred for the active Tohoku hydro-dynamic scope. It preserves existing WBS IDs while requiring any future optimisation to consume validated barrier-class metrics rather than driving the present Research work.

-
- 11.2 Research Questions**
 - 11.3 Terminology and Definitions**
 - 11.4 Literature Evidence**
 - 11.5 Governing Relations and Quantitative Definitions**
 - 11.6 Decision Variables**
 - 11.7 Objective Functions**
 - 11.8 Constraints**
 - 11.9 Sampling Strategy**
 - 11.10 Optimisation Method**
 - 11.11 Computational Budget**
 - 11.12 Termination and Selection Criteria**
 - 11.13 Candidate Approaches**
 - 11.14 Critical Comparison**
 - 11.15 Assumptions and Applicability**
 - 11.16 Limitations and Failure Conditions**
 - 11.17 Project-Specific Conclusions**
 - 11.18 Selected Approach and Rationale**

The selected active approach is no optimisation execution and no final optimisation algorithm selection. Future controlled screening may be reconsidered only after fixed-rigid hydrodynamic metrics, uncertainty flags and validation status are available.

11.19 Unresolved Decisions

11.20 Requirements and Handoffs

Software shall not implement optimisation logic from this Research handoff. It shall preserve structured barrier-class metrics and provenance so a later optimisation extension can consume validated outputs.

11.21 Deliverable Completion Record