Check the markup (HTML, XHTML, ...) of Web documents

- Jump To:
- Notes and Potential Issues
- Validation Output

Errors found while checking this document as HTML5!

Result: 2 Errors, 3 warning(s)

Address: http://vinkandberi.com/Social-Care.php

Encoding: utf-8, utf-8

Doctype: HTML5

Root Element: html

<u>Try now the W3C Validator Suite™</u> premium service that checks your entire website and evaluates its conformance with W3C open standards to quickly identify those portions of your website that need your attention.

On 29 October 2014, Join Tim Berners-Lee, global strategists, business leaders, and developers for an exciting afternoon of insights and discussion about the future of the Web, followed by a gala dinner.

Register today for the W3C 20th Anniversary Symposium in Santa Clara, California.

<u>Donate</u> and help us build better tools for a better web.

Options

□ Show Source		Show Outline	•	List Messages
□ Validate error pages		Verbose Output		Clean up Mark
Help on the options is available. Revalidate				
Notes and Potential Issues				
The following notes and warnings highlight missing or conflicting information which caused the validator to perform some guesswork prior to validation, or other things affecting the output below. If the guess or fallback is incorrect, it could make validation results entirely incoherent. It is <i>highly recommended</i> to check these potential issues, and, if necessary, fix them and re-validate the document.				
1. Using experimental feature	e: <i>H</i>	TML5 Conformance Checker.		
Conformance Checker. This feature convenience, but be aware that it	re h may of so	be unreliable, or not perfectly up t me cutting-edge technologies. If yo	to	
2. Aare or unregistered chara	acte	r encoding detected		
The character encoding declared supported by the validator, but maplatforms. For the sake of interoper character encoding such as UTF-8 encodings. More information on declaring a compound of the sake of interoper character encoding such as UTF-8 encodings.	ay no erab ₃, or <u>hara</u>	ot be widely supported across ility, it is best to use a unicode one of the <u>registered character</u> cter encoding on your Web server	<u>or</u>	
			↑ TOF	<u>P</u>

Validation Output: 2 Errors

1. Line 40, Column 5: Element h8 not allowed as child of element span in this context. (Suppressing further errors from this subtree.)

```
<h8><a href="store-locator.php" style="text-
decoration: none;"><i class="icon-...
Content model for element span:
Phrasing content.</pre>
```

2. Line 138, Column 87: Bad value 100% for attribute width on element img: Expected a digit but saw % instead.

```
...src="img/content/socialcare.jpg" width="100%"
style="padding-top: 25%;" alt="">
Syntax of non-negative integer:
One or more digits (0-9). For example: 42 and 0 are valid, but -273 is not.
```

3. Line 126, Column 38: Article lacks heading. Consider using h2-h6 elements to add identifying headings to all articles.

<article class="content span12">

TOP

- Home
- About...
- News
- Docs
- Help & FAQ
- Feedback
- Contribute



I VALIDATOR

This service runs the W3C Markup Validator, v1.3.

COPYRIGHT © 1994-2012 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED.

W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.