

# Exploration of COVID-19 tracking data from multiple resources

Wei Sun

2020-04-04

## Contents

<b>Introduction</b>	<b>1</b>
<b>JHU</b>	<b>2</b>
time series data . . . . .	2
daily reports data . . . . .	6
<b>NY Times</b>	<b>7</b>
state level data . . . . .	7
county level data . . . . .	11
<b>COVID Trackng</b>	<b>15</b>
<b>Session information</b>	<b>15</b>

## Introduction

Coronavirus disease 2019 (COVID-19) is an infectious disease caused by a new type of coronavirus: severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). The outbreak first started in Wuhan, China in December 2019. The first kown case of COVID-19 in the U.S. was confirmed on January 20, 2020, in a 35-year-old man who teturned to Washington State on January 15 after traveling to Wuhan. Starting around the end of Feburary, evidence emerge for community spread in the US.

We, as all of us, are indebted to the heros who fight COVID-19 across the whole world in different ways. For this data exploration, I am grateful to many data science groups who have collected detailed COVID-19 outbreak data, including the number of tests, confirmed cases, and deaths, across countries/regions, states/provnices (administrative division level 1, or admin1), and counties (admin2). Specifically, I used the data from these three resources:

- JHU (<https://coronavirus.jhu.edu/>)
  - The Center for Systems Science and Engineering (CSSE) at John Hopkins University.
  - World-wide counts of coronavirus cases, deaths, and recovered ones.
  - <https://github.com/CSSEGISandData/COVID-19>
- NY Times (<https://www.nytimes.com/interactive/2020/us/coronavirus-us-cases.html>)
  - The New York Times
  - “cumulative counts of coronavirus cases in the United States, at the state and county level, over time”
  - <https://github.com/nytimes/covid-19-data>

- COVID Tracking (<https://covidtracking.com/>)
  - COVID Tracking Project
  - “collects information from 50 US states, the District of Columbia, and 5 other US territories to provide the most comprehensive testing data”
  - <https://github.com/COVID19Tracking/covid-tracking-data>


## JHU

Assume you have cloned the JHU Github repository on your local machine at “../COVID-19”.


### time series data

The time series provide counts (e.g., confirmed cases, deaths) starting from Jan 22nd, 2020 for 253 locations. Currently there is no data of individual US state in these time series data files.

Here is the list of 10 records with the largest number of cases or deaths on the most recent date.




cumulative number of deaths on 4.4.20




Next, I check for each country/region, what is the number of new cases/deaths? This data is important to understand what is the trend under different situations, e.g., population density, social distance policies etc. Here I checked the top 10 countries/regions with the highest number of deaths.

### Italy




data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020

### Spain




data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020

## US




data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020

## France




data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020

## United Kingdom




data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020

### Iran




data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020

### China-Hubei




data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020


### Netherlands



data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020



data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020




data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020

## daily reports data

The raw data from Hopkins are in the format of daily reports with one file per day. More recent files (since March 22nd) include information from individual states of US or individual counties, as shown in the following figure. So I turn to NY Times data for informatoin of individual states or counties.

## number of records in Hopkins daily reports



data source: <https://github.com/CSSEGISandData/COVID-19>, day 1 is 1/22/2020

## NY Times

The data from NY Times are saved in two text files, one for state level information and the other one for county level information.

The current date is


```
## [1] "2020-04-03"
```

### state level data

First check the 10 states with the largest number of deaths.


##	date	state	fips	cases	deaths
## 1753	2020-04-03	New York	36	102870	2935
## 1751	2020-04-03	New Jersey	34	29895	647
## 1743	2020-04-03	Michigan	26	12670	478
## 1739	2020-04-03	Louisiana	22	10297	370
## 1771	2020-04-03	Washington	53	6966	293
## 1724	2020-04-03	California	6	12569	282
## 1734	2020-04-03	Illinois	17	8904	211
## 1730	2020-04-03	Georgia	13	5967	198
## 1742	2020-04-03	Massachusetts	25	10402	192
## 1729	2020-04-03	Florida	12	10260	169

For these 10 states, I check the number of new cases and the number of new deaths. Part of the reason for such checking is to identify whether there is any similarity on such patterns. For example, could you use the pattern seen from Italy to predict what happen in an individual state, and what are the similarities and differences across states.




*data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-01*

### New Jersey




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-04

### Michigan



data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-10


### Louisiana



data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-09




### Washington




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 01-21

### California




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 01-25

### Illinois




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 01-24

### Georgia




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-02

### Massachusetts




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 02-01

### Florida



data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-01

Next I check the relation between the **cumulative** number of cases and deaths for these 10 states, starting on March



data source: <https://github.com/nytimes/covid-19-data>


## county level data

First check the 10 counties with the largest number of deaths.

##	date	county	state	fips	cases	deaths
## 29880	2020-04-03	New York City	New York	NA	57160	1867
## 29904	2020-04-03	Unknown	New York	NA	37	608
## 29525	2020-04-03	Wayne	Michigan	26163	6096	223
## 30720	2020-04-03	King	Washington	53033	2789	188
## 29373	2020-04-03	Orleans	Louisiana	22071	3476	148
## 29012	2020-04-03	Cook	Illinois	17031	6473	141
## 29879	2020-04-03	Nassau	New York	36059	12024	138
## 29507	2020-04-03	Oakland	Michigan	26125	2540	136
## 29809	2020-04-03	Bergen	New Jersey	34003	4866	132
## 29814	2020-04-03	Essex	New Jersey	34013	3067	118


For these 10 counties, I check the number of new cases and the number of new deaths.

### New York City\_New York




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-01

### Unknown\_New York




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 04-03

### Wayne\_Michigan




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-10

### King\_Washington




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 02-28

### Orleans\_Louisiana




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-10

### Cook\_Illinois




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 01-24

### Nassau\_New York




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-05

### Oakland\_Michigan




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-10

### Bergen\_New Jersey



data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-04




data source: <https://github.com/nytimes/covid-19-data>, day 1 is 03-12

## COVID Tracking

The positive rates of testing can be an indicator on how much the COVID-19 has spread. However, they are more noisy data since the negative testing results are often not reported and the tests are almost surely taken on a non-representative random sample of the population. The COVID tracking project provides a grade per state: “If you are calculating positive rates, it should only be with states that have an A grade. And be careful going back in time because almost all the states have changed their level of reporting at different times.” (<https://covidtracking.com/about-tracker/>). The data are also available for both counties and states, here I only look at state level data.

Since the daily positive rate can fluctuate a lot, here I only illustrate the cumulative positive rate across time, for four states with grade A data. Of course since this is an R markdown file, you can modify the source code and check for other states.



[github.com/COVID19Tracking/](https://github.com/COVID19Tracking/), cumulative positive rate on 0404: 0.08(WA) 0.10(TX) 0.40(NY) 0.06(NC)

## Session information

```
sessionInfo()
```

```
## R version 3.6.2 (2019-12-12)
## Platform: x86_64-apple-darwin15.6.0 (64-bit)
```

```

## Running under: macOS Catalina 10.15.4
##
## Matrix products: default
## BLAS:   /Library/Frameworks/R.framework/Versions/3.6/Resources/lib/libRblas.0.dylib
## LAPACK: /Library/Frameworks/R.framework/Versions/3.6/Resources/lib/libRlapack.dylib
##
## locale:
## [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
##
## attached base packages:
## [1] stats      graphics  grDevices  utils      datasets  methods   base
##
## other attached packages:
## [1] httr_1.4.1    ggpubr_0.2.5 magrittr_1.5 ggplot2_3.2.1
##
## loaded via a namespace (and not attached):
## [1] Rcpp_1.0.3      pillar_1.4.3    compiler_3.6.2  tools_3.6.2
## [5] digest_0.6.23   evaluate_0.14    lifecycle_0.1.0 tibble_2.1.3
## [9] gtable_0.3.0    pkgconfig_2.0.3 rlang_0.4.4     yaml_2.2.1
## [13] xfun_0.12       gridExtra_2.3    withr_2.1.2     dplyr_0.8.4
## [17] stringr_1.4.0   knitr_1.28       grid_3.6.2      tidyselect_1.0.0
## [21] cowplot_1.0.0   glue_1.3.1       R6_2.4.1        rmarkdown_2.1
## [25] purrr_0.3.3     farver_2.0.3     scales_1.1.0    htmltools_0.4.0
## [29] assertthat_0.2.1 colorspace_1.4-1 ggsignif_0.6.0  labeling_0.3
## [33] stringi_1.4.5   lazyeval_0.2.2   munsell_0.5.0   crayon_1.3.4

```