


Restricting and Sorting Data

Practice Assessment ----

01.



Oracle SQL Developer : samplesql

File Edit View Navigate Run Source Team Tools Window Help

Retrieving_SQL_assessment.sql Welcome Page samplesql

Worksheet Query Builder

```
/*Question 01.
Display the ENAME, SAL, COMM from EMP table who earn commission and sort the records in descending order of Salary and Comm. Use column's numeric position in ORDER BY.

Query:-
*/
SELECT ENAME, SAL, COMM
FROM EMP
WHERE COMM IS NOT NULL
ORDER BY 2 DESC, 3 DESC;
```

Query Result x

All Rows Fetched: 4 in 0.075 seconds

	ENAME	SAL	COMM
1	ALLEN	1600	300
2	TURNER	1500	0
3	MARTIN	1250	1400
4	WARD	1250	500

02.



```
/*Question 02.
The HR department needs a query to display all unique job codes from the EMP table.

Query:-
*/
SELECT DISTINCT JOB
FROM EMP;
```

Query Result x

All Rows Fetched: 5 in 0.009 seconds

	JOB
1	CLERK
2	SALESMAN
3	PRESIDENT
4	MANAGER
5	ANALYST

03.

/*Question 03.
The HR department wants more descriptive column headings for its report on employees. Name the column headings Emp #, Employee, Job, and Hire Date, respectively by giving Column Alias.

Query:-
*/

```
SELECT EMPNO AS "Emp #",
       ENAME AS "Employee",
       JOB AS "Job",
       HIREDATE AS "Hire Date"
FROM EMP;
```

Query Result x

SQL | All Rows Fetched: 14 in 0.009 seconds

	Emp #	Employee	Job	Hire Date
1	7369	SMITH	CLERK	17-12-80
2	7499	ALLEN	SALESMAN	20-02-81
3	7521	WARD	SALESMAN	22-02-81
4	7566	JONES	MANAGER	02-04-81
5	7654	MARTIN	SALESMAN	28-09-81
6	7698	BLAKE	MANAGER	01-05-81
7	7782	CLARK	MANAGER	09-06-81
8	7788	SCOTT	ANALYST	19-04-87
9	7839	KING	PRESIDENT	17-11-81
10	7844	TURNER	SALESMAN	08-09-81
11	7876	ADAMS	CLERK	23-05-87
12	7900	JAMES	CLERK	03-12-81
13	7902	FORD	ANALYST	03-12-81
14	7934	MILLER	CLERK	23-01-82

04.

/*Question 04.
The HR department has requested a report of all employees and their job IDs. Display the last name concatenated with the job ID (separated by a comma and space) and name the column Employee and Title by giving

Query:-
*/

```
SELECT ENAME || ', ' || JOB AS "Employee and Title"
FROM EMP;
```

Query Result x

SQL | All Rows Fetched: 14 in 0.004 seconds

Employee and Title
1 SMITH, CLERK
2 ALLEN, SALESMAN
3 WARD, SALESMAN
4 JONES, MANAGER
5 MARTIN, SALESMAN
6 BLAKE, MANAGER
7 CLARK, MANAGER
8 SCOTT, ANALYST
9 KING, PRESIDENT
10 TURNER, SALESMAN
11 ADAMS, CLERK
12 JAMES, CLERK
13 FORD, ANALYST
14 MILLER, CLERK

05.

/*Question 05.
To familiarize yourself with the data in the EMP table, create a query to display all the data from that table. Separate each column output by a comma. ENAME, JOB, HIREDATE, MGR. Name the column title THE_OUTPUT.

Query:-
*/

```
SELECT ENAME || ', ' ||
       JOB || ', ' ||
       HIREDATE || ', ' ||
       MGR AS THE_OUTPUT
FROM EMP;
```

Query Result x

SQL | All Rows Fetched: 14 in 0.009 seconds

THE_OUTPUT
1 SMITH, CLERK, 17-12-80, 7902
2 ALLEN, SALESMAN, 20-02-81, 7698
3 WARD, SALESMAN, 22-02-81, 7698
4 JONES, MANAGER, 02-04-81, 7839
5 MARTIN, SALESMAN, 28-09-81, 7698
6 BLAKE, MANAGER, 01-05-81, 7839
7 CLARK, MANAGER, 09-06-81, 7839
8 SCOTT, ANALYST, 19-04-87, 7566
9 KING, PRESIDENT, 17-11-81,
10 TURNER, SALESMAN, 08-09-81, 7698
11 ADAMS, CLERK, 23-05-87, 7788
12 JAMES, CLERK, 03-12-81, 7698
13 FORD, ANALYST, 03-12-81, 7566
14 MILLER, CLERK, 23-01-82, 7782

06.

```

/*Question 06.
Create a report to display the ename, job , and Hiredate for the employees name is SCOTT or TURNER. Order the query in ascending order by hiredate.

Query:-
*/
SELECT ENAME, JOB, HIREDATE
FROM EMP
WHERE ENAME IN ('SCOTT', 'TURNER')
ORDER BY HIREDATE;

```

Query Result x

All Rows Fetched: 2 in 0.007 seconds

	ENAME	JOB	HIREDATE
1	TURNER	SALESMAN	08-09-81
2	SCOTT	ANALYST	19-04-87

07.

```

/*Question 07.
Display the ename and department number of all employees in departments 20 or 30 in ascending alphabetical order by ename.

Query:-
*/
SELECT ENAME, DEPTNO
FROM EMP
WHERE DEPTNO IN (20,30)
ORDER BY ENAME;

```

Query Result x

All Rows Fetched: 11 in 0.01 seconds

	ENAME	DEPTNO
1	ADAMS	20
2	ALLEN	30
3	BLAKE	30
4	FORD	20
5	JAMES	30
6	JONES	20
7	MARTIN	30
8	SCOTT	20
9	SMITH	20
10	TURNER	30
11	WARD	30

08.

```

/*Question 08.
Modify the previous query to display the last name and salary of employees who earn between 2000 and 3000 and are in department 20 or 30. Label the columns Employee and Monthly Salary, respectively giving Co

Query:-
*/
SELECT ENAME AS "Employee",
       SAL AS "Monthly Salary"
FROM EMP
WHERE SAL BETWEEN 2000 AND 3000
AND DEPTNO IN (20,30);

```

Query Result x

All Rows Fetched: 4 in 0.015 seconds

	Employee	Monthly Salary
1	JONES	2975
2	BLAKE	2850
3	SCOTT	3000
4	FORD	3000

09.

/*Question 09.
The HR department needs a report that displays the last name and hire date for all employees who were hired in 1981 Operators.

Query:-
*/
SELECT ENAME, HIREDATE
FROM EMP
WHERE HIREDATE BETWEEN '01-JAN-81' AND '31-DEC-81';

Query Result x

SQL | All Rows Fetched: 10 in 0.007 seconds

	ENAME	HIREDATE
1	ALLEN	20-02-81
2	WARD	22-02-81
3	JONES	02-04-81
4	MARTIN	28-09-81
5	BLAKE	01-05-81
6	CLARK	09-06-81
7	KING	17-11-81
8	TURNER	08-09-81
9	JAMES	03-12-81
10	FORD	03-12-81

10.

/*Question 10.
Display the Ename, Sal of employees who earn more than an amount the user specifies after a Prompt.

Query:-
*/
SELECT ENAME, SAL
FROM EMP
WHERE SAL > 2000;

Query Result x

SQL | All Rows Fetched: 6 in 0.002 seconds

	ENAME	SAL
1	JONES	2975
2	BLAKE	2850
3	CLARK	2450
4	SCOTT	3000
5	KING	5000
6	FORD	3000

11.

/*Question 11.
Create a report to display the last name and job title of all employees who do not have a manager.

Query:-
*/
SELECT ENAME, JOB
FROM EMP
WHERE MGR IS NULL;

Query Result x

SQL | All Rows Fetched: 1 in 0.004 seconds

	ENAME	JOB
1	KING	PRESIDENT

12.

```

/*Question 12.
Create a query that prompts the user for Manager ID and generate EMPNO,ENAME, SAL,DEPTNO. The user should have the ability to sort the records on a selected Column.

Query:-
*/
SELECT EMPNO, ENAME, SAL, DEPTNO
FROM EMP
WHERE MGR = &MANAGER_ID
ORDER BY &COLUMN_NAME;

```

Query Result x

All Rows Fetched: 5 in 0.005 seconds

	EMPNO	ENAME	SAL	DEPTNO
1	7900	JAMES	950	30
2	7521	WARD	1250	30
3	7654	MARTIN	1250	30
4	7844	TURNER	1500	30
5	7499	ALLEN	1600	30

13.

```

/*Question 13.
The HR department wants to run reports based on a manager. Create a query that prompts the user for a MGR and generates the empno, ename, salary, and department for that manager's employees. The HR department

Query:-
*/
SELECT EMPNO, ENAME, SAL, DEPTNO
FROM EMP
WHERE MGR = &MGR
ORDER BY &SORT_COLUMN;

```

Query Result x

All Rows Fetched: 3 in 0.009 seconds

	EMPNO	ENAME	SAL	DEPTNO
1	7698	BLAKE	2850	30
2	7702	CLARK	2450	10
3	7566	JONES	2975	20

14.

```

/*Question 14.
Display all employee last names in which the third letter of the name is A.

Query:-
*/
SELECT ENAME
FROM EMP
WHERE ENAME LIKE '__A%';

```

Query Result x

All Rows Fetched: 3 in 0.002 seconds

	ENAME
1	BLAKE
2	CLARK
3	ADAMS

15.

```
/*Question 15.
Display the last name of all employees who have both an A and an S in their ename.

Query:-
*/
SELECT ENAME
FROM EMP
WHERE ENAME LIKE '%A%'
AND ENAME LIKE '%S%';
```

Query Result x

SQL | All Rows Fetched: 2 in 0.004 seconds

	ENAME
1	ADAMS
2	JAMES

16.

```
/*Question 16.
Display the Ename, Job, Sal for all employees whose jobs are CLERK and whose salary is in 800 or 950 or 1300.

Query:-
*/
SELECT ENAME, JOB, SAL
FROM EMP
WHERE JOB = 'CLERK'
AND SAL IN (800, 950, 1300);
```

Query Result x

SQL | All Rows Fetched: 3 in 0.009 seconds

	ENAME	JOB	SAL
1	SMITH	CLERK	800
2	JAMES	CLERK	950
3	MILLER	CLERK	1300