

Ex.no 13	BPO MANAGEMENT SYSTEM
Date:	

Name: S SUNDARESAN

Reg No: 192411245

Course Code: CSA1113 – OOAD FOR INFORMATION SYSTEMS

AIM:

To draw the diagrams [Use case, Class, Activity, Sequence, Collaboration, State Chart, Component, Deployment, package] for the BPO Management System.

SOFTWARE REQUIREMENTS SPECIFICATION

	SL.NO SOFTWARE REQUIREMENTS SPECIFICATION
1.0	Hardware Requirements
1.1	Software Requirements
1.2	Problem Analysis and Project Plan
1.3	Project description
1.4	Reference

1.0 HARDWARE REQUIREMENTS:

Intel Pentium Processor I3/I5

1.1 SOFTWARE REQUIREMENTS:

Rational rose /Argo UML

1.3 PROJECT DESCRIPTION:

This software is designed to know about the process that were taking place in the BPO office. This system holds the details of the customer who and all approaches to it.It is managed by the central systems.

1.4 REFERENCES:


IEEE Software Requirement Specification format.

USECASE DIAGRAM:

This diagram will contain the attributes as start point, end point, decision box as given below

ACTORS: Purchase product, Server, Central system


USECASE: Product, Voice, Non-Voice, Indian office, Employee, Feedback.



CLASS DIAGRAM:

This Diagram consists of the following classes, attributes and their operations.

CLASSES	ATTRIBUTES	OPERATIONS
Central System	Store, update	Storing(), updating()
Dealer	Employee name	Delivery()
Customer	Details	Feedback()




ACTIVITY DIAGRAM:

This diagram will contain the activities as start point, end point, decision boxes as given below

ACTIVITIES: Purchase Product, On call, On chat


DECISION BOX: Option to check



SEQUENCE DIAGRAM:


This diagram consists of the objects, messages and return messages

Object: Customer, Dealer, Central System




COLLABORATION DIAGRAM:

This diagram contains the objects and actors. This will be obtained by the completion of the sequence diagram and pressing F5 key



STATECHART DIAGRAM:


It is a technique to describe the behavior of the system. It describes all the possible states that a particular object gets into the object oriented technique. State diagram are drawn for a single class to show to the lifetime behaviour of a single objects



PACKAGE DIAGRAM:

A package diagram in unified modeling language that depicts the dependencies between the packages that make up a model. A Package Diagram (PD) shows a grouping of elements in the OO model, and is a Cradle extension to UML. PDs can be used to show groups of classes in Class Diagrams (CDs), groups of components or processes in Component Diagrams (CPDs), or groups of processors in Deployment Diagrams (DPDs). There are three types of layer. They are

- o User interface layer
- o Domain layer
- o Technical services layer



PROGRAM CODING:

CENTRAL SYSTEM:

```
import java.util.Vector; public
class central system
```

```

{ public Integer store;
public Integer update;
public Vector mydealer;
public void updating()
{
}      public      void
processing()
{
}
}

```

OOAD LAB

REGISTER NO:

CUSTOMER:

```

import java.util.Vector;
public class customer
{ public Integer name;
private Integer product;
public Vector mydealer;
public void feedback()
{
}      public      void
customer()
{
}
}

```

DEALER:

```

import java.util.Vector; public
class dealer
{
public Integer employeename; public Integer
availability; public Integer newAttr; public Vector

```

```
mycustomer; public Vector mycentral system; public  
void payment()
```

```
{  
}      public void  
delivery()
```

OOAD LAB

REGISTER NO:

```
{  
}  
}
```

RESULT:

The diagrams [Use case, Class, Activity, Sequence, Collaboration, State Chart, Component, Deployment, package] for the BPO Management system has been designed, executed and output is verified.