

Bengaluru Lakes Snapshot, monsoon 2026

Every lake on the Greater Bengaluru custody lists, read from Sentinel-2 at Tier 1 (relative, uncalibrated), with an order of priority for restoration funding. Reading window: **monsoon (Jun-Sep) 2026** for 173 of 180 assessed lakes (each lake's own window is named in the list). Archive 28 March 2017 to 2026-08-30; observed passes only, nothing interpolated. A post-monsoon edition follows in November 2026 from the same pipeline.

Custody lakes on the KTCD lists 210 BBMP, BDA, Forest Department, BMRCL; one duplicate row removed	Assessed at open resolution 180 30 unassessed: no polygon at 10 m, or below the evidence floors	Condition D or E 85 1,151 of 2,259 ha of assessed footprint	Fundable now (Fund now + Co-fund) 45 Fund now 37; Co-fund 8; Design first 54
---	--	--	---

How to read a number in this report

Each value is a seasonal median of clear satellite passes, shown as **value ± band** with **n** passes and a confidence class **H / M / L**. The band is the reading's own uncertainty (sampling and classification for shares, spread across passes for indices). A Health Card band is assigned only where the band is wider than the error; otherwise both candidate bands are listed. Nothing below an evidence floor is shown as a value.

What this snapshot cannot say


Dissolved oxygen, BOD, COD, nutrients, coliform, metals and toxins have no optical signature; the regulator's Use Based Class (KSPCB, June 2026) is shown beside the satellite reading for 101 lakes and is never recomputed. Chlorophyll and turbidity are relative indices until a field calibration exists; no calibrated concentration appears here. The vegetation share includes floating mats and emergent reeds inside the footprint. Encroachment is read at 10 m from Dynamic World and needs a survey sketch or a sub-metre scene before any claim. Boundaries are OpenStreetMap polygons united with the observed water extent, not survey boundaries.

The first ten in the order

1. **Yelahanka Amani kere** (BBMP, 99 ha): Fund now, Condition E, KSPCB Class E, confidence medium
2. **Puttenahalli Lake** (Forest Department, 9 ha): Fund now, Condition E, KSPCB Class E, confidence medium
3. **Doddakallasandra Lake** (BBMP, 6 ha): Fund now, Condition E, KSPCB Class D, confidence medium
4. **Kalkere Lake** (BBMP, 49 ha): Fund now, Condition E, KSPCB Class E, confidence low
5. **Kanna halli lake** (BBMP, 22 ha): Fund now, Condition E, KSPCB Class E, confidence medium
6. **Hoskerehalli Lake** (BBMP, 15 ha): Fund now, Condition E, KSPCB Class E, confidence medium
7. **Rachenahalli Lake** (BBMP, 37 ha): Fund now, Condition E, KSPCB Class E, confidence low
8. **Sowl kere** (BBMP, 18 ha): Fund now, Condition E, confidence low
9. **J.P Park** (BBMP, 5 ha): Fund now, Condition E, KSPCB Class D, confidence low
10. **Parappana Agrahara** (BBMP, 5 ha): Fund now, Condition E, KSPCB Class D, confidence low


Order: Need class (Fund now, Co-fund, Intervene early, Design first, then the rest), Condition band, the published Need index, confidence, footprint area. Lakes are ordered within the city as the funding unit; custodians are not compared.

The city in one view




Beyond the frame: Bhimana kuppe (Watch / verify)

Fixed footprints of the 180 assessed lakes on the five 2025 corporation outlines, coloured by Need class. Footprint = mapped boundary united with the observed water extent since 2017.



Condition band = the worse of the median and, where two or more inputs read E, the worst input; inputs are the share of the observed maximum held (C1), built share inside the footprint (C3), vegetated share (C4), the chlorophyll proxy (C5), froth events (C8) and the regulator's class (G2).



Need class by the register's rules (plan section 7.2): Condition D or E with a tractable boundary and no works on record reads Fund now (a budget line alone does not change it); with works on record, Co-fund; with a boundary or built-up question, or no water held in the window, Design first; a single severe input against an otherwise sound reading is a flag for a closer read (Watch / verify), not a verdict.

The regulator's view, June 2026: KSPCB classed 68 monitored lakes D (wildlife and fisheries) and 62 E (irrigation and industrial cooling), none A to C; 101 of those stations join a custody lake here.

Lakes with no open water observed in nine years: B. Channasandra, Chikka Begur Lake, Chikkakalasandra Lake, Mallasandra gudde Lake, Mylasandra (Sunnakallu palya) lake, Pattandur agrahara lake-124, Pattangere/Kenchenahalli lake, Sadaramangala Lake, Srinivasapura Lake, Vasanthapura Kere / Janardhana Kere. These read as dry, vegetated or built over at 10 m and are listed with Low boundary confidence.

The ordered list, fundable now first

W1 open water and W2 vegetated share are shares of the footprint in the lake's reading window (percent ± points); Q1 is the chlorophyll proxy on the open-water core (index units ± half the spread across passes). n = clear passes with a value. H / M / L = confidence class. Rows shaded orange are Fund now and Co-fund. Condition inputs: C1 storage, C3 built, C4 vegetated, C5 chlorophyll proxy, C8 froth, G2 regulator; a band followed by candidates in brackets, such as D(C/D), means the error band straddles a boundary and the value's band is shown with both candidates.

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
1	Yelahanka Amani kere BBMP · North · 98.6 ha	Fund now	E C1=A C3=A(A/B) C4=A C5=E(D/E) C8=A G2=E	95 ±5 n18 M	4 ±5 n18 M	0.42 ±0.07 n18 M	E		M
2	Puttenahalli Lake Forest Department · North · 8.7 ha	Fund now	E C1=E C3=A(A/B) C4=E C8=A G2=E	0 ±5 n5 M	100 ±5 n5 M	insufficient	E		M
3	Doddakallasandra Lake BBMP · South · 5.8 ha	Fund now	E C1=E C3=B(A/B) C4=E C8=B G2=D	0 ±5 n18 M	99 ±6 n18 M	insufficient	D		M
4	Kalkere Lake BBMP · East · 49.2 ha	Fund now	E C1=E C3=A(A/B) C4=E C5=D(B/D) C8=A G2=E	6 ±6 n7 M	89 ±6 n7 M	0.23 ±0.14 n7 L	E proposed		L
5	Kanna halli lake BBMP · outside the 2025 ward layer · 22.5 ha	Fund now	E C1=E C3=A(A/B) C4=E C8=A G2=E	0 ±5 n5 M	93 ±6 n5 M	insufficient	E		M
6	Hoskerehalli Lake BBMP · West · 15.0 ha	Fund now	E C1=E(B/E) C3=B(B/C) C4=E C8=A G2=E	2 ±6 n5 M	91 ±7 n5 M	insufficient	E		M
7	Rachenahalli Lake BBMP · North · 37.1 ha	Fund now	E C1=A(A/B) C3=A(A/B) C4=B(A/B/C) C5=E(D/E) C8=A G2=E	85 ±6 n6 M	14 ±6 n6 M	0.44 ±0.11 n6 L	E		L
8	Sowl kere BBMP · East · 18.2 ha	Fund now	E C1=E C3=A(A/B) C4=E C5=C(B/C/D) C8=A	13 ±7 n7 M	73 ±7 n7 M	0.20 ±0.16 n7 L			L
9	J.P Park BBMP · North · 4.6 ha	Fund now	E C1=E C3=A(A/B) C4=E C8=D G2=D	2 ±7 n6 L	84 ±10 n6 M	insufficient	D		L
10	Parappana Agrahara BBMP · South · 4.6 ha	Fund now	E C1=E C3=A(A/B) C4=E C8=A G2=D	0 ±5 n4 L	100 ±5 n4 M	insufficient	D		L
11	Kengeri Lake BBMP · West · 9.8 ha	Fund now	E C1=A(A/C) C3=A(A/B) C4=E(D/E) C5=C(B/C) C8=A G2=E	25 ±8 n7 M	44 ±8 n7 M	0.12 ±0.03 n6 L	E proposed		L
12	Gangondanahalli Lake BBMP · outside the 2025 ward layer · 15.6 ha	Fund now	E C1=E C3=A(A/B) C4=E C8=A G2=E	0 ±5 n5 M	99 ±6 n5 M	insufficient	E		M
13	Gunjur Palya kere BBMP · East · 12.8 ha	Fund now	E C1=E C3=A(A/B) C4=E C8=B	0 ±5 n6 M	89 ±7 n6 M	insufficient	proposed		M
14	Dasarahalli (Chokkasandra) Lake BBMP · West · 6.0 ha	Fund now	E C1=E C3=C(C/D) C4=C(B/C/D) C8=B G2=E	15 ±8 n6 M	28 ±9 n6 M	insufficient	E		M
15	Abbigere Lake BBMP · North · 9.5 ha	Fund now	E C1=E C3=A(A/B) C4=E C5=C(C/D) C8=A G2=D	11 ±7 n6 M	76 ±8 n6 M	0.19 ±0.05 n5 L	D proposed		L

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
16	Munnekolalu kere BBMP · East · 7.5 ha	Fund now	E C1=D(D/E) C3=B(A/B) C4=D(C/D/E) C5=E(D/E) C8=E G2=E	39 ±9 n5 M	32 ±9 n5 M	0.46 ±0.13 n5 L	E	proposed	L
17	Kammagondanahalli Lake BBMP · North · 7.5 ha	Fund now	E C1=E C3=A(A/B) C4=E C5=D(D/E) C8=A G2=D	10 ±7 n6 M	78 ±8 n6 M	0.32 ±0.12 n4 L	D		L
18	Melina Byrasandra (DRDO) BBMP · Central · 6.6 ha	Fund now	E C1=E(D/E) C3=A(A/B) C4=D(C/D/E) C5=C(B/C/D) C8=E	19 ±9 n8 M	38 ±10 n8 M	0.13 ±0.13 n7 L			L
19	Amblipura melina kere BBMP · South · 4.9 ha	Fund now	E C1=E C3=C(B/C) C4=E C8=E	4 ±7 n8 L	72 ±10 n8 M	insufficient		proposed	L
20	Bhoganahalli Lake BBMP · East · 3.7 ha	Fund now	E C1=E C3=A(A/B) C4=A(A/B) C5=C(C/D) C8=B G2=E	4 ±7 n8 L	8 ±8 n8 M	0.19 ±0.08 n5 L	E		L
21	Chinnappanahalli BBMP · East · 3.6 ha	Fund now	E C1=C(C/D) C3=A(A/B) C4=D(C/D/E) C5=E(D/E) C8=E G2=E	49 ±12 n5 L	31 ±11 n5 M	0.48 ±0.13 n5 L	E		L
22	Singapura Lake BBMP · North · 3.1 ha	Fund now	E C1=E C3=A(A/B) C4=C(B/C/D) C8=B G2=E	6 ±8 n5 L	27 ±11 n5 M	insufficient	E	proposed	L
23	Challakere Lake BBMP · East · 3.0 ha	Fund now	E C1=D(C/D/E) C3=A(A/B) C4=E C5=B(B/C) C8=B G2=E	22 ±12 n7 L	58 ±13 n7 M	0.09 ±0.04 n4 L	E		L
24	Ambalipura Kelagina kere BBMP · South · 2.2 ha	Fund now	E C1=E(D/E) C3=A(A/B) C4=E C5=D(C/D) C8=A G2=E	10 ±10 n8 L	64 ±13 n8 M	0.29 ±0.10 n5 L	E	proposed	L
25	Annappanakere / Yelchenahalli Lake BBMP · South · 2.1 ha	Fund now	E C1=E C3=A(A/B) C4=E(D/E) C5=C(B/C/D) C8=B G2=D	9 ±10 n7 L	50 ±13 n7 M	0.16 ±0.11 n5 L	D		L
26	Basavanapura Lake BBMP · South · 1.7 ha	Fund now	E C1=E C3=A(A/B) C4=E C8=B G2=D	7 ±10 n6 L	68 ±14 n6 M	insufficient	D		L
27	Panathur lake BBMP · East · 4.5 ha	Fund now	E C1=D(D/E) C3=A(A/B) C4=E(D/E) C5=D(D/E) C8=B G2=E	32 ±10 n6 L	41 ±10 n6 M	0.33 ±0.09 n6 L	E	proposed	L
28	Veerasandra Lake BMRCL · outside the 2025 ward layer · 4.1 ha	Fund now	E C1=E C3=A(A/B) C4=E C8=E	0 ±6 n9 L	58 ±12 n9 M	insufficient			L
29	Avalahalli BBMP · outside the 2025 ward layer · 3.9 ha	Fund now	E C1=E C3=B(B/C) C4=E C8=D	0 ±5 n5 L	92 ±8 n5 M	insufficient			L
30	Pattandur agharaha -54 Lake BBMP · East · 3.6 ha	Fund now	E C1=E C3=B(A/B) C4=E C8=A G2=D	0 ±6 n10 L	93 ±8 n10 M	insufficient	D		L
31	Devarakere BBMP · South · 1.8 ha	Fund now	E C1=E(D/E) C3=A(A/B) C4=E(D/E) C5=D(C/D) C8=B G2=E	15 ±12 n6 L	47 ±14 n6 M	0.27 ±0.09 n5 L	E		L

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
32	Kogilu Lake BBMP · North · 24.3 ha	Fund now	D C1=D(D/E) C3=A(A/B) C4=D(D/E) C8=A G2=E	20 ±7 n4 M	40 ±7 n4 M	insufficient	E		M
33	Kaigondanahalli Lake BBMP · South · 31.8 ha	Fund now	D C1=D(C/D) C3=B(A/B) C4=B(B/C) C5=D(B/D/E) C8=E G2=D	41 ±7 n8 M	17 ±7 n8 M	0.23 ±0.18 n8 L	D		L
34	Kelagina Byrasandra BBMP · Central · 4.4 ha	Fund now	D C1=D(D/E) C3=A(A/B) C4=B(A/B/C) C5=D(C/D) C8=E	28 ±11 n7 L	18 ±10 n7 M	0.20 ±0.07 n7 L			L
35	Nayandanahalli Lake BBMP · West · 4.2 ha	Fund now	D C1=E(D/E) C3=A(A/B) C4=B(A/B/C) C8=D G2=D	25 ±10 n4 L	12 ±9 n4 M	insufficient	D		L
36	Konappana Agrahara Lake BBMP · South · 1.4 ha	Fund now	D C1=D(C/D/E) C3=A(A/B) C4=D(B/D/E) C5=D(B/D) C8=B G2=D	29 ±15 n9 L	31 ±15 n9 L	0.25 ±0.15 n6 L	D		L
37	Yediyur Lake BBMP · West · 4.2 ha	Fund now	D C1=D(C/D) C3=A(A/B) C4=D(C/D/E) C5=D(C/D/E) C8=B G2=D	41 ±10 n6 L	36 ±10 n6 M	0.31 ±0.11 n6 L	D		L
38	Hulimavu Lake BBMP · South · 41.2 ha	Co-fund	E C1=E C3=D(C/D) C4=E C5=C(B/C) C8=A G2=E	9 ±6 n6 M	76 ±6 n6 M	0.11 ±0.05 n6 M	E	works underway	M
39	Kacharakanahalli BBMP · North · 6.0 ha	Co-fund	E C1=E(C/E) C3=E C4=A C5=C(B/C) C8=B	2 ±6 n6 M	2 ±6 n6 M	0.10 ±0.08 n4 L		works underway	L
40	Bellanduru Lake BDA · East · 316.8 ha	Co-fund	E C1=E C3=A(A/B) C4=E C5=C(B/C) C8=A G2=E	6 ±2 n4 M	64 ±3 n4 M	0.12 ±0.02 n4 M	E	works underway	M
41	Varthur Lake BDA · East · 155.0 ha	Co-fund	E C1=E(D/E) C3=A(A/B) C4=E C5=C C8=A G2=D	21 ±6 n5 M	61 ±6 n5 M	0.14 ±0.02 n5 M	D	works underway	M
42	Sompura Lake BBMP · South · 7.3 ha	Co-fund	E C1=E(D/E) C3=D C4=E C5=B C8=A G2=D	8 ±7 n4 M	49 ±9 n4 M	0.08 ±0.01 n4 L	D	proposed	L
43	Ullala lake BBMP · West · 9.9 ha	Co-fund	E C1=E C3=D(C/D) C4=E C8=A G2=E	0 ±5 n6 M	96 ±6 n6 M	insufficient	E	proposed	M
44	Gunjuru Karmelaram lake BBMP · East · 2.1 ha	Co-fund	E C1=E C3=A(A/B) C4=E C8=C	0 ±5 n7 L	69 ±13 n7 M	insufficient		works underway	L
45	Mangamma Palya Kere BBMP · South · 4.9 ha	Co-fund	E C1=E C3=B(B/C) C4=A(A/B) C5=B(B/C) C8=E G2=D	11 ±9 n6 L	6 ±8 n6 M	0.07 ±0.06 n6 L	D	proposed	L
46	Sankey Lake BBMP · West · 14.3 ha	Intervene early	C C1=C(C/D) C3=A(A/B) C4=B(A/B/C) C5=C(B/C) C8=B G2=D	52 ±8 n4 M	15 ±7 n4 M	0.10 ±0.03 n4 L	D		L

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
47	Nagareshwara-Nagenahalli Lake BBMP · East · 2.2 ha	Intervene early	C C1=C(C/D) C3=A(A/B) C4=A(A/B) C5=D(C/D) C8=D	49 ±13 n7 L	3 ±8 n7 M	0.22 ±0.08 n6 L			L
48	Mahadevapura Lake-1 BBMP · East · 29.8 ha	Design first	E C1=E C3=C(C/D) C4=C(B/C) C5=D(C/D/E) C8=E G2=E	19 ±7 n7 L	21 ±7 n7 M	0.30 ±0.16 n7 L	E		L
49	Karihobanahalli Lake (Narasappanakere) Lake BBMP · West · 17.6 ha	Design first	E C1=E C3=D(D/E) C4=E C8=A G2=D	1 ±5 n4 M	92 ±6 n4 M	insufficient	D		M
50	Hoodi kere BBMP · East · 9.2 ha	Design first	E C1=E C3=D(D/E) C4=E C5=C(B/C) C8=A G2=D	1 ±6 n12 M	84 ±8 n12 M	0.11 ±0.04 n5 L	D		L
51	Shivapura Lake BBMP · West · 1.7 ha	Design first	E C1=E C3=E C4=E(D/E) C8=B G2=D	1 ±7 n6 L	50 ±15 n6 M	insufficient	D proposed		L
52	Subbarayana Lake BBMP · South · 1.1 ha	Design first	E C1=E C4=E C8=A	0 ±5 n20 I	100 ±5 n20 L	insufficient			I
53	Garveybhavipalya Lake BBMP · South · 7.4 ha	Design first	E C1=E(D/E) C3=D(C/D) C4=E C8=B	0 ±5 n6 M	84 ±8 n6 M	insufficient			M
54	Vibhuthipura kere BBMP · East · 13.2 ha	Design first	E C1=E(D/E) C3=D(C/D) C4=E C5=D(C/D) C8=C G2=E	16 ±7 n9 L	56 ±8 n9 M	0.27 ±0.13 n9 L	E		L
55	Ibblur Lake BBMP · South · 6.7 ha	Design first	E C1=E C3=A(A/B) C4=C(B/C/D) C5=C(C/D) C8=E G2=D	6 ±8 n6 L	21 ±10 n6 M	0.18 ±0.07 n5 L	D		L
56	Kodige Singasandra Lake BBMP · South · 3.1 ha	Design first	E C1=E C3=B(B/C) C4=E C8=B G2=D	0 ±5 n7 L	85 ±10 n7 M	insufficient	D		L
57	Halage vaderahalli Lake BBMP · West · 2.9 ha	Design first	E C1=E(D/E) C3=D C4=E C5=B C8=B	16 ±10 n7 L	61 ±12 n7 M	0.05 ±0.03 n6 L			L
58	Konanakunte Lake BBMP · South · 2.0 ha	Design first	E C1=E(D/E) C3=E C4=E C8=B	2 ±7 n6 L	96 ±8 n6 M	insufficient			L
59	Vasanthapura Kere / Janardhana Kere BBMP · South · 1.8 ha	Design first	E C3=E C4=E C8=A	0 ±5 n4 L	98 ±8 n4 M	insufficient			L
60	Channasandra BBMP · Central · 1.7 ha	Design first	E C1=E(B/E) C3=E C4=E C8=A	0 ±5 n6 L	96 ±9 n6 M	insufficient			L
61	Garudachar Palya Lake BBMP · East · 1.7 ha	Design first	E C1=D(D/E) C4=B(A/B/D) C5=B(A/B/D) C8=E G2=E	27 ±15 n9 L	20 ±14 n9 L	0.09 ±0.11 n7 L	E		L
62	Chikkammanahalli Lake BBMP · South · 1.4 ha	Design first	E C1=E C4=E C8=A	0 ±5 n7 L	100 ±5 n7 L	insufficient			L
63	Uttarahalli Lake BBMP · South · 4.4 ha	Design first	E C1=E(D/E) C3=D(D/E) C4=E C5=D(B/D) C8=B G2=E	23 ±10 n7 L	57 ±10 n7 M	0.20 ±0.10 n7 L	E		L
64	Beretena Agrahara (Chowdeshwari Lake) BBMP · South · 2.7 ha	Design first	E C1=E C3=E C4=E(D/E) C8=C	0 ±6 n10 L	52 ±12 n10 M	insufficient			L

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
65	Gubbalalu Lake BBMP · South · 2.0 ha	Design first	E C1=E C3=D C4=E C8=B G2=E	0 ±5 n5 L	93 ±9 n5 M	insufficient	E		L
66	Lingadeeranahalli BBMP · South · 1.8 ha	Design first	E C1=E(A/E) C3=E C4=E C8=A	0 ±5 n6 L	98 ±7 n6 M	insufficient			L
67	Kembathahalli Lake BBMP · South · 1.7 ha	Design first	E C1=E C3=E C4=E(D/E) C8=B G2=D	3 ±8 n5 L	51 ±15 n5 M	insufficient	D		L
68	Pattangere / Kenchenahalli lake BBMP · West · 1.6 ha	Design first	E C3=E C4=E C8=A	0 ±5 n7 L	99 ±7 n7 L	insufficient			L
69	Chokkanahalli Lake BBMP · North · 0.9 ha	Design first	E C1=E C4=D(A/D/E) C8=E	4 ±13 n8 l	35 ±26 n8 L	insufficient	proposed		I
70	Mestripalya Lake BBMP · South · 2.3 ha	Design first	E C1=E C3=E C4=E C8=A	0 ±5 n6 L	99 ±7 n6 M	insufficient			L
71	Chikkakalasandra Lake BBMP · South · 2.2 ha	Design first	E C3=E C4=E C8=A	0 ±5 n9 L	62 ±13 n9 M	insufficient			L
72	Bheemana Katte BBMP · West · 1.0 ha	Design first	E C1=E(B/E) C4=E C8=E	8 ±13 n6 l	64 ±19 n6 L	insufficient			I
73	Vishwaneedam Lake Bangalore North BBMP · West · 0.9 ha	Design first	E C1=E C4=E C8=A	0 ±5 n5 l	76 ±18 n5 L	insufficient			I
74	Panathur lake BBMP · East · 0.9 ha	Design first	E C1=E(D/E) C4=B(A/B/D) C5=C(B/C/D) C8=B G2=E	14 ±14 n6 l	19 ±15 n6 L	0.14 ±0.06 n4 l	E		I
75	Junnasandra lake BBMP · South · 0.8 ha	Design first	E C1=E C4=A C8=E	2 ±12 n9 l	0 ±5 n9 l	insufficient			I
76	Srigandakaval BBMP · West · 0.6 ha	Design first	E C1=E C4=E C8=B	0 ±5 n6 l	96 ±12 n6 L	insufficient			I
77	Jogi kere BBMP · South · 0.6 ha	Design first	E C1=E(D/E) C4=E(D/E) C8=A	4 ±13 n4 l	62 ±23 n4 L	insufficient			I
78	Venkateshapura Lake BBMP · North · 0.5 ha	Design first	E C1=E C4=E C8=C	0 ±5 n7 l	74 ±25 n7 L	insufficient			I
79	Kalyanikunte (Near Saibaba Temple) BBMP · South · 0.4 ha	Design first	E C1=E(D/E) C4=C(A/C/E) C8=E	9 ±18 n6 l	24 ±24 n6 L	insufficient			I
80	Shivanahalli Lake BBMP · North · 0.4 ha	Design first	E C1=E C4=A C8=E	2 ±12 n7 l	0 ±5 n7 l	insufficient			I
81	Chikka Begur Lake BBMP · South · 9.8 ha	Design first	D C3=D C4=E C8=A	0 ±5 n7 L	81 ±8 n7 M	insufficient	proposed		L
82	Pattandur agraphara lake-124 BBMP · East · 4.5 ha	Design first	D C3=D(C/D) C4=E C8=A	0 ±5 n8 L	92 ±8 n8 M	insufficient			L
83	Kodigehalli lake BBMP · outside the 2025 ward layer · 3.3 ha	Design first	D C1=D(C/D/E) C3=D(D/E) C4=D(C/D/E) C5=C(B/C/D) C8=A	25 ±11 n7 L	38 ±11 n7 M	0.18 ±0.12 n5 L			L
84	Garudachar Palya (Goshala) Lake BBMP · East · 2.7 ha	Design first	D C1=D(D/E) C4=B(A/B/C) C5=D(C/D/E) C8=E G2=D	31 ±14 n8 L	12 ±11 n8 M	0.29 ±0.14 n7 L	D		L
85	Mangammanahalli lake BBMP · outside the 2025 ward layer · 1.1 ha	Design first	D C1=D(C/D/E) C4=E(D/E) C8=A	18 ±15 n5 l	54 ±17 n5 L	insufficient			I

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
86	Mallasandra gudde Lake BBMP · North · 4.4 ha	Design first	D C3=D(D/E) C4=E C8=A	0 ±5 n6 L	100 ±5 n6 M	insufficient			L
87	Bagalagunte Lake BBMP · North · 3.0 ha	Design first	D C1=D(C/D/E) C3=D(D/E) C4=E C5=C(B/C) C8=B	23 ±11 n8 L	52 ±12 n8 M	0.12 ±0.04 n6 L			L
88	Gunjur mouji kere BBMP · East · 20.6 ha	Design first	C C1=E(B/E) C3=C(B/C) C4=D(C/D/E) C5=B(B/C) C8=B	0 ±5 n10 M	35 ±7 n10 M	0.09 ±0.03 n4 L		works underway	L
89	Nelagedaranahalli Lake BBMP · West · 5.9 ha	Design first	C C1=E C3=C(B/C) C4=C(B/C/D) C8=B	4 ±7 n6 M	23 ±9 n6 M	insufficient		proposed	M
90	Chikka Bettahalli Lake BBMP · North · 2.0 ha	Design first	C C1=E C3=B(A/B) C4=C(B/C/E) C8=C	0 ±6 n6 L	29 ±13 n6 M	insufficient			L
91	Vaderahalli BBMP · outside the 2025 ward layer · 2.4 ha	Design first	C C1=E(D/E) C3=D(C/D) C4=C(B/C/D) C5=C(C/D) C8=C	16 ±11 n6 L	23 ±11 n6 M	0.19 ±0.05 n6 L			L
92	Swarnakunte Gudda Kere BBMP · South · 1.6 ha	Design first	C C1=E C3=A(A/B) C4=D(C/D/E) C5=C(B/C/D) C8=B	1 ±7 n19 L	38 ±15 n19 M	0.14 ±0.07 n7 L			L
93	Mahadevapura Lake-2 BBMP · East · 1.6 ha	Design first	C C1=E(D/E) C4=B(A/B/C) C5=C(B/C) C8=D	26 ±16 n8 I	12 ±14 n8 L	0.13 ±0.04 n7 I			I
94	Sadaramangala Lake BBMP · East · 0.1 ha	Design first	C C8=A G2=E	insufficient	insufficient	insufficient	E		I
95	Mylasandra (Sunnakallu palya) lake BBMP · West · 0.7 ha	Design first	C C4=E(A/E) C8=A	0 ±5 n5 I	62 ±54 n5 I	insufficient			I
96	Srinivasapura Lake BBMP · North · 0.3 ha	Design first	C C4=A(A/B) C8=E	2 ±14 n5 I	1 ±13 n5 I	insufficient			I
97	Hebbala Lake Forest Department · North · 46.6 ha	Design first	B C1=E C3=A(A/B) C4=B(B/C) C5=C(B/C) C8=A	2 ±5 n5 M	18 ±6 n5 M	0.13 ±0.07 n4 L		proposed	L
98	Chikkabellandur Lake BBMP · East · 20.1 ha	Design first	B C1=E C3=B(A/B) C4=B(A/B) C8=A	0 ±5 n8 M	12 ±7 n8 M	insufficient		proposed	M
99	Nagavara Lake Forest Department · North · 30.3 ha	Design first	B C1=E C3=A(A/B) C4=B(A/B/C) C5=B C8=A	13 ±6 n7 M	16 ±6 n7 M	0.07 ±0.01 n7 L		proposed	L
100	B. Channasandra BBMP · East · 2.9 ha	Design first	B C3=B(A/B) C4=E C8=A	0 ±5 n8 L	95 ±8 n8 M	insufficient			L
101	Ramagondahalli BBMP · outside the 2025 ward layer · 11.3 ha	Design first	A C1=E(D/E) C3=A(A/B) C4=A C5=B C8=A	19 ±7 n6 M	2 ±6 n6 M	0.05 ±0.02 n6 L			L
102	Kundalahalli Lake BBMP · East · 11.4 ha	Watch / verify	C C1=C(C/D) C3=A(A/B) C4=B(B/C) C5=D(D/E) C8=E G2=D	48 ±9 n8 M	19 ±8 n8 M	0.36 ±0.07 n8 L	D		L
103	Nalluralli tank BBMP · East · 9.4 ha	Watch / verify	C C1=D(C/D) C3=B(A/B) C4=E C5=C(B/C/D) C8=B G2=D	37 ±8 n9 M	52 ±9 n9 M	0.14 ±0.08 n9 L	D		L
104	Dorekere BBMP · South · 9.1 ha	Watch / verify	C C1=C(C/D) C3=C(B/C) C4=E(D/E) C5=D(B/D/E) C8=B G2=D	45 ±9 n6 M	48 ±9 n6 M	0.23 ±0.18 n6 L	D	proposed	L

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
105	Madivala Lake Forest Department · South · 91.0 ha	Watch / verify	C C1=D(D/E) C3=A(A/B) C4=E C5=C(B/C) C8=B G2=D	29 ±6 n4 M	55 ±6 n4 M	0.10 ±0.07 n4 L	D		L
106	Begur Lake BBMP · South · 43.3 ha	Watch / verify	C C1=C(B/C) C3=A(A/B) C4=E(D/E) C5=D(C/D) C8=B G2=D	53 ±7 n17 M	42 ±7 n17 M	0.26 ±0.09 n17 L	D		L
107	Bhimana kuppe BBMP · outside the 2025 ward layer · 39.8 ha	Watch / verify	C C1=C C3=A(A/B) C4=C(B/C) C5=C(B/C) C8=A	58 ±7 n7 M	22 ±6 n7 M	0.10 ±0.04 n7 L			L
108	Chikkabanavara lake BDA · outside the 2025 ward layer · 33.9 ha	Watch / verify	C C1=C(C/D) C3=A(A/B) C4=D(D/E) C5=C C8=A G2=D	54 ±7 n6 M	37 ±7 n6 M	0.16 ±0.04 n6 L	D		L
109	Allalasandra lake BBMP · North · 16.0 ha	Watch / verify	C C1=C C3=A(A/B) C4=B(A/B/C) C5=D(B/D) C8=B G2=E	59 ±8 n6 M	17 ±7 n6 M	0.21 ±0.11 n6 L	E		L
110	Mallathahalli lake BBMP · West · 13.9 ha	Watch / verify	C C1=D(D/E) C3=B(A/B) C4=E C5=C(B/C) C8=B G2=D	26 ±8 n4 M	66 ±8 n4 M	0.10 ±0.04 n4 L	D		L
111	Kudlu Anekal & Doddakere BBMP · South · 13.2 ha	Watch / verify	C C1=B(A/B) C3=A(A/B) C4=C(B/C) C5=C(B/C/D) C8=A G2=D	70 ±8 n9 L	21 ±7 n9 M	0.20 ±0.13 n9 L	D		L
112	Herohalli Lake Bangalore North BBMP · West · 10.3 ha	Watch / verify	C C1=B(B/C) C3=B(A/B) C4=C(C/D) C5=D(D/E) C8=A G2=D	66 ±8 n4 M	30 ±8 n4 M	0.35 ±0.06 n4 L	D		L
113	Haraluru kere BBMP · South · 8.6 ha	Watch / verify	C C1=B(B/C) C3=A(A/B) C4=C(C/D) C5=C(C/D) C8=A G2=D	68 ±9 n7 M	29 ±8 n7 M	0.17 ±0.06 n6 L	D		L
114	Doddakanahalli kere BBMP · East · 8.0 ha	Watch / verify	C C1=C C3=A(A/B) C4=B(A/B) C5=D(C/D) C8=C G2=D	58 ±9 n7 M	10 ±7 n7 M	0.28 ±0.10 n7 L	D		L
115	Amruthahalli Lake BBMP · North · 7.7 ha	Watch / verify	C C1=C(C/D) C3=B(B/C) C4=D(D/E) C5=C(B/C/D) C8=B G2=E	30 ±9 n7 M	40 ±9 n7 M	0.18 ±0.09 n5 L	E		L
116	Kempambudhi Lake BBMP · West · 7.7 ha	Watch / verify	C C1=B(A/B/C) C3=B(A/B) C4=C(B/C/D) C5=D(D/E) C8=A G2=D	71 ±9 n6 M	27 ±9 n6 M	0.36 ±0.16 n6 L	D		L
117	Kowdenahalli lake BBMP · East · 5.9 ha	Watch / verify	C C1=C(B/C) C3=A(A/B) C4=D(C/D/E) C5=D(C/D) C8=A G2=E	59 ±10 n7 M	32 ±9 n7 M	0.24 ±0.12 n7 L	E		L
118	Kenchanpura lake BBMP · outside the 2025 ward layer · 5.0 ha	Watch / verify	C C1=D(C/D/E) C3=A(A/B) C4=E(D/E) C5=C(B/C/D) C8=A	29 ±10 n6 L	41 ±10 n6 M	0.19 ±0.09 n4 L	proposed		L
119	Horamavu Lake BBMP · East · 5.0 ha	Watch / verify	C C1=D(C/D) C3=A(A/B) C4=B(A/B/C) C5=C(B/C) C8=C	34 ±10 n11 L	19 ±9 n11 M	0.11 ±0.08 n10 L			L

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
120	Kommaghatta Lake BDA · outside the 2025 ward layer · 11.6 ha	Watch / verify	C C1=D(C/D) C3=A(A/B) C4=D(C/D/E) C5=C(B/C/D) C8=A	43 ±8 n8 M	38 ±8 n8 M	0.13 ±0.10 n6 L			L
121	K R Puram (BEML) / Benniganahalli Lake BBMP · East · 8.0 ha	Watch / verify	C C1=D(C/D) C3=B(A/B) C4=B(A/B/C) C5=D(C/D) C8=C G2=E	43 ±9 n8 M	17 ±8 n8 M	0.24 ±0.11 n8 L	E		L
122	H Gollahalli kere BBMP · outside the 2025 ward layer · 5.7 ha	Watch / verify	C C1=C(B/C/D) C3=A(A/B) C4=D(C/D/E) C5=C(B/C/D) C8=B	49 ±10 n6 M	33 ±10 n6 M	0.16 ±0.06 n6 L			L
123	Narasipura Lake 20 BBMP · North · 5.5 ha	Watch / verify	C C1=C(B/C/D) C3=A(A/B) C4=A(A/B) C5=C(B/C) C8=D G2=D	57 ±11 n9 L	4 ±7 n9 M	0.11 ±0.03 n9 L	D		L
124	Kothanuru Lake BBMP · South · 4.6 ha	Watch / verify	C C1=D(C/D) C3=A(A/B) C4=B(A/B) C5=C(B/C) C8=B G2=D	35 ±10 n6 L	11 ±8 n6 M	0.13 ±0.06 n6 L	D		L
125	Dubasipalya lake (Valagerehalli) BBMP · West · 4.2 ha	Watch / verify	C C1=D(C/D/E) C3=B(B/C) C4=E C5=C(B/C) C8=A	31 ±10 n7 L	54 ±11 n7 M	0.13 ±0.04 n7 L		proposed	L
126	SitaramPalya lake BBMP · East · 4.1 ha	Watch / verify	C C1=C(B/C/D) C3=A(A/B) C4=D(C/D/E) C5=D(D/E) C8=A G2=E	49 ±11 n9 L	38 ±10 n9 M	0.39 ±0.18 n9 L	E		L
127	Handrahalli kere Bangalore North BBMP · West · 3.7 ha	Watch / verify	C C1=D(C/D) C3=B(A/B) C4=C(B/C/D) C5=B(B/C) C8=A G2=E	46 ±11 n5 L	24 ±10 n5 M	0.08 ±0.04 n5 L	E		L
128	Subedarana Kere BBMP · South · 3.6 ha	Watch / verify	C C1=D(C/D) C3=A(A/B) C4=E(D/E) C5=C(B/C/D) C8=A	40 ±11 n6 L	47 ±11 n6 M	0.16 ±0.15 n6 L			L
129	Puttenahalli Lake (Next to Brigade Millenium) BBMP · South · 3.5 ha	Watch / verify	C C1=D(D/E) C3=A(A/B) C4=D(C/D/E) C5=C(B/C) C8=A G2=D	27 ±10 n10 L	36 ±11 n10 M	0.11 ±0.08 n10 L	D		L
130	Kudlu Chikka Kere BBMP · South · 3.3 ha	Watch / verify	C C1=B(A/B) C3=A(A/B) C4=C(B/C/D) C5=C(B/C/D) C8=B G2=D	73 ±11 n7 L	23 ±10 n7 M	0.17 ±0.08 n7 L	D		L
131	Basapura Lake-2 BBMP · South · 2.7 ha	Watch / verify	C C1=C(B/C/D) C3=A(A/B) C4=C(B/C/D) C5=D(C/D) C8=B G2=D	49 ±12 n6 L	25 ±11 n6 M	0.22 ±0.08 n6 L	D		L
132	Singasandra Lake South Bangalore South BBMP · South · 2.6 ha	Watch / verify	C C1=D(C/D/E) C3=A(A/B) C4=C(B/C/E) C5=C(B/C/D) C8=E G2=D	38 ±13 n9 L	29 ±12 n9 M	0.14 ±0.09 n9 L	D		L

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
133	Basapura Lake-1 BBMP · South · 2.3 ha	Watch / verify	C C1=B(A/B/C) C3=A(A/B) C4=C(B/C/E) C5=E(D/E) C8=A G2=D	70 ±12 n6 L	30 ±12 n6 M	0.45 ±0.14 n6 L	D		L
134	Ramasandra Lake BDA · outside the 2025 ward layer · 2.0 ha	Watch / verify	C C1=D(C/D/E) C3=A(A/B) C4=C(B/C/E) C5=D(B/D) C8=A	21 ±12 n6 L	28 ±12 n6 M	0.21 ±0.16 n4 L			L
135	Lakshmipura Lake BBMP · North · 1.9 ha	Watch / verify	C C1=C(B/C/D) C3=A(A/B) C4=C(B/C/D) C5=D(C/D) C8=A	32 ±14 n5 L	27 ±13 n5 M	0.28 ±0.11 n4 L			L
136	Vijanapura Lake BBMP · East · 1.7 ha	Watch / verify	C C1=C(A/C) C3=A(A/B) C4=D(C/D/E) C5=D(B/D/E) C8=A G2=E	56 ±14 n8 L	36 ±14 n8 M	0.25 ±0.17 n8 L	E		L
137	Kalena Agrahara Lake BBMP · South · 1.7 ha	Watch / verify	C C1=D(C/D) C3=A(A/B) C4=B(A/B/C) C5=C(B/C) C8=C G2=D	41 ±15 n6 L	14 ±12 n6 M	0.11 ±0.04 n6 L	D		L
138	B. Narayanapura Lake BBMP · East · 1.2 ha	Watch / verify	C C1=C(A/C/D) C4=E(D/E) C5=C(C/D) C8=B G2=D	40 ±17 n8 l	47 ±17 n8 L	0.20 ±0.09 n8 l	D		I
139	Shilavanthana kere BBMP · East · 4.6 ha	Watch / verify	C C1=C(B/C) C3=A(A/B) C4=C(B/C/D) C5=D(B/D) C8=A G2=E	59 ±10 n10 L	21 ±9 n10 M	0.21 ±0.15 n10 L	E		L
140	Devsandra kere BBMP · East · 4.3 ha	Watch / verify	C C1=C(C/D) C3=A(A/B) C4=B(A/B/C) C5=C(C/D) C8=B G2=E	51 ±11 n8 L	16 ±9 n8 M	0.17 ±0.07 n7 L	E		L
141	Devarabeesanahalli Lake BBMP · East · 4.1 ha	Watch / verify	C C1=C(C/D) C3=B(B/C) C4=D(C/D/E) C5=C(B/C) C8=C G2=E	50 ±11 n6 L	31 ±10 n6 M	0.14 ±0.05 n6 L	E		L
142	Subramanyapura Lake BBMP · South · 3.8 ha	Watch / verify	C C1=C(B/C) C3=A(A/B) C4=D(C/D/E) C5=D(C/D) C8=B G2=D	53 ±11 n4 L	32 ±11 n4 M	0.27 ±0.12 n4 L	D		L
143	Hoodi Giddanakere Lake BBMP · East · 3.4 ha	Watch / verify	C C1=D(C/D/E) C3=A(A/B) C4=C(B/C/D) C5=C(B/C/D) C8=B	29 ±11 n11 L	20 ±10 n11 M	0.15 ±0.08 n11 L		works underway	L
144	Bhattarahalli Lake BBMP · East · 3.4 ha	Watch / verify	C C1=C(B/C) C3=A(A/B) C4=A(A/B) C5=C(B/C/D) C8=B G2=E	52 ±11 n11 L	10 ±9 n11 M	0.12 ±0.09 n10 L	E		L
145	Haralakunte Lake (Somasandra Palya Kere) BBMP · South · 2.8 ha	Watch / verify	C C1=B(A/B/C) C3=A(A/B) C4=A C5=C(B/C) C8=C G2=D	69 ±11 n6 L	2 ±7 n6 M	0.10 ±0.06 n6 L	D		L

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
146	Byrasandra BBMP · Central · 2.7 ha	Watch / verify	C C1=B(A/B/C) C3=A(A/B) C4=C(B/C/D) C5=D(C/D) C8=C G2=D	65 ±12 n10 L	29 ±11 n10 M	0.24 ±0.12 n10 L	D		L
147	Varanasi Lake BBMP · East · 2.1 ha	Watch / verify	C C1=D(D/E) C3=A(A/B) C4=A C5=B(B/C) C8=D G2=E	26 ±13 n11 L	0 ±5 n11 M	0.08 ±0.02 n7 L	E		L
148	Nyanappanahalli Lake / Akshayanagara Lake BBMP · South · 1.3 ha	Watch / verify	C C1=C(B/C/D) C4=D(C/D/E) C5=B(A/B/D) C8=B G2=D	40 ±16 n6 L	40 ±16 n6 L	0.10 ±0.15 n5 L	D		L
149	Ulsoor BBMP · Central · 40.0 ha	Watch / verify	B C1=B(A/B) C3=C(B/C) C4=B(B/C) C5=D(C/D) C8=B	77 ±6 n7 M	18 ±6 n7 M	0.28 ±0.09 n7 L		works underway	L
150	Rampura kere BBMP · outside the 2025 ward layer · 45.3 ha	Watch / verify	B C1=B(A/B) C3=A(A/B) C4=B(A/B/C) C5=D(C/D/E) C8=A G2=E	75 ±6 n4 M	16 ±6 n4 M	0.32 ±0.18 n4 L	E		L
151	Sigehalli Lake BBMP · East · 8.5 ha	Watch / verify	B C1=B(B/C) C3=A(A/B) C4=B(A/B/C) C5=C(A/C/D) C8=B G2=E	71 ±9 n9 M	14 ±8 n9 M	0.14 ±0.15 n9 L	E	proposed	L
152	Palanahalli Lake BBMP · North · 7.3 ha	Watch / verify	B C1=A(A/B) C3=B(A/B) C4=C(B/C/D) C5=E(D/E) C8=A	73 ±9 n20 M	26 ±9 n20 M	0.47 ±0.12 n20 L			L
153	Chikkabasavanapura Lake BBMP · East · 3.9 ha	Watch / verify	B C1=B(A/B) C3=A(A/B) C4=B(B/C) C5=D(D/E) C8=B G2=E	71 ±10 n9 L	20 ±10 n9 M	0.32 ±0.12 n9 L	E		L
154	Medi agrahara BBMP · outside the 2025 ward layer · 1.7 ha	Watch / verify	B C1=D(C/D/E) C3=E C4=A C5=B C8=B	29 ±14 n6 L	0 ±6 n6 M	0.03 ±0.01 n5 L			L
155	Deepanjali Nagara lake BBMP · West · 1.4 ha	Watch / verify	B C1=B(A/B/C) C3=E C4=C(A/C/D) C5=B(B/C) C8=B	51 ±15 n5 L	22 ±14 n5 L	0.07 ±0.04 n5 L		proposed	L
156	Jakkur Lake BBMP · North · 50.9 ha	Watch / verify	A C1=A(A/B) C3=A(A/B) C4=B(A/B/C) C5=D(D/E) C8=A G2=E	81 ±6 n5 M	14 ±6 n5 M	0.38 ±0.11 n5 L	E	proposed	L
157	Vengaiahna kere / K.R.Puram Tank BBMP · East · 14.3 ha	Watch / verify	A C1=A(A/B) C3=A(A/B) C4=A(A/B) C5=D(C/D) C8=B G2=E	74 ±8 n8 M	9 ±7 n8 M	0.25 ±0.14 n8 L	E	works underway	L
158	Doddabommasandra Lake BBMP · North · 36.2 ha	Maintain	B C1=C(B/C) C3=A(A/B) C4=B(A/B) C5=D(C/D) C8=A	64 ±7 n7 M	12 ±6 n7 M	0.26 ±0.14 n7 L			L
159	Venkojirao Kere / Agara Kere BBMP · South · 29.6 ha	Maintain	B C1=B(B/C) C3=A(A/B) C4=B(A/B) C5=C(C/D) C8=B G2=D	68 ±7 n7 M	13 ±6 n7 M	0.19 ±0.07 n7 L	D		L
160	Sarakki Lake BBMP · South · 23.7 ha	Maintain	B C1=B(A/B) C3=B(A/B) C4=A(A/B) C5=B C8=B G2=D	77 ±7 n4 M	10 ±6 n4 M	0.05 ±0.02 n4 L	D		L


#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
161	Attur lake BBMP · North · 23.7 ha	Maintain	B C1=B(A/B) C3=A(A/B) C4=B(A/B/C) C5=D C8=A	76 ±7 n5 M	16 ±7 n5 M	0.32 ±0.06 n5 L			L
162	Harohalli lake BBMP · North · 20.0 ha	Maintain	B C1=B(A/B) C3=A(A/B) C4=D(C/D) C5=D(D/E) C8=B	63 ±7 n17 M	31 ±7 n17 M	0.37 ±0.11 n17 L			L
163	Hormavu Agara Lake BBMP · East · 14.9 ha	Maintain	B C1=A(A/B) C3=A(A/B) C4=B(A/B) C5=D(D/E) C8=B	86 ±7 n8 M	11 ±7 n8 M	0.38 ±0.11 n8 L			L
164	Kasavanahalli lake BBMP · South · 13.9 ha	Maintain	B C1=D C3=A(A/B) C4=B(A/B) C5=B C8=B G2=D	37 ±8 n7 M	12 ±7 n7 M	0.06 ±0.02 n6 L	D		L
165	Kaggadasapura BBMP · Central · 12.2 ha	Maintain	B C1=A(A/B) C3=B(A/B) C4=B(A/B/C) C5=D(C/D) C8=B	69 ±8 n8 M	16 ±7 n8 M	0.22 ±0.11 n8 L			L
166	Gottigere BBMP · South · 12.0 ha	Maintain	B C1=A(A/B) C3=A(A/B) C4=B(A/B) C5=C(A/C/D) C8=B G2=D	63 ±8 n4 M	10 ±7 n4 M	0.13 ±0.16 n4 L	D	proposed	L
167	Thirumenahalli Lake BBMP · North · 5.7 ha	Maintain	B C1=C(B/C) C3=A(A/B) C4=B(B/C) C5=D(C/D) C8=B	54 ±10 n6 M	20 ±9 n6 M	0.24 ±0.13 n5 L			L
168	Doddanekundi lake BBMP · East · 38.1 ha	Maintain	A C1=A C3=A(A/B) C4=B(A/B) C5=D(D/E) C8=A G2=D	84 ±6 n8 M	12 ±6 n8 M	0.35 ±0.12 n8 M	D	proposed	M
169	Soolikere BBMP · outside the 2025 ward layer · 42.2 ha	Maintain	A C1=B(B/C) C3=A(A/B) C4=A(A/B) C5=C(B/C) C8=A	65 ±7 n5 M	10 ±6 n5 M	0.10 ±0.08 n4 L			L
170	Veerasagara lake BBMP · outside the 2025 ward layer · 6.7 ha	Maintain	A C1=D(C/D) C3=A(A/B) C4=A(A/B) C5=B(B/C) C8=A	37 ±9 n5 M	6 ±7 n5 M	0.08 ±0.04 n4 L			L
171	Kattigenahalli Lake BBMP · North · 5.7 ha	Steward	B C1=D(C/D) C3=A(A/B) C4=B(A/B) C8=B	43 ±10 n4 M	11 ±8 n4 M	insufficient			M
172	Konasandra Lake BBMP · West · 10.5 ha	Steward	B C1=B(A/B) C3=A(A/B) C4=C(B/C/D) C5=C(B/C/D) C8=A	64 ±8 n5 M	24 ±8 n5 M	0.13 ±0.12 n5 L			L
173	Arakere Lake BBMP · South · 7.5 ha	Steward	B C1=C(C/D) C3=A(A/B) C4=B(A/B/C) C5=B(B/C) C8=B	42 ±9 n7 M	16 ±8 n7 M	0.08 ±0.03 n7 L		proposed	L
174	Anjanapura Lake / nagara Churchaghatta Kere Alahalli BBMP · South · 5.6 ha	Steward	B C1=B(B/C) C3=A(A/B) C4=B(A/B) C5=D(C/D) C8=B G2=D	62 ±10 n7 L	12 ±8 n7 M	0.21 ±0.05 n7 L	D		L
175	Agrahara Lake BBMP · North · 4.4 ha	Steward	B C1=C(C/D) C3=A(A/B) C4=B(A/B/C) C5=D(C/D) C8=B	48 ±10 n6 L	14 ±9 n6 M	0.25 ±0.11 n5 L			L
176	Yelenahalli Lake BBMP · South · 1.2 ha	Steward	B C1=B(A/B/D) C4=B(A/B/C) C5=B C8=B G2=D	52 ±17 n7 I	10 ±12 n7 L	0.06 ±0.02 n7 I	D		I

#	Lake	Need class	Condition (inputs)	W1 open water	W2 vegetated	Q1 chlorophyll proxy	KSPCB	Programme on record	Conf.
177	Kammanahalli Lake (Meenakshi Lake) BBMP · South · 4.9 ha	Steward	B C1=B(B/C) C3=A(A/B) C4=A(A/B) C5=C(C/D) C8=B G2=D	57 ±10 n5 L	4 ±7 n5 M	0.18 ±0.08 n5 L	D		L
178	Gowdanapalya Lake BBMP · South · 2.5 ha	Steward	B C1=A(A/B) C3=C(C/D) C4=B(A/B) C5=D(C/D) C8=B	49 ±12 n6 L	10 ±9 n6 M	0.27 ±0.12 n6 L			L
179	Talghatapura Lake BBMP · South · 4.1 ha	Steward	A C1=A(A/B) C3=A(A/B) C4=D(C/D/E) C5=C(B/C/D) C8=A	57 ±11 n6 L	38 ±11 n6 M	0.19 ±0.10 n5 L			L
180	Nagarabhavi Lake BBMP · West · 0.9 ha	Steward	A C1=A(A/C) C4=A(A/B) C5=B(A/B) C8=B	56 ±19 n6 I	7 ±12 n6 L	0.03 ±0.05 n6 I			I


What continuous monitoring looks like

Three lakes with named sub-zones, monthly medians of the surface composition from 2019 (a month with fewer than two clear passes is a gap, not a value). The monsoon months are thin on every lake, which is what an honest optical record looks like.


Bellandur (BDA)



Varthur (BDA)




Jakkur (BBMP)




Surface classes per pass: open water, vegetation (mats and emergent growth; bloom water stays open water and shows in the chlorophyll proxy), froth, and exposed bed. Sentinel-2, 10 m.

Ulsoor, November 2025 to August 2026




Open-water share of the footprint per clear pass. The lake was drained from February 2026 for its NDMF desilting works; the series will show the refill.

Coverage, 2019 to date



Median clear passes per lake per month. The monsoon gap is reported, never filled; the archive over Bengaluru is dense from 2019.



Assessed lakes with a computable chlorophyll proxy: vegetated share against the chlorophyll proxy on the open-water core, reading window medians. Two groups: mat-covered lakes and bloom-prone open lakes; both are eutrophication, with different measures.

Confidence

Assessed lakes by the weakest of their open-water, vegetation and chlorophyll readings: insufficient 19, low 142, medium 19.

A confidence class is the weakest of six components: pixels inside the lake after the shoreline ring, the share of the lake close to shore, clear passes in the window, the length of the lake's own record, validation of the surface classes on the lake's type, and the boundary's provenance. High needs every component High, which a 10 m sensor cannot give a lake under about 20 ha and a mapped boundary cannot give any lake; Medium is the ceiling for the large lakes until a surveyed boundary and field calibration exist. The monsoon window also thins the clear passes; the post-monsoon edition will lift the pass component for most lakes.

Method, in brief

Universe. The Karnataka Tank Conservation and Development Authority custody lists for Bengaluru (BBMP, BDA, Forest Department, BMRCL): 210 lakes, each joined to a mapped boundary, the BBMP Lake Management System point, the 2025 ward and corporation, the platform's cascade layer, the regulator's June 2026 station, and the programme rows on record.

Sensor. Copernicus Sentinel-2 (10 m, a pass every two to three days over Bengaluru), every scene from March 2017 to the reading date, cloud-masked pixel by pixel; observed passes only, nothing interpolated.

Per lake, per pass. A fixed footprint (the mapped boundary united with the observed water extent); the share of the footprint reading as open water, vegetation (mats and emergent growth), froth and exposed bed; and on the open water, relative indices for chlorophyll, turbidity, coloured organic matter and apparent colour. These are Tier 1 (relative) readings: comparable across lakes and years, not concentrations.

Per lake, per window. Seasonal medians with their spread, percentile against the lake's own same-season history, water area and share of the observed maximum, froth events per year, built share inside the footprint, and the confidence class. Health Card bands are assigned only where the band is wider than the error.

Need class and order. The register's published rules over four axes (Condition, Stakes, Tractability, Urgency) with the programme on record; lakes are ordered within the city as the funding unit. The full method, error model and rule set are in the Neer Vazhvu methodology note, available on request.

Unassessed at open resolution (30)

Listed after the ordered list with the queue reason, per the register rule. A hand-digitised boundary or a sub-metre scene moves a lake into the assessed set.

Lake	Queue reason
Siddapura Lake BBMP ·	no polygon at open resolution; LMS point on record
Gangashetty Lake BBMP ·	no polygon at open resolution; LMS point on record; KSPCB station 'Gangashetty Lake' at 13.00502, 77.693716 (Class E, June 2026)
Puttenahalli / Byraweshwara BBMP ·	no polygon at open resolution; LMS point on record
Lingadeeranahalli (handrahalli) North Lake Bangalore North BBMP ·	no polygon at open resolution; LMS point on record
Chikkabasthi lake BBMP ·	no polygon at open resolution; LMS point on record
Gandhinagar Hosakerehalli BBMP ·	no polygon at open resolution; LMS point on record
Varahasandra Lake BBMP ·	no polygon at open resolution; LMS point on record
Gattigerepalya (Sompura) lake BBMP ·	no polygon at open resolution; LMS point on record
Chikkagowdanapalya lake BBMP ·	no polygon at open resolution; LMS point on record
Busegowdana lake BBMP ·	no polygon at open resolution; LMS point on record
Bayyapanapalya Kunte BBMP ·	no polygon at open resolution; LMS point on record
Narasipura Lake 26 BBMP ·	no polygon at open resolution; LMS point on record
(Nagasandra) BBMP ·	no polygon at open resolution; no location on record
19 Malagala BBMP ·	no polygon at open resolution; no location on record
Byatagunte Playa BBMP ·	no polygon at open resolution; no location on record
Lingarajapura Lake BBMP ·	no polygon at open resolution; no location on record
Geddalahalli BBMP ·	no polygon at open resolution; no location on record
Konena Agrahara BBMP ·	no polygon at open resolution; LMS point on record
(Lingannana Bilaekahalli Kere) (Disused lake) BBMP ·	no polygon at open resolution; no location on record
Dorasanni Palya (Disused lake) BBMP ·	no polygon at open resolution; no location on record
Ittmadu BBMP ·	no polygon at open resolution; no location on record
Thavarekare BBMP ·	no polygon at open resolution; no location on record
Karisandra lake BBMP ·	no polygon at open resolution; no location on record
Nandi shettappa lake BBMP ·	no polygon at open resolution; no location on record
Arehalli 2 & 3 (Small tanks) (Disused lake) BBMP ·	no polygon at open resolution; no location on record
Bovimaranahalli BBMP ·	no polygon at open resolution; no location on record
Gundopanth lake BBMP ·	no polygon at open resolution; no location on record
Kamakshipalya Lake BBMP ·	no polygon at open resolution; no location on record
Sanegoravanahalli Lake BBMP ·	no polygon at open resolution; no location on record
Agraharadasarahalli Lake BBMP ·	no polygon at open resolution; no location on record

Sources

- KTCDA, List of Lakes in Bengaluru (BBMP, BDA, Forest Department, BMRCL custody lists), obtained 3 September 2026.
- BBMP Lake Management System, lake locations (lms.bbmpgov.in), 3 September 2026.
- KSPCB, Water Quality Data of Bengaluru Lakes for the Month of June 2026 (130 stations); Classification of Water Quality under NWMP, April 2025 to February 2026.
- Copernicus Sentinel-2 Level-2A (COPERNICUS/S2_SR_HARMONIZED) and Cloud Score+ on Google Earth Engine; Dynamic World V1.
- OpenStreetMap water polygons (ODbL); Greater Bengaluru 2025 ward and corporation layers; the platform's cascade layer.
- Deccan Herald, 17 July 2025, "BBMP allocates Rs 50 crore to develop 24 lakes"; SANDRP, 10 February 2026, "Bengaluru Lakes 2025".
- Methodology: Neer Vazhvu, Satellite monitoring of Bengaluru lakes, methodology note v0 (3 September 2026); the national restoration register plan, section 7.