



All Users
User
BOUNDARY
screens
SignInPage
Create AccountPage
Email VerificationPage
Notification Page
CONTROL
controllers
AuthController
Notification Controller
ENTITY
data
«write/read»
«write/read»
User
Student
«write/read»
Notification
«write/read»
«write/read»
Project Supervisor
Verification Code
«use»
E-mail Service «system»
«use»
E-mail Service «system»
Boundary (screen)
Control (controller)
Entity (data)
External system
Solid arrow = «use» (an actor uses a screen, a screen calls a controller). «read» / «write» arrows go from a controller to data.



Boundary (screen) Control (controller) Entity (data) External system


Solid arrow = «use» (an actor uses a screen, a screen calls a controller). «read» / «write» arrows go from a controller to data.

Project Supervisor



Boundary (screen) Control (controller) Entity (data) External system

Solid arrow = «use» (an actor uses a screen, a screen calls a controller). «read» / «write» arrows go from a controller to data.



Boundary (screen) · Control (controller) · Entity (data) · External system

Solid arrow = «use» (an actor uses a screen, a screen calls a controller). «read» / «write» arrows go from a controller to data.

How to read the boundary diagram



BOUNDARY (amber): a screen the user sees, one page of the web client. Named as in the dialog map.



CONTROL (rose): a controller, one API router that applies the rules (Appendix D).



ENTITY (teal): a data class the controller reads or writes (the class diagram, Figure 2.4).



EXTERNAL SYSTEM (dashed amber outline): a service outside URECAMatch, such as the e-mail service or the AI service.



Actor: the role that uses the screens (User, Student, Project Supervisor, Admin).

«use» A solid arrow from an actor to a screen, or from a screen to a controller, means the first one uses the second.

«read», «write», «write/read» A controller arrow to an entity says how the controller uses the data.

Background colour of each role area

All Users | Student | Project Supervisor | Admin