Software Requirements Specification

for

<URECAMatch>

Version 1.0 approved

Prepared by <IAN TAN, ROBIN TEOH, NICHOLAS NG,

EDWIN TAN QI LUN, BENJAMIN NG >

SCEF GRP 4

<2/9/2026>

Table of Contents

Table of Contents ii
Revision History ii
1. Introduction 1
1.1 Purpose 1
1.2 Document Conventions 1
1.3 Intended Audience and Reading Suggestions 1
1.4 Product Scope 1
1.5 References 1
2. Overall Description 2
2.1 Product Perspective 2
2.2 Product Functions 2
2.3 User Classes and Characteristics 2
2.4 Operating Environment 2
2.5 Design and Implementation Constraints 2
2.6 User Documentation 2
2.7 Assumptions and Dependencies 3
3. External Interface Requirements 3
3.1 User Interfaces 3
3.2 Hardware Interfaces 3
3.3 Software Interfaces 3
3.4 Communications Interfaces 3
4. System Features 4
4.1 System Feature 1 4
4.2 System Feature 2 4
5. Other Nonfunctional Requirements 4
5.1 Performance Requirements 4
5.2 Safety Requirements 5
5.3 Security Requirements 5
5.4 Software Quality Attributes 5
5.5 Business Rules 5
6. Other Requirements 5
Appendix A: Glossary 5
Appendix B: Analysis Models 5
Appendix C: To Be Determined List 6

Revision History

Name	Date	Reason For Changes	Version
Robin	2/9/2026	LAB 1 Feedback (Data Dictionary, FR/NFR Identifiers)	1.0

1. Introduction

1.1 Purpose

<Identify the product whose software requirements are specified in this document, including the revision or release number. Describe the scope of the product that is covered by this SRS, particularly if this SRS describes only part of the system or a single subsystem.>

This Software Requirements Specification (SRS) document defines the requirements and specifications for URECAMatch ("Version 1.0"), a web-based portal designed to host the application and allocation process of the Undergraduate Research Experience on Campus (URECA) programme at Nanyang Technological University (NTU).

1.2 Document Conventions

<Describe any standards or typographical conventions that were followed when writing this SRS, such as fonts or highlighting that have special significance. For example, state whether priorities for higher-level requirements are assumed to be inherited by detailed requirements, or whether every requirement statement is to have its own priority.>

This SRS document adheres to a few standard formatting conventions for presentation consistency:

- Font Style
  - Header Text: Arial
  - Body Text: Times/Times New Roman
  -
- Requirement Identification
  - Each Functional Requirement (FR) or Use Case (UC) is uniquely indexed with its own code (eg. REQ-ROUND-1) for ease of reference.

- Versioning
  - Each revision of this document is logged in its Revision History section, along with reasons for each revision.

1.3 Intended Audience and Reading Suggestions

<Describe the different types of reader that the document is intended for, such as developers, project managers, marketing staff, users, testers, and documentation writers. Describe what the rest of this SRS contains and how it is organized. Suggest a sequence for reading the document, beginning with the overview sections and proceeding through the sections that are most pertinent to each reader type.>

1.4 Product Scope

<Provide a short description of the software being specified and its purpose, including relevant benefits, objectives, and goals. Relate the software to corporate goals or business strategies. If

a separate vision and scope document is available, refer to it rather than duplicating its contents here.>

1.5 References

<List any other documents or Web addresses to which this SRS refers. These may include user interface style guides, contracts, standards, system requirements specifications, use case documents, or a vision and scope document. Provide enough information so that the reader could access a copy of each reference, including title, author, version number, date, and source or location.>

2. Overall Description

2.1 Product Perspective

URECAMatch is a new, self-contained web-based product. It is not a follow-on member of a product family, nor is it a component of a larger software system. It replaces the existing manual process for allocating students to URECA research projects, in which projects are published as a list of titles on the NTU website and students approach supervisors individually by email. That process provides no project detail, no search or filtering capability, no visibility of remaining slots, and no means for either party to express ranked preferences. Section 1.4 describes the existing process and the objectives of its replacement in full.

The system operates independently of NTU institutional systems and neither reads from nor writes to them. It has two external interfaces. Account registration is restricted to the NTU email domain, and an external email delivery service transmits verification codes and notifications. Supporting documents such as academic transcripts are uploaded by users and held in the system document storage rather than retrieved from institutional records. Integration with NTU single sign-on is desirable for a production deployment but is outside the scope of Version 1.0. An overview of system are shown in figure below.


[*A simple diagram that shows the major components of the overall system, subsystem interconnections, and external interfaces can be helpful.]*

2.2 Product Functions

This section summarises the major functions that URECAMatch performs and the functions it allows each class of user to perform. Functions are grouped by the user role that initiates them. Detailed descriptions of each function, including its priority, stimulus and response sequences, and associated functional requirements, are provided in Section 4.

2.2.1 Use Case Diagram

The use case diagram in Figure 2 shows the actors that interact with URECAMatch and the use cases available to each. Student, Project Supervisor and Administrator are specialisations of the generalised User actor, which owns the use cases common to all roles. Use case descriptions corresponding to each use case in this diagram are provided in [ ].



2.2.2 Major Product Functions

URECAMatch will allow users to perform the following functions:

- Authentication
    - Register an account (with different roles: Student, Project Supervisor, Admin)
    - Verify account via NTU email
    - Sign in
- Student Functions

    - Project Listings
        - View and search project listings
        - Filter by school, topic, and supervisor

    - Applications
        - Apply to project listings
        - Submit statement of interest and supporting documents
        - Rank applications by preference

    - Self-Proposed Projects
        - Propose a project directly to a chosen supervisor

    - Matching Outcome
        - View published match results
        - Accept or decline a match offer

- Project Supervisor Functions

    - Project Listings
        - Create, update, and close project listings

    - Applications
        - Review applicants and their supporting documents
        - Rank applicants by preference

    - Matching
        - Approve or reject proposed matches

    - Self-Proposed Projects
        - Review and accept or decline student proposals

- Admin Functions

    - Application Cycle
        - Configure application cycle dates
        - Configure sequential matching rounds

    - Matching
        - Execute the matching process
        - Review supervisor approvals and publish results
        - Manually assign a student to a project

    - User Management

        - Create, update, and deactivate user accounts

    - Audit Log
        - View records of matching executions and manual overrides

- Notifications
    - System-wide alerts and user-specific notifications

- Other Functions
    - View and edit profile

2.2.3 Class Diagram

The class diagram in Figure 3 shows the principal entity classes maintained by URECAMatch, their attributes, and the relationships between them.

[insert class diagram]

2.3 User Classes and Characteristics

Users of the platform are categorised into:

- Students: Undergraduate students of NTU seeking a URECA research placement, typically in their second or third year of study. They are the largest user class. All are familiar with web applications, but their technical expertise varies and none can be assumed to have prior experience of a preference-based allocation system. Usage is concentrated and infrequent: a student interacts with the system heavily during the five-day application window of a matching round and rarely outside it. Students hold the lowest privilege level, with access restricted to their own profile, applications, and match results. They use the discovery, application, ranking, and match response functions, and no administrative function.

- Project Supervisors: Academic staff who offer research projects and select students for them. They are experienced professionals with high educational attainment but no assumed familiarity with the system, and their available time is limited. Usage is periodic rather than continuous, consisting of listing projects before a cycle opens and applicant review, ranking, and match approval within each round. Applicant review must therefore be achievable in a single sitting without recourse to external tools, which is the basis of the requirement that transcripts be viewable within the system. Supervisors may access only the projects they own and the applicants to those projects.

- Administrators: Staff of the URECA office responsible for overseeing the allocation process. They are the smallest user class, are trained in the operation of the system, and use it throughout a cycle rather than at particular points. They hold the highest privilege level and are the only class able to configure application cycles and matching rounds, execute the matching process, publish results, override an allocation manually, and manage user accounts. The audit and override functions pertain exclusively to this class.

Students are the most important user class to satisfy. They are the most numerous, they are the group whose experience of the existing process the system exists to improve, and they have the least tolerance for a system that is difficult to use, since they have no obligation to persist with one. Project Supervisors are the second most important. Their participation is essential, as a matching round cannot produce a valid allocation without supervisor rankings, but they are a smaller group with a direct interest in the outcome and are correspondingly more likely to complete a task that is not effortless. Administrators are the least important class to satisfy in terms of interface quality. They are few in number, are trained in the system, and use it as part of their duties, so their functions may prioritise correctness, completeness, and auditability over ease of use.

2.4 Operating Environment

<Describe the environment in which the software will operate, including the hardware platform, operating system and versions, and any other software components or applications with which it must peacefully coexist.>

2.5 Design and Implementation Constraints

<Describe any items or issues that will limit the options available to the developers. These might include: corporate or regulatory policies; hardware limitations (timing requirements, memory requirements); interfaces to other applications; specific technologies, tools, and databases to be used; parallel operations; language requirements; communications protocols; security considerations; design conventions or programming standards (for example, if the customer's organization will be responsible for maintaining thce delivered software).>

2.6 User Documentation

<List the user documentation components (such as user manuals, on-line help, and tutorials) that will be delivered along with the software. Identify any known user documentation delivery formats or standards.>

2.7 Assumptions and Dependencies

<List any assumed factors (as opposed to known facts) that could affect the requirements stated in the SRS. These could include third-party or commercial components that you plan to use, issues around the development or operating environment, or constraints. The project could be affected if these assumptions are incorrect, are not shared, or change. Also identify any

dependencies the project has on external factors, such as software components that you intend to reuse from another project, unless they are already documented elsewhere (for example, in the vision and scope document or the project plan).>

3. External Interface Requirements


3.1 User Interfaces

URECAMatch is accessed through a web browser. This section defines the visual style guide applied across all screens, the mockups for each screen, the presentation of success and error messages, and the common components reused throughout the interface.

3.1.1 Theme Colours


The colour system consists of five tonal scales defined in OKLCH, each rendered as ten stops from 50 to 900. Blue is the primary scale and carries interactive elements. Green, amber, and red are semantic scales carrying positive, cautionary, and negative states respectively. Grey is the neutral scale and carries text, borders, and inactive elements. Three surface levels are defined: background, surface, and sunken.

Roles are assigned to specific stops rather than to a scale as a whole, as shown in Figure 3.1. Components reference the role rather than the hex value. Where text is placed on a coloured fill, it uses the INK stop of that scale rather than the fill stop, to maintain sufficient contrast. The system is specified for a light colour scheme only.



3.1.2 Typography

Three typefaces are used, each assigned to a distinct role. Plus Jakarta Sans is the display and interface typeface, used for headings, navigation, buttons, and labels. IBM Plex Sans is the text typeface, used for body copy and continuous prose. IBM Plex Mono is used for values that benefit from consistent character width, including identifiers, dates, and numeric figures. The type scale, giving the size and weight of each level and its application, is shown in Figure 3.2




3.1.3 Constraints and buttons

All screens share a common shell. The shell is 1200 px wide at the reference breakpoint and comprises a fixed 240 px sidebar carrying primary navigation, and a content region with a maximum width of 1080 px. Content is inset 40 px from the left of the content region and 20 px from the right, with a 24 px gutter separating columns where a screen uses a two-column layout. Layout follows a 4 px base grid. All spacing values are multiples of that base, drawn from the scale 4, 8, 12, 16, 20, 24, and 40 px. Corner radii are likewise drawn from a fixed scale according to the element type: 6 px for icon controls, 8 px for buttons, 10 px for table rows, 12 px for cards, and 20 px for pill elements.

Two overlay surfaces are defined. A drawer is 460 px wide, enters from the right, and dims the underlying screen with a scrim at 28 percent opacity. It is used where supporting content is consulted alongside the current screen, such as an applicant profile viewed during ranking. A

modal is 520 px wide and centred, and is used where an action requires confirmation before the user may continue.

All interactive elements present a hit target of at least 32 px in the smaller dimension.



3.1.4 UI Mockup (INSERT LATEST)

<Describe the logical characteristics of each interface between the software product and the users. This may include sample screen images, any GUI standards or product family style guides that are to be followed, screen layout constraints, standard buttons and functions (e.g., help) that will appear on every screen, keyboard shortcuts, error message display standards, and so on. Define the software components for which a user interface is needed. Details of the user interface design should be documented in a separate user interface specification.>

3.1.5 Success and Error Message Display

3.1.6 Common Components - form inputs, text input, dropdown, file upload, submit button, miscellaneous - screen header, navigation bar

3.2 Hardware Interfaces

URECAMatch is a web-based application and requires no dedicated hardware. The following describes the logical and physical characteristics of the interfaces between the software and the hardware on which it is accessed.

3.2.1 Device Types

The system is accessed through a web browser and is compatible with desktop computers, laptops, tablets, and smartphones. No device class is required for any function, and all functions are available on every supported device type. The system requires no peripheral hardware beyond standard input, display, and network components, and makes no use of a camera, positioning hardware, biometric sensor, or printer.

3.2.2 Data and Control Interactions

The user's device interacts with the system through standard input and output hardware. Input is received from keyboards, pointing devices, and touchscreens. Output is rendered to the device display. Network interface hardware provides connectivity to the application server.
One interaction requires access to device storage. When a user uploads a supporting document, such as an academic transcript, the browser file selection interface reads the file from the local file system of the device and transmits it to the system. The system does not otherwise read from or write to device storage, and does not retain uploaded files on the device.

3.2.3 Communication Protocols

All communication between the user's device and the application server takes place over HTTPS. The system operates on the standard web ports, being port 80 for HTTP and port 443 for HTTPS, with HTTP requests redirected to HTTPS.

3.3 Software Interfaces

<Describe the connections between this product and other specific software components (name and version), including databases, operating systems, tools, libraries, and integrated commercial components. Identify the data items or messages coming into the system and going out and describe the purpose of each. Describe the services needed and the nature of communications. Refer to documents that describe detailed application programming interface protocols. Identify data that will be shared across software components. If the data sharing mechanism must be implemented in a specific way (for example, use of a global data area in a multitasking operating system), specify this as an implementation constraint.>

3.4 Communications Interfaces

<Describe the requirements associated with any communications functions required by this product, including e-mail, web browser, network server communications protocols, electronic forms, and so on. Define any pertinent message formatting. Identify any communication standards that will be used, such as FTP or HTTP. Specify any communication security or encryption issues, data transfer rates, and synchronization mechanisms.>

4. System Features

Admin Features (4.1 - 4.8)

4.1 ManageApplicationCycle

4.1.1 Description and Priority

Description:

- This feature enables an Admin to create a new Application Cycle or modify an existing one, configuring time parameters such as start and end dates.

Priority:

- High; plays a critical role in setting up and adjusting the timeline for URECAMatch application periods.

4.1.2 Stimulus/Response Sequence

1. After the Admin successfully logs in and is authenticated, the Admin navigates to the Application Cycles tab and selects either "New Application Cycle" or an existing cycle to modify.
    a) Admin selects the option to create a new application cycle.

i) The System displays the Application Cycle configuration page where the Admin can set the application opening and closing dates, as well as the pre-application viewing period.
ii) The System validates the provided parameters and saves the newly created Application Cycle upon confirmation.

b) Admin selects the option to modify an existing application cycle.
i) The System displays the configuration details of the selected existing application cycle.
ii) The System allows the Admin to change the start and end dates for the active or upcoming cycle before those dates have passed.

4.1.3 Functional Requirements

- REQ-CYCLE-1 : The system shall allow an Admin to create an application cycle by setting the application opening date, closing date, and pre-application viewing period.
- REQ-CYCLE-2 : The system shall allow an Admin to modify an existing application cycle's start and end dates before those dates have passed.
- REQ-CYCLE-3 : When the closing date of an active application cycle is modified, the system shall send an notification to all affected Students and Project Supervisors in that cycle.

4.2 ManageMatchingRounds

4.2.1 Description and Priority

Description:

- This feature enables an Admin to configure multiple sequential matching rounds within the active application cycle, ensuring each round enforces a strict schedule consisting of an Application Window followed by a Review Window. The durations of each window shall be configurable by the Admin..

Priority:

- High; essential for defining the structured timeline of multi-round student applications and supervisor rankings.

4.2.2 Stimulus/Response Sequences

1. After the Admin navigates to the Application Cycle configuration page, the Admin selects the option to manage matching rounds.
    a) Admin selects the option to add or configure matching rounds.

i) The System generates the interface for up to three sequential matching rounds where the Admin can define the dates for application window and the review window for each round.

.

b) Admin selects the option to modify existing matching rounds.
   i) The System displays the previously configured matching round dates for editing.
   ii) The System validates that none of the rounds overlap with each other and that all rounds fall within the global Application Cycle start and end dates.

4.2.3 Functional Requirements

- REQ-ROUND-1 : The system shall allow an Admin to configure multiple sequential Matching Rounds within an Application Cycle, enforcing a strict schedule for each window within the round (eg. 5-day Application Window and 1-day Review Window) per round. The number of Matching Rounds to be conducted and the duration of each window shall be configurable by the Admin.
- REQ-ROUND-2 : The system shall allow an Admin to modify matching round start dates before they occur.
- REQ-ROUND-3 : The system shall reject the configuration if the calculated dates for a matching round overlap with another matching round or fall outside the global Application Cycle dates.

4.3 ExecuteMatchingProcess

4.3.1 Description and Priority

Description:

- This feature enables an Admin to execute the stable-matching algorithm to assign students to projects based on ranked preferences and supervisor rankings.

Priority:

- High; essential for processing allocations and rolling over unmatched entities.

4.3.2 Stimulus/Response Sequences

1. The Admin navigates to the "Matching Round" dashboard and selects "Execute Matching".

2. The System verifies Student eligibility, excluding any Student flagged as ineligible from previous round rejections where they declined their matching result.
3. The System runs the matching algorithm against rankings and verifies capacity constraints.
4. The System evaluates if there is a subsequent round and queues the rollover of unmatched, eligible entities.
5. The System commits match results to storage and logs an immutable entry with Admin ID and timestamp.

4.3.3 Functional Requirements

- REQ-EXEC-1 : The system shall only permit the matching process to be initiated after the round review window has passed.
- REQ-EXEC-2 : The system shall prevent the matching process from being initiated more than once per matching round in the application cycle.
- REQ-EXEC-3 : The system shall allow an Admin to configure the automatic rollover of unmatched eligible Students, unfilled project listings, and slots released from declined or timed-out match offers into the subsequent matching round.

4.4 ReviewMatchingResults

4.4.1 Description and Priority

Description:

- This feature enables an Admin to verify supervisor approvals, handle manual reassignments, and publish finalized matching outcomes to students and supervisors.

Priority:

- High; critical for finalizing and releasing match allocations.

4.4.2 Stimulus/Response Sequences

1. The Admin navigates to the "Matching Round" page.
2. The System displays the proposed matches along with supervisor approval statuses.
3. The Admin confirms that matches have been approved by the respective Project Supervisors.

4.4.3 Functional Requirements

- REQ-REV-1 : The system shall provide an interface for the Admin to filter and view matches by status (e.g., Pending Approval, Approved, Rejected, Unmatched).

4.5 PublishResults

4.5.1 Description and Priority

Description:

- This feature enables an Admin to publish the approved matching results so that students and project supervisors can view their final allocations.

Priority:

- High; crucial for releasing the outcomes of a matching round.

4.5.2 Stimulus/Response Sequences

1. The Admin selects the option to publish matching results after supervisor approvals are confirmed.
2. The System transitions matching results to the published state.
3. The System triggers automated notifications to affected students and supervisors.

4.5.3 Functional Requirements

- REQ-PUB-1 : The system shall allow an Admin to publish matching results only after supervisor approval verification.
- REQ-PUB-2 : When results are published, the system shall notify all affected users.

4.6 ManualAssignStudent

4.6.1 Description and Priority

Description:

- This feature allows an Admin to manually assign a Student to a project, reserved for exceptional circumstances mandating a manual override of URECA Project assignments.

Priority:

- High; essential for handling administrative overrides when standard matching requires manual intervention.

4.6.2 Stimulus/Response Sequences

1. Admin reviews the matching round results.
2. Admin clicks on "Manual Assign" next to a Student's entry.
3. Admin selects an available URECA Project to be assigned to the Student.

4. Admin clicks "Confirm".

4.6.3 Functional Requirements

- REQ-ASSIGN-1 : The system shall allow an Admin to manually assign a Student to a URECA Project as a manual override.
- REQ-ASSIGN-2: The system shall require the Admin to input a justification note before executing a manual assignment override.
- REQ-ASSIGN-3 : If a Student is already assigned to a URECA Project, the system shall display a warning message and prevent assignment until the current project is unassigned.

4.7 MaintainAuditLog

4.7.1 Description and Priority

Description:

- This feature allows an Admin to view immutable system audit records of matching execution runs and manual allocation overrides.

Priority:

- Medium; provides traceability and compliance tracking.

4.7.2 Stimulus/Response Sequences

1. The Admin navigates to the "Audit & Overrides" tab.
2. The System displays timestamped records of all matching runs and manual student reassignments along with initiating Admin IDs.
3. The Admin filters or inspects specific log entries.

4.7.3 Functional Requirements

- REQ-AUDIT-1 : The system shall record each matching-process execution and manual reassignment with its timestamp and initiating Admin.
- REQ-AUDIT-2 : The system shall strictly prevent any user, including an Admin, from modifying or deleting audit log entries.

4.8 ManageUserAccounts

4.8.1 Description and Priority

Description:

- This feature allows an Admin to create, modify, update permissions for, or deactivate user accounts in the system.

Priority:

- High; critical for user administration and access control.

4.8.2 Stimulus/Response Sequences

1. The Admin navigates to the "Manage Users" dashboard.
    a) Admin selects the option to manage and update user details.
        i) The System displays the full directory of users with role and status filters.
        ii) The Admin selects a specific user account to edit, updates their role (Student, Project Supervisor, Admin) or modifies account permissions, and clicks "Save" to commit the changes and log the action.
    b) Admin selects the option to deactivate or suspend a user account.
        i) The Admin selects "Suspend" or "Remove" next to an active user.
        ii) The System prompts for confirmation, and upon confirmation, marks the user account as inactive and immediately terminates that user's active sessions.

4.8.3 Functional Requirements

- REQ-USER-1 : The system shall allow an Admin to create a new user account and assign a role (Student, Project Supervisor, Admin).
- REQ-USER-2 : The system shall restrict the creation of Admin-role accounts to existing Admins.
- REQ-USER-3 : When a user account is deactivated, the system shall terminate that user's active sessions.

Student Features (4.9 - 4.14)

4.9 QueryUrecaListings

4.9.1 Description and Priority

Description:

- Allows a Student to search and browse available project listings.

Priority:

- High.

4.9.2 Stimulus/Response Sequences

1. Student selects "View Available Projects" during pre-application or an active matching round.
2. The system displays project listings filterable by keyword, school, topic tag, and supervisor.

4.9.3 Functional Requirements

- REQ-BROWSE-1 : The system shall allow a Student to search and browse project listings before the formal application cycle opens.
- REQ-BROWSE-2: The system shall allow students to filter and search listings by keyword, school, supervisor name, and topic tags.
- REQ-BROWSE-3: The system shall exclude closed or unpublished project listings from student search results.

4.10 SubmitUrecaApplication

4.10.1 Description and Priority

Description:

- Allows a Student to submit applications and preference rankings during the active 5-day application window.

Priority:

- High.

4.10.2 Stimulus/Response Sequences

1. Student views project details and clicks "Apply".
2. Student writes a statement of interest, uploads supporting documents, ranks preferences, and clicks "Submit".
3. The system validates inputs against the active 5-day window constraint.

4.10.3 Functional Requirements

- REQ-APPLY-1 : The system shall strictly prevent a Student from submitting, modifying, or withdrawing an application outside of a round's active 5-day application window.
- REQ-APPLY-2: The System shall require a Statement of Interest, and also allow Students to upload supporting documents if necessary during the Application Window.

4.11 RankAppliedProjects

4.11.1 Description and Priority

Description:

- This feature allows a Student to rank and organize their submitted URECA project applications in order of preference during the active application window.

Priority:

- High; crucial for determining student preference hierarchy during the application process.

4.11.2 Stimulus/Response Sequences

1. The Student navigates to their submitted applications dashboard.
2. The System displays the list of currently submitted URECA project applications.
3. The Student assigns or adjusts the preference numbers for each submitted project.
4. The Student clicks "Save Rankings".
5. The System validates that all active applications have unique, sequential preference numbers assigned.
6. The System records and saves the updated ranking order.

4.11.3 Functional Requirements

- REQ-SRANK-1 : The system shall allow a Student to rank their submitted applications in order of preference.
- REQ-SRANK-2 : The system shall enforce unique preference rankings for each active application submitted by the Student.

4.12 SelfProposeUrecaApplication

4.12.1 Description and Priority

Description:

- This feature allows Students to self-propose a URECA Project and submit it to their desired Project Supervisor for approval.

Priority:

- High; provides an alternative pathway for students to pursue personalized research topics.

4.12.2 Stimulus/Response Sequences

1. Student clicks on "Propose a Project".
2. The System displays the Application page for a Self-Proposed URECA Project.
3. Students fill up their proposed URECA Project title, writeup, research interests, supporting documents, and choice of Project Supervisor.
4. Students click "Submit".
5. The System validates all required fields and submits the application for Project Supervisor consideration.

4.12.3 Functional Requirements

- REQ-PROPOSE-1 : The system shall allow a Student to create a self-proposed project proposal specifying title, description, and research interests.
- REQ-PROPOSE-2 : The system shall allow a Student to select the Project Supervisor to whom the proposal is directed.
- REQ-PROPOSE-3 : The system shall prevent a Student from submitting a proposal after the application window.

4.13 ManageMatchingOutcome

4.13.1 Description and Priority

Description:

- Allows a Student to view published matching outcomes and accept or decline match offers.

Priority:

- High.

4.13.2 Stimulus/Response Sequences

1) Student navigates to "My Applications" and views the match offer details.
2) Student selects "Accept Match".
3) The System finalizes the match assignment and registers the Student to the project.

Alternative Flow for Step 2:

A. Manual Decline: Student selects "Decline". The System displays a confirmation warning regarding round disqualification, marks the offer as declined upon confirmation, and renders the Student ineligible for future rounds.
B. Auto-Decline: If the Student does not accept or decline the match offer before the start of the subsequent matching round's reviewing period, the System automatically transitions the match status to "Decline due to Timeout".

4.13.3 Functional Requirements

- REQ-OUTCOME-1: When a Student accepts a match offer, the system shall finalize the project allocation and confirm the assignment.
- REQ-OUTCOME-2: When a Student manually declines a match offer, the system shall render that Student ineligible to participate in any subsequent matching rounds for the current application cycle.
- REQ-OUTCOME-3: If a Student does not accept or decline the match offer before the start of the subsequent matching round's reviewing period, the system shall automatically transition the match status to "Decline due to Timeout".
- REQ-OUTCOME-4: A Student whose match offer transitions to "Decline due to Timeout" shall be rendered ineligible to participate in any subsequent matching rounds for the current application cycle.

4.14 ManageProfile

4.14.1 Description and Priority

Description:

- This feature allows a Student to complete, view, and update personal academic details, completed modules, research interests, and transcript documents.

Priority:

- High; required upon first sign-in and for maintaining accurate applicant data.

4.14.2 Stimulus/Response Sequences

1. The Student navigates to "My Profile".
2. The System displays the student's name, CGPA, year of study, completed modules, and fields of research interest.
3. The Student updates fields and uploads an updated academic transcript PDF, then clicks "Save changes".
4. The System validates the file and inputs, then saves the profile.

4.14.3 Functional Requirements

- REQ-PROF-1 : The system shall require a Student to complete their profile after first sign-in.
- REQ-PROF-2 : The system shall allow a Student to enter their name, CGPA, year of study, completed modules, and research interests.
- REQ-PROF-3 : The system shall accept supporting documents in PDF format up to 5 MB in size and reject invalid formats or sizes.

Project Supervisor Features (4.15 - 4.18)

4.15 ManageProjectDetails

4.15.1 Description and Priority

Description:

- This feature allows a Project Supervisor to create, update, and close research project listings.

Priority:

- High; required for maintaining active research offerings and managing project slots.

4.15.2 Stimulus/Response Sequences

1. The system displays the Project Supervisor's existing project listings and prompts them to select CREATE, UPDATE, or CLOSE.
    a) The Project Supervisor selects CREATE.
        i) The system prompts for the project title, description, prerequisites, number of available slots, and topic tags.
        ii) The Project Supervisor inputs the required details and selects CONFIRM.
    b) The Project Supervisor selects UPDATE.
        i) The system displays the selected project's existing details for editing.
        ii) The Project Supervisor modifies the details and selects SAVE.
    c) The Project Supervisor selects CLOSE.
        i) The system prompts the Project Supervisor to confirm closing the project.
        ii) On confirmation, the system marks the project listing as closed and removes it from student browsing.
2. The system validates the entered data, saves the project listing, and displays it as published.

4.15.3 Functional Requirements

- REQ-PROJ-1 : The system shall allow a Project Supervisor to create and publish a project listing before the application cycle opens, as well as during the active cycle.
- REQ-PROJ-2 : The system shall only allow a project listing to be updated before the application closing date.
- REQ-PROJ-3 : The system shall prevent a Project Supervisor from reducing a project's slots below the number of applicants already matched to it.

4.16 ReviewAndRankStudentApplications

4.16.1 Description and Priority

Description:

- This feature allows a Project Supervisor to review students who applied to their project, filter applications, view top recommendations, and rank them in order of preference.

Priority:

- High; essential for evaluating applicant suitability and determining placement preferences.

4.16.2 Stimulus/Response Sequences

1. The Project Supervisor selects a project to review.
2. The system displays all applicants and a curated list of the top 10 recommended applicants based on supervisor filters (such as school and CGPA).
3. The Project Supervisor selects an applicant to review their profile and transcript.
4. The Project Supervisor returns to the applicant list, arranges the applicants in order of preference, and selects submit their rankings.

4.16.3 Functional Requirements

- REQ-VRANK-1 : The system shall allow a Project Supervisor to filter student applications by school and CGPA, and view top 10 recommended applicants.
- REQ-VRANK-2 : The system shall allow a Project Supervisor to submit and modify applicant rankings at any time during the current matching round, up until the round's final ranking deadline.
- REQ-VRANK-3 : Applicant transcripts must be viewable within the system without requiring external software.

4.17 ApproveMatchingResults

4.17.1 Description and Priority

Description:

- This feature allows a Project Supervisor to review students proposed to be matched to their project and approve or reject each proposed match.

Priority:

- High; critical for finalizing matches before administrative publication.

4.17.2 Stimulus/Response Sequences

1. The system displays the students proposed to be matched to the Project Supervisor's project.
2. The Project Supervisor selects a proposed match to review, and the system displays the student's profile and application details.
3. The Project Supervisor selects APPROVE, and the system records the match as approved and marks it as eligible for publication.
4. Alternatively, if the Project Supervisor selects REJECT, the system prompts for confirmation, records the rejection for Administrator review, and returns the affected project slot to available.

4.17.3 Functional Requirements

- REQ-APPRV-1 : The system shall allow a Project Supervisor to approve or reject a proposed match only after the matching process has been executed.
- REQ-APPRV-2 : When a proposed match is rejected, the system shall record the rejection for Admin review and return the affected project slot to available.
- REQ-APPRV-3 : The system shall prevent a Project Supervisor from approving or rejecting a proposed match after the matching results have been published.

4.18 ManageSelf-ProposedProjects

4.18.1 Description and Priority

Description:

- This feature allows a Project Supervisor to review research proposals pitched directly by students and either accept & register or decline them.

Priority:

- High; enables direct engagement with student-initiated research ideas.

4.18.2 Stimulus/Response Sequences

1. The Project Supervisor navigates to the "Proposals from students" tab.
2. The System displays all proposals submitted by students directed to the supervisor.
3. The Project Supervisor reviews the proposal title, writeup, research tags, and supporting documents, then clicks "Accept & register".
4. The System registers the student under the supervisor and triggers a confirmation notification.

4.18.3 Functional Requirements

- REQ-REVPROP-1 : The system shall allow a Project Supervisor to view self-proposed project submissions directed to them along with the proposing student's profile and supporting documents.
- REQ-REVPROP-2 : When a self-proposed project is accepted, the system shall register the Student to that project.
- REQ-REVPROP-3 : The system shall allow a Project Supervisor to accept a self-proposed project within the application cycle.

User Features (4.19 - 4.21)

4.19 RegisterAccount

4.19.1 Description and Priority

Description:

- This feature allows a user to create a new account using an NTU email address and password, followed by an email verification process to activate the account.

Priority:

- High; essential for onboarding users into the system.

4.19.2 Stimulus/Response Sequences

1. The User navigates to the registration page.
2. The System displays input fields for full name, NTU email address, password, and account role selection.
3. The User enters details and clicks "Create account".
4. The System validates the email domain and checks for existing accounts, then sends a verification code to the provided email address.
5. The User enters the verification code, and the System verifies the code to activate the account.

4.19.3 Functional Requirements

- REQ-REG-1 : The system shall restrict registration to email addresses ending in the NTU domain (@e.ntu.edu.sg or @ntu.edu.sg), or approved external domains.
- REQ-REG-2 : The system shall require a user to enter the correct verification code to activate the account.
- REQ-REG-3 : The system shall reject a registration using an email address already associated with an existing account.

4.20 SignIn

4.20.1 Description and Priority

Description:

- This feature allows a registered, verified user to securely access the URECAMatch platform using their email address and password.

Priority:

- High; critical for authenticating users prior to system access.

4.20.2 Stimulus/Response Sequences

1. The User navigates to the sign-in page.
2. The System displays input fields for NTU email address and password.
3. The User enters their credentials and clicks "Sign in".
4. The System validates the credentials against the user database and redirects valid users to their respective dashboard.

4.20.3 Functional Requirements

- REQ-AUTH-1 : The system shall allow a verified user to sign in with their email address and password, with password input masked and an option to reveal it.
- REQ-AUTH-2 : The system shall prevent sign-in to a deactivated account.
- REQ-AUTH-3 : A user session shall expire after 30 minutes of inactivity.

4.21 ViewNotifications

4.21.1 Description and Priority

Description:

- This feature allows an authenticated user to view incoming and historical system notifications regarding status changes, application updates, cycle dates, and matching outcomes.

Priority:

- Medium; important for keeping users informed of critical updates.

4.21.2 Stimulus/Response Sequences

1. The User clicks on the "Notifications" tab in the navigation menu.
2. The System queries and displays the list of relevant timestamped notifications.

3. The User selects a notification to view its complete message details.
4. The System marks the selected notification as read and updates the unread badge counter.

4.21.3 Functional Requirements

5. REQ-NOTIF-1 : The system shall deliver a notification only to the user it concerns and display notifications in reverse chronological order.
6. REQ-NOTIF-2 : The system shall mark a notification as read when the user views it.

5. Other Nonfunctional Requirements

5.1 Performance Requirements

5.1.1 Responsiveness

- During an Application Window, all URECA Project Listings (or a subset sufficient for loading a preliminary table display) shall be queried and fetched within 5 seconds.
- Basic visual feedback of interactive elements on the user interface shall be displayed within no more than 2 seconds after user interaction.
- A Supporting Document of up to 5 MB shall be accepted, validated and stored within 15 seconds of upload, with progress shown to the Student throughout.

5.1.2 Notification Latency

- In-app notifications shall appear within a minute of the relevant update, while email notifications shall be dispatched within a maximum of 15 minutes to the receiving users.

5.1.3 Capacity and Load

- The system shall accommodate up to 1000 concurrent active user sessions while continuing to meet the response times stated in 5.1.1.
- The system shall sustain the peak load expected in the final hour before an Application Window closes, without losing a submission or failing to serve the portal webpages to Users.

5.1.4 Matching Execution Time

- The matching process over the submitted Preference Rankings (from applying Students) and Applicant Rankings (from Project Supervisors) shall complete within 10 minutes from the conclusion of a Review Window.

- While a Matching Run is in progress, the system shall remain available for read-only access.

5.2 Safety Requirements

- All user preference and ranking data must be committed to persistent storage upon submission to ensure zero data loss in the event of a system crash.

- Following a system restart or unexpected crash, all core portal services and API integrations must recover and become accessible within 5 minutes.

- All Application and User data shall be backed up at least daily for the duration of an Application Cycle, and a backup shall be restorable to a working system within 4 hours.

5.3 Security Requirements

5.3.1 Authentication

- Registration shall be restricted to NTU email addresses (@e.ntu.edu.sg or @ntu.edu.sg), or approved external domains.

- A User session shall expire after 30 minutes of inactivity.

- Passwords shall be stored only as salted one-way hashes produced by a current password-hashing function, and shall never be written to logs, error messages or backups in recoverable form.

5.3.2 Authorization

- Every request shall be authorized against the requesting User's role, and any attempt to access a function outside that role shall be denied.

5.3.3 Personal Data Protection Act

- Personal data collected from Students, including CGPA, completed modules and Supporting Documents, shall be used only for the purpose of matching, and shall not be disclosed to any party other than the Admins and the Project Supervisors entitled to view it for the purposes of URECA applications.

- The handling of student records shall comply with the Singapore Personal Data Protection Act (PDPA) and with NTU's own policy on student data.

5.3.4 Audit Log Immutability

- Audit Log entries shall be append-only, with past records being strictly unmodifiable by a User with any role.

- Every Manual Reassignment shall be attributable to the Admin who performed it and to the time at which it occurred, and shall be retained for the lifetime of the Application Cycle's records.

5.4 Software Quality Attributes

5.4.1 Availability

- The portal shall maintain 99.9% monthly uptime during the official application and matching periods.

5.4.2 Usability

- The user interface must be fully responsive, rendering correctly on common screen sizes on desktop without content clipping.

- The system must provide visual feedback (e.g., loading spinners, progress bars, or "Success/Error" notifications) for all interactive elements, such as form submissions or ranking updates.

- All User-facing error messages must be written in plain, non-technical language and provide clear instructions on how to resolve the issue.

5.4.3 Maintainability, Reusability & Configurability

- The system shall allow for reusability across multiple application cycles, each taking place in its own respective academic year with simple configuration changes and minimal/no code modifications.

- Application Cycle dates, the length of the Pre-Application Window and the duration of each Matching Round's Application Window and Review Window shall be changeable by an Admin at run time, without redeployment.

5.4.4 Documentation

- The system shall be accompanied by maintained code documentation, API specification, and setup guide sufficient for a new developer to build and run it.

<Specify any additional quality characteristics for the product that will be important to either the customers or the developers. Some to consider are: adaptability, availability, correctness, flexibility, interoperability, maintainability, portability, reliability, reusability, robustness, testability, and usability. Write these to be specific, quantitative, and verifiable when possible. At the least, clarify the relative preferences for various attributes, such as ease of use over ease of learning.>

5.5 Business Rules

<List any operating principles about the product, such as which individuals or roles can perform which functions under specific circumstances. These are not functional requirements in themselves, but they may imply certain functional requirements to enforce the rules.>

6. Other Requirements

<Define any other requirements not covered elsewhere in the SRS. This might include database requirements, internationalization requirements, legal requirements, reuse objectives for the project, and so on. Add any new sections that are pertinent to the project.>

Appendix A: Glossary / Data Dictionary

<Define all the terms necessary to properly interpret the SRS, including acronyms and abbreviations. You may wish to build a separate glossary that spans multiple projects or the entire organization, and just include terms specific to a single project in each SRS.>

Term	Description	Key Attributes	Relationships / Associations

URECA	Undergraduate Research Experience on Campus, a programme in which NTU undergraduate students undertake a research project supervised by a faculty staff or external mentor. Such projects can either be listed by the mentors, or self-proposed from the student.		URECAMatch administers URECA. URECA Projects are carried out under URECA.
URECAMatch (aka. the “System”)	The system specified in this technical requirements document. Its primary goal is to provide a platform to facilitate an improved application process for Students, Project Supervisors, and Admins.		URECAMatch serves Admins, Project Supervisors and Students. URECAMatch hosts URECA Project Listings and Applications. One URECAMatch platform serves many User instances of all three types and hosts many URECA Project Listings. At any one time it runs at most one active Application Cycle.

URECA Project Listing	A URECAMatch descriptive entry of a URECA Project put forward by a Project Supervisor, and made available on the platform for Students to apply for. Comprises a project title, project description, (optional) prerequisites, topic tags, offering faculty/organization and main research location.	listingID, title, description, prerequisites, topicTags, availableSlots, offeringFaculty, researchLocation, status	A Project Supervisor creates URECA Project Listings. A URECA Project Listing describes a URECA Project and receives Applications. One URECA Project Listing is created by exactly one Project Supervisor, while one Project Supervisor may create many listings. One URECA Project Listing describes exactly one URECA Project, and may receive many Applications or none. One URECA Project Listing may carry zero or more Topic Tags and zero or more Prerequisites.

URECA Project	A research project carried out by a Student under the mentorship of a Project Supervisor, typically over the span of 11 months in an NTU academic year. Typically, URECA Projects are put forwards by a Project Supervisor, but Students can also initiate a Self-Proposed URECA Project		A Project Supervisor supervises a URECA Project. Students are matched to URECA Projects. One URECA Project is supervised by exactly one Project Supervisor, while one Project Supervisor may supervise many URECA Projects. One URECA Project takes as many Students as its listing has slots, and one Student holds at most one URECA Project per Application Cycle.
Self-Proposed URECA Project (aka. “Self-Initiated URECA Project”)	A URECA Project proposed by a Student instead of being put forward by a Project Supervisor. Students can propose a URECA Project by submitting an Application for a Self-Proposed URECA Project, and subsequently contacting a Project Supervisor to approve the supervision of the project and/or provide additional resources if necessary.		A Self-Proposed URECA Project is a URECA Project. A Student proposes it to a Project Supervisor. One Self-Proposed URECA Project is proposed by exactly one Student and directed to exactly one Project Supervisor. One Student may submit many proposals during an Application Cycle but can be registered to at most one at the end of the Application Cycle.

User/Actor	A person operating an account on the URECAMatch platform. A User can be classified into 3 different types: Admin, Project Supervisor, and Student.	userID, email, password, role, accountStatus	A User is an Admin, a Project Supervisor or a Student. A User owns a User Account and receives Notifications. One User holds exactly one role. Many Users of each role may exist in URECAMatch.
Admin (aka. “Administrator”)	One of the 3 primary Users/Actors of the URECAMatch platform. Typically a member of the administrative staff overseeing the URECA Programme, the Admin shall have system-wide administrative privileges to manage Student and Project Supervisor accounts, configure application opening and closing dates, manually match projects to Students/Supervisors, notify Users, and modify various other records within the URECAMatch system.	userID, email, password, permissions	An Admin is a User. An Admin manages User Accounts and Application Cycles, and runs the Matching Process. One Admin may create many Application Cycles, while each Application Cycle is created by exactly one Admin. Many Admins may exist.

Project Supervisor	One of the 3 primary Users/Actors of the URECAMatch platform. A Project Supervisor acts as the mentor in a URECA Project, and is able to supervise multiple URECA Projects and put forward these projects as URECA Project Listings on the platform. Project Supervisors are chiefly NTU faculty teaching staff, but can hail from external organizations as well.	userID, email, password, name, faculty	A Project Supervisor is a User. A Project Supervisor owns URECA Project Listings and supervises URECA Projects. One Project Supervisor may supervise many URECA Projects and Self-Proposed URECA Projects. One Project Supervisor may create multiple URECA Project Listings per Application Cycle. One Project Supervisor may own one Applicant Ranking for each URECA Project Listing he lists during each Matching Round.

Student	One of the 3 primary Users/Actors of the URECAMatch platform. A Student is a full-time NTU undergraduate who meets all eligibility requirements to be invited for the URECA application window, and can be accepted to at most one concurrent URECA Project.	userID, email, name, CGPA, yearOfStudy, completedCourses, researchInterests	A Student is a User. A Student submits Applications during an Application Window and is matched to at most one URECA Project. One Student can be registered to most one URECA Project per Application Cycle. One Student may submit multiple Applications to different URECA Project Listings during an Application Window, but only at most one Application to any given URECA Project Listing. One Student owns exactly one Preference Ranking per Matching Round.

Application	A Student's request to be considered for a URECA Project.	applicationID, statementOfInterest, submittedAt, preferenceRank, status	A Student submits an Application during an Application Window. An Application belongs to a URECA Project Listing and carries Supporting Documents. One Application is submitted by exactly one Student to exactly one URECA Project Listing, and has exactly one Statement of Interest and zero or more Supporting Documents. One URECA Project Listing may receive many Applications.
NTU	Nanyang Technological University, a tertiary higher education institution in Singapore. It hosts the URECA programme for its eligible undergraduates.		NTU hosts URECA. NTU enrols the Students and employs most Project Supervisors. NTU hosts exactly one URECA programme. It enrols many Students and employs many of the Project Supervisors, the remainder coming from external organisations.

CGPA	Cumulative Grade Point Average, (CGPA) the aggregate measure of a student's academic performance across all enrolled semesters on a scale from 0.00 to 5.00, with 5.00 being the highest numerical grade point possible.	value	A CGPA is an attribute of a Student. A Project Supervisor views a Student's CGPA when ranking applicants. Each Student has exactly one CGPA.
Prerequisite	A condition stated on a URECA Project Listing describing the necessary background that a Student shall possess in order to be considered for a given URECA Project.		A URECA Project Listing states Prerequisites. A Prerequisite is assessed against a Student's completed courses. One URECA Project Listing states zero or more Prerequisites, and each Prerequisite belongs to exactly one listing.
Topic Tags	A short, key-word label attached to a listing (eg. “Artificial Intelligence” or “Finance”) that highlights the topics involved in the URECA Project. May be used for filtering search results.	tagID, label	A URECA Project Listing carries Topic Tags. A Student filters listings by Topic Tag. One URECA Project Listing carries zero or more Topic Tags, and one Topic Tag may appear on many listings.

Statement of Interest	A brief free-text personal statement written by a Student when submitting an Application for a URECA Project Listing. Usually used to explain their motivation in applying for the project, as well as other relevant details not captured by the Supporting Documents.	body	An Application carries a Statement of Interest. A Student writes it and the Project Supervisor reads it. Each Application carries exactly one Statement of Interest, written by exactly one Student.
Supporting Document	A file uploaded by a Student in support of their Application, e.g. academic transcripts, resume, or CV.	documentID, fileName, fileFormat, fileSize, uploadedAt	A Student uploads Supporting Documents. A Supporting Document accompanies an Application. One Student may upload zero or more Supporting Documents, and each Supporting Document belongs to exactly one Student.

Application Cycle	A defined period set by Admins, in which Students can apply for projects listed by Project Supervisors, and Project Supervisors can consider and accept Students into their projects. During this period, Project Supervisors can also list new URECA Project Listings, and Students can similarly submit proposals for Self-Proposed URECA Projects. An Application Cycle is subdivided into a Pre-Application Window followed by one or more Matching Rounds; Students may submit Applications and proposals only during the Application Window of a Matching Round.	cycleID, academicYear, openingDate, closingDate, status	An Admin creates an Application Cycle. An Application Cycle contains URECA Project Listings and Applications. An Application Cycle opens with a Pre-Application Window and then runs one or more Matching Rounds. No two Application Cycles may overlap. One Application Cycle is created by exactly one Admin. It contains exactly one Pre-Application Window and up to three Matching Rounds.
Pre-Application Window	The opening period of an Application Cycle, during which Students may sign in and browse URECA Project Listings but may not submit Applications or Self-Proposed URECA Projects. Its length is configured by an Admin.	windowID, startDate, endDate, durationDays, status	An Application Cycle opens with a Pre-Application Window. A Pre-Application Window precedes the first Matching Round. A Student may view URECA Project Listings during it but may not apply. Each Application Cycle has exactly one Pre-Application Window, and each Pre-Application Window belongs to

			exactly one Application Cycle.
Matching Round	One complete pass of application, review and matching within an Application Cycle. A Matching Round runs an Application Window followed by a Review Window, after which the Matching Process is executed. An Application Cycle may run several Matching Rounds in sequence.	roundID, roundNumber, startDate, endDate, status	An Application Cycle contains Matching Rounds. A Matching Round contains an Application Window and a Review Window, and ends with one execution of the Matching Process. A Student matched in an earlier Matching Round is excluded from later ones. One Application Cycle may contain multiple Matching Rounds, and each Matching Round belongs to exactly one Application Cycle. Each Matching Round has exactly one Application Window and exactly one Review Window.
Application Window	The first period of a Matching Round, during which Students may submit Applications and Self-Proposed URECA Projects and set their Preference Ranking. Its length in days is configured by an Admin.	startDate, endDate, durationDays	A Matching Round begins with an Application Window. A Student submits Applications and sets a Preference Ranking during it. An Admin configures its duration. Each Matching Round has exactly one Application Window, and each Application Window


			belongs to exactly one Matching Round.
Review Window	The second period of a Matching Round, during which no new Applications may be submitted, and Project Supervisors review applicants, submit an Applicant Ranking, and decide on Self-Proposed URECA Projects. Its length in days is configured by an Admin.	startDate, endDate, durationDays	An Application Window is followed by a Review Window. A Project Supervisor submits an Applicant Ranking during it. An Admin configures its duration. Each Matching Round has exactly one Review Window. Many Applicant Rankings may be submitted during one Review Window, one for each URECA Project Listing that received Applications.
Preference Ranking	The ordering a Student gives to their own submitted Applications, from most to least preferred.	lastModifiedAt, rankedProjects	A Student owns a Preference Ranking, set during an Application Window. A Preference Ranking orders Applications and feeds the Matching Process. One Student owns exactly one Preference Ranking per Matching Round, and each Preference Ranking orders that Student's Applications in that round by choice preference.

Applicant Ranking	The ordering a Project Supervisor gives to the Students who applied to one of their listings. Serves as the Supervisor-side input to the Matching Process.	rankedApplicants, lastModified	A Project Supervisor produces an Applicant Ranking for a URECA Project Listing during the Review Window. An Applicant Ranking feeds the Matching Process. Exactly one Applicant Ranking is produced per URECA Project Listing in each Matching Round, and contains the rankings of every Application the URECA Project Listing received in that round.
Self-Proposed URECA Application	A special type of Application, detailing a Student's request to be considered for a self-proposed URECA Project, instead of a normal Application to a URECA Project Listing.	proposalID, title, description, researchInterests, targetSupervisor, statementOfInterest, status, submittedAt	A Student submits Self-Proposed URECA Application during an Application Window. One Self-Proposed URECA Application is submitted by exactly one Student, and has exactly one Statement of Interest and zero or more Supporting Documents, along with other details of the Self-Proposed URECA Project.


Audit Log	An append-only record of every data-modifying User operation in URECAMatch. Each individual entry, once written to the Audit Log, is immutable.	entryID, operationType, User, timeStamp, affectedRecords	Admins may view the Audit Log. No Users of any role are allowed to modify existing records on the Audit Log. Each data-modifying operation within URECAMatch creates one Audit Log entry. One URECAMatch system maintains exactly one Audit Log.
Notification	A short summary of a System event sent to a specific User, meant to inform them of relevant changes on the URECAMatch portal.	notificationId, recipient, timeStamp, readState, triggeringEvent	A Notification is raised by a triggering event and delivered only to the User it concerns; a User views their Notifications in reverse chronological order, and each is marked read when its recipient views it. Each Notification is addressed to exactly one User; one User receives zero or more Notifications; each Notification arises from exactly one triggering event.


Match Result	The published, final allocation of a Student to a URECA Project for a given Matching Round, released only after the Review Window has ended. A Student can choose to accept or decline a Match Result.	resultID, student, projectListing, status, publishedAt	A Match Result pairs one Student with one URECA Project Listing, is published by an Admin after Project Supervisor approval, and is acted on by the Student. Each Match Result is associated with exactly one Student and one URECA Project Listing within exactly one Matching Round. A Student receives at most one Match Result per round, or none if their Application was unsuccessful.

Appendix B: Dialog Map



Class / Boundary Diagram





Appendix C: To Be Determined List

<Collect a numbered list of the TBD (to be determined) references that remain in the SRS so they can be tracked to closure.>

Source:
http://www.frontiernet.net/~kwiegers/process_assets/srs_template.doc