



THAPAR INSTITUTE
OF ENGINEERING & TECHNOLOGY
(Deemed to be University)

Crime Monitoring Database System

Course Code and Name:

UCS310 – Database Management System

B.Tech (2nd Year)

Computer Engineering - Thapar Institute of Engineering and Technology

Submitted By:

Suneet Singh Arora - 1024030174

Dhruv Kumar Garg - 1024030175

Submitted To:

Dr Simranjit Kaur

Academic Year:

Jan-May, 2026

Database Implementation

SQL Implementation:

DDL Commands

```
SET FOREIGN_KEY_CHECKS = 0;
DROP TABLE IF EXISTS location;
DROP TABLE IF EXISTS users;
DROP TABLE IF EXISTS victim;
DROP TABLE IF EXISTS officer;
DROP TABLE IF EXISTS accused;
DROP TABLE IF EXISTS suspects;
DROP TABLE IF EXISTS crime_type;
DROP TABLE IF EXISTS complaint;
DROP TABLE IF EXISTS fir;
DROP TABLE IF EXISTS fir_suspects;
DROP TABLE IF EXISTS fir_accused;
DROP TABLE IF EXISTS case_status;
DROP TABLE IF EXISTS case_outcome;
DROP TABLE IF EXISTS evidence;
DROP TABLE IF EXISTS audit_log;
SET FOREIGN_KEY_CHECKS = 1;

CREATE TABLE location (
  location_id INT AUTO_INCREMENT PRIMARY KEY,
  state VARCHAR(100) NOT NULL,
  city VARCHAR(100) NOT NULL,
  pincode VARCHAR(10)
);
```

```
CREATE TABLE users (
  user_id INT AUTO_INCREMENT PRIMARY KEY,
  username VARCHAR(100) UNIQUE NOT NULL,
  password_hash VARCHAR(255) NOT NULL,
  role VARCHAR(20) CONSTRAINT chk_users_role CHECK (role IN ('Admin',
'Officer', 'Detective')) NOT NULL
```

);

```
CREATE TABLE victim (
  victim_id INT AUTO_INCREMENT PRIMARY KEY,
  name VARCHAR(100) NOT NULL,
  age INT CONSTRAINT chk_victim_age CHECK (age > 0),
  gender VARCHAR(10) CONSTRAINT chk_victim_gender CHECK (gender IN ('Male',
'Female', 'Other')),
  contact VARCHAR(15),
  address VARCHAR(200),
  user_id INT REFERENCES users(user_id)
);
```

```
CREATE TABLE officer (
  officer_id INT AUTO_INCREMENT PRIMARY KEY,
  name VARCHAR(100) NOT NULL,
  `rank` VARCHAR(50),
  department VARCHAR(100),
  station VARCHAR(100),
  contact VARCHAR(15),
  user_id INT REFERENCES users(user_id)
);
```

```
CREATE TABLE accused (
  accused_id INT AUTO_INCREMENT PRIMARY KEY,
  accused_name VARCHAR(100) NOT NULL,
  gender VARCHAR(10),
  age INT CONSTRAINT chk_accused_age CHECK (age > 0),
  address VARCHAR(200),
  contact_no VARCHAR(15),
  nationality VARCHAR(50) DEFAULT 'Indian',
  status VARCHAR(50) DEFAULT 'At Large',
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP);
```

```
CREATE TABLE suspects (
  suspect_id INT AUTO_INCREMENT PRIMARY KEY,
  suspect_name VARCHAR(100) NOT NULL,
  gender VARCHAR(10),
  age INT CONSTRAINT chk_suspects_age CHECK (age > 0),
  address VARCHAR(200),
```

```

contact_no VARCHAR(15),
nationality VARCHAR(50) DEFAULT 'Indian',
status VARCHAR(50) DEFAULT 'Under Surveillance',
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);

```

```

CREATE TABLE crime_type (
  crime_id INT AUTO_INCREMENT PRIMARY KEY,
  crime_name VARCHAR(100) NOT NULL,
  description TEXT
);

```

```

CREATE TABLE complaint (
  complaint_id INT AUTO_INCREMENT PRIMARY KEY,
  date DATE NOT NULL,
  description TEXT,
  victim_id INT NOT NULL,
  crime_id INT,
  FOREIGN KEY (victim_id) REFERENCES victim(victim_id),
  FOREIGN KEY (crime_id) REFERENCES crime_type(crime_id)
);

```

```

CREATE TABLE fir (
  fir_id INT AUTO_INCREMENT PRIMARY KEY,
  fir_date DATE NOT NULL,
  complaint_id INT UNIQUE NOT NULL,
  crime_id INT,
  officer_id INT,
  location_id INT,
  is_deleted TINYINT(1) DEFAULT 0,
  FOREIGN KEY (complaint_id) REFERENCES complaint(complaint_id),
  FOREIGN KEY (crime_id) REFERENCES crime_type(crime_id),
  FOREIGN KEY (officer_id) REFERENCES officer(officer_id),
  FOREIGN KEY (location_id) REFERENCES location(location_id)
);

```

```

CREATE TABLE fir_suspects (
  fir_suspects_id INT AUTO_INCREMENT PRIMARY KEY,
  fir_id INT,
  suspect_id INT,

```

```

reason_for_suspicion TEXT,
date_linked TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
CONSTRAINT unique_fir_suspects UNIQUE (fir_id, suspect_id),
FOREIGN KEY (fir_id) REFERENCES fir(fir_id),
FOREIGN KEY (suspect_id) REFERENCES suspects(suspect_id)
);

```

```

CREATE TABLE fir_accused (
  fir_accused_id INT AUTO_INCREMENT PRIMARY KEY,
  fir_id INT,
  accused_id INT,
  role_in_crime VARCHAR(200),
  date_linked TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  CONSTRAINT unique_fir_accused UNIQUE (fir_id, accused_id),
  FOREIGN KEY (fir_id) REFERENCES fir(fir_id),
  FOREIGN KEY (accused_id) REFERENCES accused(accused_id)
);

```

```

CREATE TABLE case_status (
  status_id INT AUTO_INCREMENT PRIMARY KEY,
  fir_id INT UNIQUE NOT NULL,
  status VARCHAR(30) CONSTRAINT chk_case_status CHECK (status IN ('Open',
'Under Investigation', 'Closed')) NOT NULL DEFAULT 'Open',
  updated_on_date DATE NOT NULL DEFAULT (CURRENT_DATE),
  FOREIGN KEY (fir_id) REFERENCES fir(fir_id)
);

```

```

CREATE TABLE case_outcome (
  outcome_id INT AUTO_INCREMENT PRIMARY KEY,
  fir_id INT UNIQUE NOT NULL,
  outcome VARCHAR(100),
  outcome_date DATE,
  remarks TEXT,
  FOREIGN KEY (fir_id) REFERENCES fir(fir_id)
);

```

```

CREATE TABLE evidence (
  evidence_id INT AUTO_INCREMENT PRIMARY KEY,
  fir_id INT NOT NULL,

```

```

evidence_type VARCHAR(100),
description TEXT,
location VARCHAR(200),
date_collected DATE,
collected_by VARCHAR(100),
linked_suspect_id INT,
FOREIGN KEY (fir_id) REFERENCES fir(fir_id),
FOREIGN KEY (linked_suspect_id) REFERENCES suspects(suspect_id)
);

```

```

CREATE TABLE audit_log (
log_id INT AUTO_INCREMENT PRIMARY KEY,
table_name VARCHAR(100),
operation VARCHAR(10),
changed_by VARCHAR(100),
changed_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
old_data JSON,
new_data JSON
);

```

DDL Commands (Schema Alterations)

```

ALTER TABLE Evidence ADD COLUMN Date_Collected DATE;
ALTER TABLE Evidence ADD COLUMN Collected_By VARCHAR(100);
ALTER TABLE Evidence ADD COLUMN Linked_Suspect_ID INT REFERENCES
Suspects(Suspect_ID);

```

-- Add new columns to Accused

```

ALTER TABLE Accused ADD COLUMN Nationality VARCHAR(50) DEFAULT
'Indian';
ALTER TABLE Accused ADD COLUMN Status VARCHAR(50) DEFAULT 'At Large';
ALTER TABLE Accused ADD COLUMN Created_At TIMESTAMP DEFAULT
CURRENT_TIMESTAMP;

```

-- Add new columns to Suspects

```

ALTER TABLE Suspects ADD COLUMN Nationality VARCHAR(50) DEFAULT
'Indian';
ALTER TABLE Suspects ADD COLUMN Status VARCHAR(50) DEFAULT 'Under
Surveillance';
ALTER TABLE Suspects ADD COLUMN Created_At TIMESTAMP DEFAULT
CURRENT_TIMESTAMP;

```

```

-- Update FIR_Accused
ALTER TABLE FIR_Accused DROP CONSTRAINT fir_accused_pkey;
ALTER TABLE FIR_Accused ADD COLUMN FIR_Accused_ID SERIAL PRIMARY
KEY;
ALTER TABLE FIR_Accused ADD COLUMN Role_In_Crime VARCHAR(200);
ALTER TABLE FIR_Accused ADD COLUMN Date_Linked TIMESTAMP DEFAULT
CURRENT_TIMESTAMP;
ALTER TABLE FIR_Accused ADD CONSTRAINT unique_fir_accused UNIQUE
(FIR_ID, Accused_ID);

-- Update FIR_Suspects
ALTER TABLE FIR_Suspects DROP CONSTRAINT fir_suspects_pkey;
ALTER TABLE FIR_Suspects ADD COLUMN FIR_Suspects_ID SERIAL PRIMARY
KEY;
ALTER TABLE FIR_Suspects ADD COLUMN Reason_For_Suspicion TEXT;
ALTER TABLE FIR_Suspects ADD COLUMN Date_Linked TIMESTAMP DEFAULT
CURRENT_TIMESTAMP;
ALTER TABLE FIR_Suspects ADD CONSTRAINT unique_fir_suspects UNIQUE
(FIR_ID, Suspect_ID);

```

DML Commands

```

-- Clean existing data
SET FOREIGN_KEY_CHECKS = 0;
TRUNCATE TABLE audit_log;
TRUNCATE TABLE evidence;
TRUNCATE TABLE case_outcome;
TRUNCATE TABLE case_status;
TRUNCATE TABLE fir_accused;
TRUNCATE TABLE fir_suspects;
TRUNCATE TABLE fir;
TRUNCATE TABLE complaint;
TRUNCATE TABLE crime_type;
TRUNCATE TABLE suspects;
TRUNCATE TABLE accused;
TRUNCATE TABLE officer;
TRUNCATE TABLE victim;
TRUNCATE TABLE users;
TRUNCATE TABLE location;
SET FOREIGN_KEY_CHECKS = 1;

```

-- Insert Locations

INSERT INTO location (state, city, pincode) VALUES

('Telangana', 'Hyderabad', '400000'),
 ('Gujarat', 'Ahmedabad', '400001'),
 ('West Bengal', 'Kolkata', '400002'),
 ('Delhi', 'Delhi', '400003'),
 ('Karnataka', 'Bangalore', '400004'),
 ('Maharashtra', 'Mumbai', '400005'),
 ('Maharashtra', 'Pune', '400006'),
 ('West Bengal', 'Kolkata', '400007'),
 ('Gujarat', 'Ahmedabad', '400008'),
 ('Delhi', 'Delhi', '400009'),
 ('Gujarat', 'Ahmedabad', '400010'),
 ('West Bengal', 'Kolkata', '400011'),
 ('Karnataka', 'Bangalore', '400012'),
 ('Delhi', 'Delhi', '400013'),
 ('Tamil Nadu', 'Chennai', '400014'),
 ('West Bengal', 'Kolkata', '400015'),
 ('West Bengal', 'Kolkata', '400016'),
 ('Rajasthan', 'Jaipur', '400017'),
 ('Delhi', 'Delhi', '400018'),
 ('West Bengal', 'Kolkata', '400019'),
 ('Maharashtra', 'Mumbai', '400020'),
 ('Maharashtra', 'Pune', '400021'),
 ('Gujarat', 'Ahmedabad', '400022'),
 ('Telangana', 'Hyderabad', '400023'),
 ('Delhi', 'Delhi', '400024'),
 ('Rajasthan', 'Jaipur', '400025'),
 ('Telangana', 'Hyderabad', '400026'),
 ('Tamil Nadu', 'Chennai', '400027'),
 ('Maharashtra', 'Mumbai', '400028'),
 ('Rajasthan', 'Jaipur', '400029'),
 ('Telangana', 'Hyderabad', '400030'),
 ('West Bengal', 'Kolkata', '400031'),
 ('Tamil Nadu', 'Chennai', '400032'),
 ('Maharashtra', 'Pune', '400033'),
 ('Delhi', 'Delhi', '400034'),
 ('Gujarat', 'Ahmedabad', '400035'),
 ('West Bengal', 'Kolkata', '400036'),


```
( 'Gujarat', 'Ahmedabad', '400037'),
( 'West Bengal', 'Kolkata', '400038'),
( 'Maharashtra', 'Pune', '400039'),
( 'Gujarat', 'Ahmedabad', '400040'),
( 'Maharashtra', 'Pune', '400041'),
( 'Telangana', 'Hyderabad', '400042'),
( 'Maharashtra', 'Pune', '400043'),
( 'Delhi', 'Delhi', '400044'),
( 'Maharashtra', 'Pune', '400045'),
( 'Tamil Nadu', 'Chennai', '400046'),
( 'Rajasthan', 'Jaipur', '400047'),
( 'Maharashtra', 'Pune', '400048'),
( 'Karnataka', 'Bangalore', '400049');
```

-- Insert Crime Types

```
INSERT INTO crime_type (crime_name, description) VALUES
( 'Theft', 'Taking of another persons property without permission.'),
( 'Assault', 'Physical attack or threat of attack.'),
( 'Fraud', 'Wrongful or criminal deception intended to result in financial or personal gain.'),
( 'Murder', 'The unlawful premeditated killing of one human being by another.'),
( 'Cybercrime', 'Criminal activities carried out by means of computers or the Internet.'),
( 'Burglary', 'Illegal entry of a building with intent to commit a crime.'),
( 'Robbery', 'Taking property unlawfully from a person by force or threat.'),
( 'Extortion', 'Obtaining money or property by threat.);
```

-- Insert Officers

```
INSERT INTO officer (name, `rank`, department, station, contact, user_id) VALUES
( 'Officer Name 1', 'Superintendent', 'Homicide', 'Station 5', '9876543001', 27),
( 'Officer Name 2', 'DSP', 'Narcotics', 'Station 3', '9876543002', 37),
( 'Officer Name 3', 'Constable', 'Traffic', 'Station 1', '9876543003', 47),
( 'Officer Name 4', 'Sub-Inspector', 'Homicide', 'Station 1', '9876543004', 31),
( 'Officer Name 5', 'Inspector', 'Cyber Cell', 'Station 8', '9876543005', 27),
( 'Officer Name 6', 'Superintendent', 'Homicide', 'Station 3', '9876543006', 23),
( 'Officer Name 7', 'DSP', 'General', 'Station 5', '9876543007', 5),
( 'Officer Name 8', 'Superintendent', 'General', 'Station 9', '9876543008', 32),
( 'Officer Name 9', 'DSP', 'Cyber Cell', 'Station 6', '9876543009', 17),
( 'Officer Name 10', 'Superintendent', 'Traffic', 'Station 7', '9876543010', 4),
( 'Officer Name 11', 'Constable', 'Homicide', 'Station 10', '9876543011', 27),
( 'Officer Name 12', 'DSP', 'General', 'Station 4', '9876543012', 50),
```

('Officer Name 13', 'DSP', 'Homicide', 'Station 4', '9876543013', 36),
 ('Officer Name 14', 'Inspector', 'General', 'Station 2', '9876543014', 54),
 ('Officer Name 15', 'Superintendent', 'Cyber Cell', 'Station 6', '9876543015', 20),
 ('Officer Name 16', 'Superintendent', 'Homicide', 'Station 3', '9876543016', 14),
 ('Officer Name 17', 'DSP', 'General', 'Station 10', '9876543017', 22),
 ('Officer Name 18', 'Constable', 'Homicide', 'Station 2', '9876543018', 6),
 ('Officer Name 19', 'Inspector', 'Homicide', 'Station 7', '9876543019', 9),
 ('Officer Name 20', 'Superintendent', 'Homicide', 'Station 1', '9876543020', 15),
 ('Officer Name 21', 'DSP', 'Homicide', 'Station 4', '9876543021', 4),
 ('Officer Name 22', 'Constable', 'Cyber Cell', 'Station 4', '9876543022', 33),
 ('Officer Name 23', 'Superintendent', 'General', 'Station 5', '9876543023', 1),
 ('Officer Name 24', 'DSP', 'Narcotics', 'Station 6', '9876543024', 43),
 ('Officer Name 25', 'DSP', 'Cyber Cell', 'Station 9', '9876543025', 1),
 ('Officer Name 26', 'Constable', 'Traffic', 'Station 3', '9876543026', 37),
 ('Officer Name 27', 'Constable', 'Homicide', 'Station 5', '9876543027', 43),
 ('Officer Name 28', 'Superintendent', 'Narcotics', 'Station 6', '9876543028', 54),
 ('Officer Name 29', 'Inspector', 'Homicide', 'Station 4', '9876543029', 25),
 ('Officer Name 30', 'Inspector', 'General', 'Station 8', '9876543030', 51),
 ('Officer Name 31', 'Inspector', 'General', 'Station 7', '9876543031', 47),
 ('Officer Name 32', 'Inspector', 'Narcotics', 'Station 2', '9876543032', 21),
 ('Officer Name 33', 'Superintendent', 'Homicide', 'Station 1', '9876543033', 30),
 ('Officer Name 34', 'DSP', 'Cyber Cell', 'Station 10', '9876543034', 51),
 ('Officer Name 35', 'Sub-Inspector', 'Traffic', 'Station 6', '9876543035', 4),
 ('Officer Name 36', 'Superintendent', 'Cyber Cell', 'Station 6', '9876543036', 50),
 ('Officer Name 37', 'Inspector', 'General', 'Station 8', '9876543037', 11),
 ('Officer Name 38', 'Sub-Inspector', 'General', 'Station 4', '9876543038', 15),
 ('Officer Name 39', 'Inspector', 'Narcotics', 'Station 10', '9876543039', 16),
 ('Officer Name 40', 'Constable', 'General', 'Station 8', '9876543040', 49),
 ('Officer Name 41', 'Superintendent', 'General', 'Station 6', '9876543041', 46),
 ('Officer Name 42', 'Inspector', 'Homicide', 'Station 8', '9876543042', 47),
 ('Officer Name 43', 'Sub-Inspector', 'Narcotics', 'Station 2', '9876543043', 47),
 ('Officer Name 44', 'DSP', 'Cyber Cell', 'Station 5', '9876543044', 6),
 ('Officer Name 45', 'DSP', 'Traffic', 'Station 6', '9876543045', 27),
 ('Officer Name 46', 'Constable', 'Traffic', 'Station 8', '9876543046', 28),
 ('Officer Name 47', 'Sub-Inspector', 'Traffic', 'Station 7', '9876543047', 13),
 ('Officer Name 48', 'DSP', 'Narcotics', 'Station 7', '9876543048', 31),
 ('Officer Name 49', 'Sub-Inspector', 'Narcotics', 'Station 1', '9876543049', 39),
 ('Officer Name 50', 'Superintendent', 'Homicide', 'Station 6', '9876543050', 46);

-- Insert Victims

```

INSERT INTO victim (name, age, gender, contact, address, user_id) VALUES
('Victim Name 1', 72, 'Male', '9998887001', 'Address 1', NULL),
('Victim Name 2', 71, 'Male', '9998887002', 'Address 2', NULL),
('Victim Name 3', 29, 'Other', '9998887003', 'Address 3', NULL),
('Victim Name 4', 72, 'Female', '9998887004', 'Address 4', NULL),
('Victim Name 5', 23, 'Male', '9998887005', 'Address 5', NULL),
('Victim Name 6', 58, 'Other', '9998887006', 'Address 6', NULL),
('Victim Name 7', 24, 'Other', '9998887007', 'Address 7', NULL),
('Victim Name 8', 37, 'Male', '9998887008', 'Address 8', NULL),
('Victim Name 9', 44, 'Male', '9998887009', 'Address 9', NULL),
('Victim Name 10', 22, 'Male', '9998887010', 'Address 10', NULL),
('Victim Name 11', 74, 'Male', '9998887011', 'Address 11', NULL),
('Victim Name 12', 24, 'Other', '9998887012', 'Address 12', NULL),
('Victim Name 13', 57, 'Male', '9998887013', 'Address 13', NULL),
('Victim Name 14', 70, 'Male', '9998887014', 'Address 14', NULL),
('Victim Name 15', 51, 'Male', '9998887015', 'Address 15', NULL),
('Victim Name 16', 53, 'Female', '9998887016', 'Address 16', NULL),
('Victim Name 17', 20, 'Male', '9998887017', 'Address 17', NULL),
('Victim Name 18', 67, 'Male', '9998887018', 'Address 18', NULL),
('Victim Name 19', 68, 'Female', '9998887019', 'Address 19', NULL),
('Victim Name 20', 30, 'Female', '9998887020', 'Address 20', NULL),
('Victim Name 21', 41, 'Male', '9998887021', 'Address 21', NULL),
('Victim Name 22', 18, 'Other', '9998887022', 'Address 22', NULL),
('Victim Name 23', 35, 'Female', '9998887023', 'Address 23', NULL),
('Victim Name 24', 58, 'Male', '9998887024', 'Address 24', NULL),
('Victim Name 25', 22, 'Male', '9998887025', 'Address 25', NULL),
('Victim Name 26', 27, 'Female', '9998887026', 'Address 26', NULL),
('Victim Name 27', 56, 'Other', '9998887027', 'Address 27', NULL),
('Victim Name 28', 29, 'Other', '9998887028', 'Address 28', NULL),
('Victim Name 29', 56, 'Other', '9998887029', 'Address 29', NULL),
('Victim Name 30', 34, 'Male', '9998887030', 'Address 30', NULL),
('Victim Name 31', 58, 'Other', '9998887031', 'Address 31', NULL),
('Victim Name 32', 57, 'Male', '9998887032', 'Address 32', NULL),
('Victim Name 33', 31, 'Other', '9998887033', 'Address 33', NULL),
('Victim Name 34', 29, 'Other', '9998887034', 'Address 34', NULL),
('Victim Name 35', 49, 'Female', '9998887035', 'Address 35', NULL),
('Victim Name 36', 40, 'Male', '9998887036', 'Address 36', NULL),
('Victim Name 37', 62, 'Female', '9998887037', 'Address 37', NULL),
('Victim Name 38', 66, 'Other', '9998887038', 'Address 38', NULL),
('Victim Name 39', 31, 'Male', '9998887039', 'Address 39', NULL),

```

```
(
'Victim Name 40', 59, 'Male', '9998887040', 'Address 40', NULL),
('Victim Name 41', 49, 'Other', '9998887041', 'Address 41', NULL),
('Victim Name 42', 39, 'Female', '9998887042', 'Address 42', NULL),
('Victim Name 43', 24, 'Male', '9998887043', 'Address 43', NULL),
('Victim Name 44', 40, 'Male', '9998887044', 'Address 44', NULL),
('Victim Name 45', 75, 'Other', '9998887045', 'Address 45', NULL),
('Victim Name 46', 37, 'Other', '9998887046', 'Address 46', NULL),
('Victim Name 47', 65, 'Female', '9998887047', 'Address 47', NULL),
('Victim Name 48', 57, 'Female', '9998887048', 'Address 48', NULL),
('Victim Name 49', 22, 'Male', '9998887049', 'Address 49', NULL),
('Victim Name 50', 35, 'Male', '9998887050', 'Address 50', NULL);
```

-- Insert Suspects

```
INSERT INTO suspects (suspect_name, gender, age, address, contact_no, status)
VALUES
('Suspect Name 1', 'Female', 33, 'Address S1', '7776665001', 'Under Surveillance'),
('Suspect Name 2', 'Other', 59, 'Address S2', '7776665002', 'Under Surveillance'),
('Suspect Name 3', 'Male', 37, 'Address S3', '7776665003', 'Under Surveillance'),
('Suspect Name 4', 'Other', 36, 'Address S4', '7776665004', 'Under Surveillance'),
('Suspect Name 5', 'Male', 42, 'Address S5', '7776665005', 'Under Surveillance'),
('Suspect Name 6', 'Male', 47, 'Address S6', '7776665006', 'Under Surveillance'),
('Suspect Name 7', 'Male', 54, 'Address S7', '7776665007', 'Under Surveillance'),
('Suspect Name 8', 'Male', 49, 'Address S8', '7776665008', 'Under Surveillance'),
('Suspect Name 9', 'Female', 77, 'Address S9', '7776665009', 'Under Surveillance'),
('Suspect Name 10', 'Male', 23, 'Address S10', '7776665010', 'Under Surveillance'),
('Suspect Name 11', 'Other', 70, 'Address S11', '7776665011', 'Under Surveillance'),
('Suspect Name 12', 'Male', 42, 'Address S12', '7776665012', 'Under Surveillance'),
('Suspect Name 13', 'Male', 19, 'Address S13', '7776665013', 'Under Surveillance'),
('Suspect Name 14', 'Female', 55, 'Address S14', '7776665014', 'Under Surveillance'),
('Suspect Name 15', 'Female', 35, 'Address S15', '7776665015', 'Under Surveillance'),
('Suspect Name 16', 'Female', 54, 'Address S16', '7776665016', 'Under Surveillance'),
('Suspect Name 17', 'Female', 29, 'Address S17', '7776665017', 'Under Surveillance'),
('Suspect Name 18', 'Female', 71, 'Address S18', '7776665018', 'Under Surveillance'),
('Suspect Name 19', 'Other', 57, 'Address S19', '7776665019', 'Under Surveillance'),
('Suspect Name 20', 'Male', 32, 'Address S20', '7776665020', 'Under Surveillance'),
('Suspect Name 21', 'Other', 80, 'Address S21', '7776665021', 'Under Surveillance'),
('Suspect Name 22', 'Male', 64, 'Address S22', '7776665022', 'Under Surveillance'),
('Suspect Name 23', 'Male', 39, 'Address S23', '7776665023', 'Under Surveillance'),
('Suspect Name 24', 'Female', 30, 'Address S24', '7776665024', 'Under Surveillance'),
('Suspect Name 25', 'Male', 74, 'Address S25', '7776665025', 'Under Surveillance'),
```

('Suspect Name 26', 'Female', 32, 'Address S26', '7776665026', 'Under Surveillance'),
 ('Suspect Name 27', 'Other', 70, 'Address S27', '7776665027', 'Under Surveillance'),
 ('Suspect Name 28', 'Female', 80, 'Address S28', '7776665028', 'Under Surveillance'),
 ('Suspect Name 29', 'Male', 27, 'Address S29', '7776665029', 'Under Surveillance'),
 ('Suspect Name 30', 'Female', 69, 'Address S30', '7776665030', 'Under Surveillance'),
 ('Suspect Name 31', 'Female', 62, 'Address S31', '7776665031', 'Under Surveillance'),
 ('Suspect Name 32', 'Male', 40, 'Address S32', '7776665032', 'Under Surveillance'),
 ('Suspect Name 33', 'Male', 23, 'Address S33', '7776665033', 'Under Surveillance'),
 ('Suspect Name 34', 'Other', 24, 'Address S34', '7776665034', 'Under Surveillance'),
 ('Suspect Name 35', 'Female', 66, 'Address S35', '7776665035', 'Under Surveillance'),
 ('Suspect Name 36', 'Female', 18, 'Address S36', '7776665036', 'Under Surveillance'),
 ('Suspect Name 37', 'Female', 65, 'Address S37', '7776665037', 'Under Surveillance'),
 ('Suspect Name 38', 'Male', 57, 'Address S38', '7776665038', 'Under Surveillance'),
 ('Suspect Name 39', 'Female', 31, 'Address S39', '7776665039', 'Under Surveillance'),
 ('Suspect Name 40', 'Female', 34, 'Address S40', '7776665040', 'Under Surveillance'),
 ('Suspect Name 41', 'Other', 55, 'Address S41', '7776665041', 'Under Surveillance'),
 ('Suspect Name 42', 'Female', 41, 'Address S42', '7776665042', 'Under Surveillance'),
 ('Suspect Name 43', 'Other', 56, 'Address S43', '7776665043', 'Under Surveillance'),
 ('Suspect Name 44', 'Other', 34, 'Address S44', '7776665044', 'Under Surveillance'),
 ('Suspect Name 45', 'Other', 72, 'Address S45', '7776665045', 'Under Surveillance'),
 ('Suspect Name 46', 'Male', 42, 'Address S46', '7776665046', 'Under Surveillance'),
 ('Suspect Name 47', 'Female', 22, 'Address S47', '7776665047', 'Under Surveillance'),
 ('Suspect Name 48', 'Female', 48, 'Address S48', '7776665048', 'Under Surveillance'),
 ('Suspect Name 49', 'Male', 20, 'Address S49', '7776665049', 'Under Surveillance'),
 ('Suspect Name 50', 'Female', 21, 'Address S50', '7776665050', 'Under Surveillance');

-- Insert Accused

INSERT INTO accused (accused_name, gender, age, address, contact_no, status)
 VALUES

('Accused Name 1', 'Female', 57, 'Address A1', '8887776001', 'At Large'),
 ('Accused Name 2', 'Male', 54, 'Address A2', '8887776002', 'At Large'),
 ('Accused Name 3', 'Other', 57, 'Address A3', '8887776003', 'At Large'),
 ('Accused Name 4', 'Female', 49, 'Address A4', '8887776004', 'At Large'),
 ('Accused Name 5', 'Female', 73, 'Address A5', '8887776005', 'At Large'),
 ('Accused Name 6', 'Other', 69, 'Address A6', '8887776006', 'At Large'),
 ('Accused Name 7', 'Male', 68, 'Address A7', '8887776007', 'At Large'),
 ('Accused Name 8', 'Male', 54, 'Address A8', '8887776008', 'At Large'),
 ('Accused Name 9', 'Male', 79, 'Address A9', '8887776009', 'At Large'),
 ('Accused Name 10', 'Other', 36, 'Address A10', '8887776010', 'At Large'),
 ('Accused Name 11', 'Male', 66, 'Address A11', '8887776011', 'At Large'),

('Accused Name 12', 'Male', 64, 'Address A12', '8887776012', 'At Large'),
 ('Accused Name 13', 'Female', 47, 'Address A13', '8887776013', 'At Large'),
 ('Accused Name 14', 'Other', 40, 'Address A14', '8887776014', 'At Large'),
 ('Accused Name 15', 'Female', 53, 'Address A15', '8887776015', 'At Large'),
 ('Accused Name 16', 'Female', 75, 'Address A16', '8887776016', 'At Large'),
 ('Accused Name 17', 'Female', 55, 'Address A17', '8887776017', 'At Large'),
 ('Accused Name 18', 'Male', 42, 'Address A18', '8887776018', 'At Large'),
 ('Accused Name 19', 'Female', 34, 'Address A19', '8887776019', 'At Large'),
 ('Accused Name 20', 'Male', 19, 'Address A20', '8887776020', 'At Large'),
 ('Accused Name 21', 'Other', 67, 'Address A21', '8887776021', 'At Large'),
 ('Accused Name 22', 'Male', 66, 'Address A22', '8887776022', 'At Large'),
 ('Accused Name 23', 'Other', 73, 'Address A23', '8887776023', 'At Large'),
 ('Accused Name 24', 'Other', 72, 'Address A24', '8887776024', 'At Large'),
 ('Accused Name 25', 'Other', 64, 'Address A25', '8887776025', 'At Large'),
 ('Accused Name 26', 'Other', 63, 'Address A26', '8887776026', 'At Large'),
 ('Accused Name 27', 'Other', 75, 'Address A27', '8887776027', 'At Large'),
 ('Accused Name 28', 'Female', 66, 'Address A28', '8887776028', 'At Large'),
 ('Accused Name 29', 'Female', 19, 'Address A29', '8887776029', 'At Large'),
 ('Accused Name 30', 'Other', 18, 'Address A30', '8887776030', 'At Large'),
 ('Accused Name 31', 'Female', 74, 'Address A31', '8887776031', 'At Large'),
 ('Accused Name 32', 'Male', 18, 'Address A32', '8887776032', 'At Large'),
 ('Accused Name 33', 'Other', 65, 'Address A33', '8887776033', 'At Large'),
 ('Accused Name 34', 'Female', 29, 'Address A34', '8887776034', 'At Large'),
 ('Accused Name 35', 'Male', 76, 'Address A35', '8887776035', 'At Large'),
 ('Accused Name 36', 'Female', 72, 'Address A36', '8887776036', 'At Large'),
 ('Accused Name 37', 'Female', 41, 'Address A37', '8887776037', 'At Large'),
 ('Accused Name 38', 'Female', 36, 'Address A38', '8887776038', 'At Large'),
 ('Accused Name 39', 'Female', 47, 'Address A39', '8887776039', 'At Large'),
 ('Accused Name 40', 'Male', 36, 'Address A40', '8887776040', 'At Large'),
 ('Accused Name 41', 'Other', 39, 'Address A41', '8887776041', 'At Large'),
 ('Accused Name 42', 'Female', 70, 'Address A42', '8887776042', 'At Large'),
 ('Accused Name 43', 'Female', 40, 'Address A43', '8887776043', 'At Large'),
 ('Accused Name 44', 'Male', 31, 'Address A44', '8887776044', 'At Large'),
 ('Accused Name 45', 'Female', 22, 'Address A45', '8887776045', 'At Large'),
 ('Accused Name 46', 'Female', 66, 'Address A46', '8887776046', 'At Large'),
 ('Accused Name 47', 'Female', 48, 'Address A47', '8887776047', 'At Large'),
 ('Accused Name 48', 'Male', 74, 'Address A48', '8887776048', 'At Large'),
 ('Accused Name 49', 'Other', 46, 'Address A49', '8887776049', 'At Large'),
 ('Accused Name 50', 'Other', 59, 'Address A50', '8887776050', 'At Large');

-- Insert Complaints

```
INSERT INTO complaint (date, description, victim_id, crime_id) VALUES
('2026-01-18', 'Complaint Description 1', 35, 2),
('2025-05-10', 'Complaint Description 2', 36, 8),
('2025-07-24', 'Complaint Description 3', 2, 5),
('2025-08-13', 'Complaint Description 4', 47, 6),
('2026-04-12', 'Complaint Description 5', 22, 3),
('2025-06-12', 'Complaint Description 6', 19, 5),
('2025-07-03', 'Complaint Description 7', 39, 1),
('2025-11-19', 'Complaint Description 8', 30, 1),
('2025-11-22', 'Complaint Description 9', 40, 2),
('2025-12-16', 'Complaint Description 10', 11, 6),
('2025-12-10', 'Complaint Description 11', 21, 2),
('2025-07-13', 'Complaint Description 12', 10, 1),
('2025-10-27', 'Complaint Description 13', 4, 3),
('2025-07-18', 'Complaint Description 14', 6, 3),
('2026-03-26', 'Complaint Description 15', 19, 5),
('2025-11-04', 'Complaint Description 16', 31, 7),
('2025-12-22', 'Complaint Description 17', 36, 2),
('2025-07-10', 'Complaint Description 18', 29, 8),
('2026-01-31', 'Complaint Description 19', 19, 5),
('2025-10-16', 'Complaint Description 20', 5, 5),
('2025-09-17', 'Complaint Description 21', 32, 1),
('2025-09-16', 'Complaint Description 22', 7, 1),
('2026-03-06', 'Complaint Description 23', 50, 3),
('2026-01-03', 'Complaint Description 24', 46, 3),
('2026-01-13', 'Complaint Description 25', 27, 5),
('2025-05-26', 'Complaint Description 26', 7, 3),
('2025-05-21', 'Complaint Description 27', 18, 4),
('2026-01-04', 'Complaint Description 28', 19, 6),
('2026-02-24', 'Complaint Description 29', 18, 8),
('2026-01-17', 'Complaint Description 30', 16, 4),
('2025-05-14', 'Complaint Description 31', 41, 4),
('2025-08-25', 'Complaint Description 32', 22, 6),
('2025-12-24', 'Complaint Description 33', 8, 5),
('2025-10-09', 'Complaint Description 34', 48, 1),
('2025-05-14', 'Complaint Description 35', 37, 6),
('2026-03-01', 'Complaint Description 36', 23, 2),
('2025-08-26', 'Complaint Description 37', 30, 4),
```

```

('2026-01-14', 'Complaint Description 38', 45, 8),
('2026-03-19', 'Complaint Description 39', 23, 7),
('2025-08-05', 'Complaint Description 40', 19, 8),
('2025-12-13', 'Complaint Description 41', 32, 7),
('2025-09-30', 'Complaint Description 42', 28, 2),
('2025-06-30', 'Complaint Description 43', 16, 3),
('2026-02-15', 'Complaint Description 44', 29, 6),
('2025-08-26', 'Complaint Description 45', 44, 1),
('2025-09-01', 'Complaint Description 46', 43, 8),
('2025-06-17', 'Complaint Description 47', 38, 8),
('2026-03-10', 'Complaint Description 48', 13, 2),
('2025-07-19', 'Complaint Description 49', 16, 6),
('2025-12-17', 'Complaint Description 50', 9, 4);

```

-- Insert FIRs

```

INSERT INTO fir (fir_date, complaint_id, crime_id, officer_id, location_id, is_deleted)
VALUES

```

```

('2025-09-13', 1, 5, 2, 50, 0),
('2025-07-01', 2, 6, 14, 34, 0),
('2025-11-20', 3, 8, 6, 26, 0),
('2026-01-16', 4, 1, 3, 19, 0),
('2025-06-22', 5, 5, 50, 22, 0),
('2026-03-07', 6, 8, 19, 26, 0),
('2025-08-02', 7, 2, 43, 7, 0),
('2025-08-13', 8, 2, 26, 18, 0),
('2025-09-26', 9, 6, 33, 25, 0),
('2025-09-08', 10, 8, 43, 38, 0),
('2025-12-05', 11, 6, 25, 50, 0),
('2026-02-09', 12, 1, 36, 45, 0),
('2026-01-31', 13, 4, 2, 18, 0),
('2026-03-19', 14, 4, 37, 46, 0),
('2025-12-01', 15, 6, 44, 40, 0),
('2025-11-10', 16, 1, 24, 30, 0),
('2026-01-07', 17, 2, 11, 42, 0),
('2025-09-23', 18, 6, 13, 32, 0),
('2025-06-12', 19, 8, 2, 28, 0),
('2025-09-20', 20, 6, 14, 8, 0),
('2025-11-08', 21, 5, 18, 18, 0),
('2025-11-29', 22, 8, 40, 43, 0),
('2026-01-30', 23, 8, 44, 46, 0),

```



```

('2025-05-24', 24, 4, 18, 7, 0),
('2025-06-16', 25, 7, 35, 23, 0),
('2025-05-11', 26, 5, 3, 47, 0),
('2025-06-29', 27, 4, 9, 27, 0),
('2026-02-25', 28, 6, 12, 29, 0),
('2025-08-09', 29, 1, 34, 26, 0),
('2025-12-21', 30, 1, 18, 44, 0),
('2025-12-05', 31, 4, 3, 13, 0),
('2025-10-01', 32, 8, 6, 38, 0),
('2025-09-26', 33, 6, 3, 41, 0),
('2026-04-17', 34, 2, 9, 14, 0),
('2025-07-09', 35, 2, 6, 38, 0),
('2025-05-11', 36, 4, 16, 19, 0),
('2025-06-13', 37, 2, 27, 40, 0),
('2026-03-28', 38, 3, 38, 22, 0),
('2025-10-31', 39, 4, 2, 15, 0),
('2025-08-30', 40, 5, 4, 17, 0),
('2025-06-22', 41, 4, 20, 41, 0),
('2025-11-05', 42, 8, 49, 7, 0),
('2025-11-23', 43, 5, 30, 3, 0),
('2025-12-26', 44, 3, 39, 45, 0),
('2025-07-05', 45, 5, 5, 42, 0),
('2025-11-07', 46, 3, 43, 48, 0),
('2025-12-02', 47, 7, 42, 41, 0),
('2025-11-30', 48, 1, 9, 11, 0),
('2025-06-27', 49, 4, 15, 9, 0),
('2025-12-01', 50, 8, 43, 4, 0);

```

-- Insert Case Outcomes

```

INSERT INTO case_outcome (fir_id, outcome, outcome_date, remarks) VALUES
(1, 'Convicted', '2026-03-31', 'Resolved successfully.'),
(2, 'Convicted', '2026-02-04', 'Resolved successfully.'),
(3, 'Convicted', '2026-04-26', 'Resolved successfully.'),
(4, 'Convicted', '2026-04-01', 'Resolved successfully.'),
(5, 'Convicted', '2026-02-04', 'Resolved successfully.'),
(6, 'Convicted', '2026-04-09', 'Resolved successfully.'),
(7, 'Convicted', '2026-01-31', 'Resolved successfully.'),
(8, 'Convicted', '2026-02-25', 'Resolved successfully.'),
(9, 'Convicted', '2026-04-27', 'Resolved successfully.'),
(10, 'Convicted', '2026-02-10', 'Resolved successfully.'),

```

(11, 'Convicted', '2026-03-06', 'Resolved successfully.'),
 (12, 'Convicted', '2026-03-25', 'Resolved successfully.'),
 (13, 'Convicted', '2026-04-09', 'Resolved successfully.'),
 (14, 'Convicted', '2026-04-25', 'Resolved successfully.'),
 (15, 'Convicted', '2026-03-01', 'Resolved successfully.'),
 (16, 'Convicted', '2026-03-28', 'Resolved successfully.'),
 (17, 'Convicted', '2026-01-23', 'Resolved successfully.'),
 (18, 'Convicted', '2026-03-05', 'Resolved successfully.'),
 (19, 'Convicted', '2026-04-02', 'Resolved successfully.'),
 (20, 'Convicted', '2026-04-17', 'Resolved successfully.'),
 (21, 'Convicted', '2026-03-18', 'Resolved successfully.'),
 (22, 'Convicted', '2026-04-19', 'Resolved successfully.'),
 (23, 'Convicted', '2026-02-28', 'Resolved successfully.'),
 (24, 'Convicted', '2026-02-05', 'Resolved successfully.');

-- Insert Evidence

INSERT INTO evidence (fir_id, evidence_type, description, location, date_collected)
 VALUES

(2, 'Weapon', 'Evidence description 1', 'Scene 1', '2025-08-22'),
 (41, 'Physical', 'Evidence description 2', 'Scene 2', '2026-03-08'),
 (29, 'Document', 'Evidence description 3', 'Scene 3', '2025-07-29'),
 (29, 'Biological', 'Evidence description 4', 'Scene 4', '2025-11-29'),
 (12, 'Document', 'Evidence description 5', 'Scene 5', '2025-08-21'),
 (28, 'Digital', 'Evidence description 6', 'Scene 6', '2026-02-03'),
 (43, 'Biological', 'Evidence description 7', 'Scene 7', '2026-01-09'),
 (44, 'Document', 'Evidence description 8', 'Scene 8', '2026-04-30'),
 (1, 'Weapon', 'Evidence description 9', 'Scene 9', '2026-03-16'),
 (10, 'Weapon', 'Evidence description 10', 'Scene 10', '2026-01-25'),
 (26, 'Weapon', 'Evidence description 11', 'Scene 11', '2025-05-23'),
 (33, 'Biological', 'Evidence description 12', 'Scene 12', '2025-08-15'),
 (44, 'Weapon', 'Evidence description 13', 'Scene 13', '2026-03-19'),
 (6, 'Document', 'Evidence description 14', 'Scene 14', '2026-03-02'),
 (12, 'Digital', 'Evidence description 15', 'Scene 15', '2025-10-07'),
 (37, 'Physical', 'Evidence description 16', 'Scene 16', '2025-05-24'),
 (10, 'Physical', 'Evidence description 17', 'Scene 17', '2025-11-26'),
 (29, 'Digital', 'Evidence description 18', 'Scene 18', '2025-08-30'),
 (42, 'Digital', 'Evidence description 19', 'Scene 19', '2025-08-30'),
 (11, 'Weapon', 'Evidence description 20', 'Scene 20', '2026-01-15'),
 (41, 'Document', 'Evidence description 21', 'Scene 21', '2025-11-25'),
 (30, 'Digital', 'Evidence description 22', 'Scene 22', '2025-10-31'),

(46, 'Biological', 'Evidence description 23', 'Scene 23', '2025-06-19'),
 (15, 'Document', 'Evidence description 24', 'Scene 24', '2025-06-02'),
 (14, 'Biological', 'Evidence description 25', 'Scene 25', '2025-11-29'),
 (36, 'Biological', 'Evidence description 26', 'Scene 26', '2025-06-03'),
 (21, 'Physical', 'Evidence description 27', 'Scene 27', '2025-11-23'),
 (14, 'Document', 'Evidence description 28', 'Scene 28', '2026-03-03'),
 (46, 'Document', 'Evidence description 29', 'Scene 29', '2025-12-20'),
 (24, 'Document', 'Evidence description 30', 'Scene 30', '2025-12-22'),
 (38, 'Physical', 'Evidence description 31', 'Scene 31', '2025-06-11'),
 (20, 'Document', 'Evidence description 32', 'Scene 32', '2025-12-30'),
 (49, 'Biological', 'Evidence description 33', 'Scene 33', '2025-12-06'),
 (31, 'Weapon', 'Evidence description 34', 'Scene 34', '2025-11-05'),
 (23, 'Physical', 'Evidence description 35', 'Scene 35', '2025-07-23'),
 (43, 'Digital', 'Evidence description 36', 'Scene 36', '2025-11-01'),
 (10, 'Weapon', 'Evidence description 37', 'Scene 37', '2026-01-24'),
 (32, 'Document', 'Evidence description 38', 'Scene 38', '2025-06-06'),
 (48, 'Physical', 'Evidence description 39', 'Scene 39', '2026-02-17'),
 (36, 'Physical', 'Evidence description 40', 'Scene 40', '2025-07-23'),
 (8, 'Digital', 'Evidence description 41', 'Scene 41', '2025-11-23'),
 (42, 'Document', 'Evidence description 42', 'Scene 42', '2026-03-04'),
 (12, 'Digital', 'Evidence description 43', 'Scene 43', '2025-10-26'),
 (21, 'Physical', 'Evidence description 44', 'Scene 44', '2025-12-18'),
 (29, 'Biological', 'Evidence description 45', 'Scene 45', '2026-02-17'),
 (8, 'Document', 'Evidence description 46', 'Scene 46', '2025-07-02'),
 (5, 'Weapon', 'Evidence description 47', 'Scene 47', '2025-05-15'),
 (16, 'Digital', 'Evidence description 48', 'Scene 48', '2025-08-01'),
 (21, 'Weapon', 'Evidence description 49', 'Scene 49', '2026-02-05'),
 (31, 'Physical', 'Evidence description 50', 'Scene 50', '2025-06-06');

-- Insert FIR_Suspects

INSERT INTO fir_suspects (fir_id, suspect_id, reason_for_suspicion) VALUES

(1, 1, 'Suspicious activity observed 1'),
 (2, 2, 'Suspicious activity observed 2'),
 (3, 3, 'Suspicious activity observed 3'),
 (4, 4, 'Suspicious activity observed 4'),
 (5, 5, 'Suspicious activity observed 5'),
 (6, 6, 'Suspicious activity observed 6'),
 (7, 7, 'Suspicious activity observed 7'),
 (8, 8, 'Suspicious activity observed 8'),
 (9, 9, 'Suspicious activity observed 9'),

(10, 10, 'Suspicious activity observed 10'),
(11, 11, 'Suspicious activity observed 11'),
(12, 12, 'Suspicious activity observed 12'),
(13, 13, 'Suspicious activity observed 13'),
(14, 14, 'Suspicious activity observed 14'),
(15, 15, 'Suspicious activity observed 15'),
(16, 16, 'Suspicious activity observed 16'),
(17, 17, 'Suspicious activity observed 17'),
(18, 18, 'Suspicious activity observed 18'),
(19, 19, 'Suspicious activity observed 19'),
(20, 20, 'Suspicious activity observed 20'),
(21, 21, 'Suspicious activity observed 21'),
(22, 22, 'Suspicious activity observed 22'),
(23, 23, 'Suspicious activity observed 23'),
(24, 24, 'Suspicious activity observed 24'),
(25, 25, 'Suspicious activity observed 25'),
(26, 26, 'Suspicious activity observed 26'),
(27, 27, 'Suspicious activity observed 27'),
(28, 28, 'Suspicious activity observed 28'),
(29, 29, 'Suspicious activity observed 29'),
(30, 30, 'Suspicious activity observed 30'),
(31, 31, 'Suspicious activity observed 31'),
(32, 32, 'Suspicious activity observed 32'),
(33, 33, 'Suspicious activity observed 33'),
(34, 34, 'Suspicious activity observed 34'),
(35, 35, 'Suspicious activity observed 35'),
(36, 36, 'Suspicious activity observed 36'),
(37, 37, 'Suspicious activity observed 37'),
(38, 38, 'Suspicious activity observed 38'),
(39, 39, 'Suspicious activity observed 39'),
(40, 40, 'Suspicious activity observed 40'),
(41, 41, 'Suspicious activity observed 41'),
(42, 42, 'Suspicious activity observed 42'),
(43, 43, 'Suspicious activity observed 43'),
(44, 44, 'Suspicious activity observed 44'),
(45, 45, 'Suspicious activity observed 45'),
(46, 46, 'Suspicious activity observed 46'),
(47, 47, 'Suspicious activity observed 47'),
(48, 48, 'Suspicious activity observed 48'),
(49, 49, 'Suspicious activity observed 49'),

(50, 50, 'Suspicious activity observed 50');

-- Insert FIR_Accused

INSERT INTO fir_accused (fir_id, accused_id, role_in_crime) VALUES

(1, 1, 'Primary suspect 1'),
 (2, 2, 'Primary suspect 2'),
 (3, 3, 'Primary suspect 3'),
 (4, 4, 'Primary suspect 4'),
 (5, 5, 'Primary suspect 5'),
 (6, 6, 'Primary suspect 6'),
 (7, 7, 'Primary suspect 7'),
 (8, 8, 'Primary suspect 8'),
 (9, 9, 'Primary suspect 9'),
 (10, 10, 'Primary suspect 10'),
 (11, 11, 'Primary suspect 11'),
 (12, 12, 'Primary suspect 12'),
 (13, 13, 'Primary suspect 13'),
 (14, 14, 'Primary suspect 14'),
 (15, 15, 'Primary suspect 15'),
 (16, 16, 'Primary suspect 16'),
 (17, 17, 'Primary suspect 17'),
 (18, 18, 'Primary suspect 18'),
 (19, 19, 'Primary suspect 19'),
 (20, 20, 'Primary suspect 20'),
 (21, 21, 'Primary suspect 21'),
 (22, 22, 'Primary suspect 22'),
 (23, 23, 'Primary suspect 23'),
 (24, 24, 'Primary suspect 24'),
 (25, 25, 'Primary suspect 25'),
 (26, 26, 'Primary suspect 26'),
 (27, 27, 'Primary suspect 27'),
 (28, 28, 'Primary suspect 28'),
 (29, 29, 'Primary suspect 29'),
 (30, 30, 'Primary suspect 30'),
 (31, 31, 'Primary suspect 31'),
 (32, 32, 'Primary suspect 32'),
 (33, 33, 'Primary suspect 33'),
 (34, 34, 'Primary suspect 34'),
 (35, 35, 'Primary suspect 35'),
 (36, 36, 'Primary suspect 36'),

```
(37, 37, 'Primary suspect 37'),
(38, 38, 'Primary suspect 38'),
(39, 39, 'Primary suspect 39'),
(40, 40, 'Primary suspect 40'),
(41, 41, 'Primary suspect 41'),
(42, 42, 'Primary suspect 42'),
(43, 43, 'Primary suspect 43'),
(44, 44, 'Primary suspect 44'),
(45, 45, 'Primary suspect 45'),
(46, 46, 'Primary suspect 46'),
(47, 47, 'Primary suspect 47'),
(48, 48, 'Primary suspect 48'),
(49, 49, 'Primary suspect 49'),
(50, 50, 'Primary suspect 50');
```

SELECT Queries:

Views

-- 1. FIR_Full_Details: joins fir, officer, location, case_status, crime_type, complaint, victim in one view

```
CREATE OR REPLACE VIEW fir_full_details AS
SELECT
```

```
    f.fir_id,
    f.fir_date,
    f.is_deleted,
    c.complaint_id,
    c.date AS complaint_date,
    c.description AS complaint_description,
    ct.crime_id,
    ct.crime_name,
    ct.description AS crime_description,
    o.officer_id,
    o.name AS officer_name,
    o.`rank` AS officer_rank,
    o.station AS officer_station,
    l.location_id,
    l.city,
    l.state,
    l.pincode,
```

```

    cs.status_id,
    cs.status AS case_status,
    cs.updated_on_date AS status_updated_on,
    v.victim_id,
    v.name AS victim_name,
    v.age AS victim_age,
    v.gender AS victim_gender,
    v.contact AS victim_contact
FROM fir f
JOIN complaint c ON f.complaint_id = c.complaint_id
JOIN crime_type ct ON f.crime_id = ct.crime_id
LEFT JOIN officer o ON f.officer_id = o.officer_id
LEFT JOIN location l ON f.location_id = l.location_id
LEFT JOIN case_status cs ON f.fir_id = cs.fir_id
JOIN victim v ON c.victim_id = v.victim_id;

-- 2. Open_Cases_Summary: all firs where case_status = 'Open' with officer name and
location
CREATE OR REPLACE VIEW open_cases_summary AS
SELECT
    f.fir_id,
    f.fir_date,
    cs.status,
    o.name AS assigned_officer,
    l.city,
    l.state
FROM fir f
JOIN case_status cs ON f.fir_id = cs.fir_id
LEFT JOIN officer o ON f.officer_id = o.officer_id
LEFT JOIN location l ON f.location_id = l.location_id
WHERE cs.status = 'Open' AND f.is_deleted = 0;

-- 3. Crime_Stats_By_City: GROUP BY city showing count of firs per city
CREATE OR REPLACE VIEW crime_stats_by_city AS
SELECT
    l.city,
    COUNT(f.fir_id) AS total_firs
FROM location l
LEFT JOIN fir f ON l.location_id = f.location_id AND f.is_deleted = 0
GROUP BY l.city;

```

PL/SQL Components:Stored Procedure:

```

DELIMITER //

DROP PROCEDURE IF EXISTS register_complaint_and_fir //

CREATE PROCEDURE register_complaint_and_fir(
    IN p_victim_id INT,
    IN p_crime_id INT,
    IN p_officer_id INT,
    IN p_location_id INT,
    IN p_description TEXT,
    IN p_date DATE,
    OUT p_fir_id INT
)
BEGIN
    DECLARE v_complaint_id INT;

    DECLARE exit handler for sqlexception
    BEGIN
        ROLLBACK;
        SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'Error occurred while
registering complaint and FIR';
    END;

    START TRANSACTION;

    -- 1. Insert into complaint table
    INSERT INTO complaint (date, description, victim_id, crime_id)
    VALUES (p_date, p_description, p_victim_id, p_crime_id);

    SET v_complaint_id = LAST_INSERT_ID();

    -- 2. Insert into fir table
    INSERT INTO fir (fir_date, complaint_id, crime_id, officer_id, location_id)
    VALUES (p_date, v_complaint_id, p_crime_id, p_officer_id, p_location_id);

```



```

SET p_fir_id = LAST_INSERT_ID();

-- case_status will be automatically inserted by after_fir_insert_status trigger

COMMIT;
END //

DROP PROCEDURE IF EXISTS add_suspect //

CREATE PROCEDURE add_suspect(
  IN p_suspect_name VARCHAR(100),
  IN p_gender VARCHAR(10),
  IN p_age INT,
  IN p_address VARCHAR(200),
  IN p_contact_no VARCHAR(15),
  IN p_nationality VARCHAR(50),
  IN p_status VARCHAR(50),
  OUT p_suspect_id INT
)
BEGIN
  INSERT INTO suspects (suspect_name, gender, age, address, contact_no, nationality,
status)
  VALUES (p_suspect_name, p_gender, p_age, p_address, p_contact_no, p_nationality,
p_status);

  SET p_suspect_id = LAST_INSERT_ID();
END //

DROP PROCEDURE IF EXISTS add_accused //

CREATE PROCEDURE add_accused(
  IN p_accused_name VARCHAR(100),
  IN p_gender VARCHAR(10),
  IN p_age INT,
  IN p_address VARCHAR(200),
  IN p_contact_no VARCHAR(15),
  IN p_nationality VARCHAR(50),
  IN p_status VARCHAR(50),
  OUT p_accused_id INT
)

```

```

BEGIN
    INSERT INTO accused (accused_name, gender, age, address, contact_no, nationality,
status)
    VALUES (p_accused_name, p_gender, p_age, p_address, p_contact_no, p_nationality,
p_status);

    SET p_accused_id = LAST_INSERT_ID();
END //

DELIMITER ;

```

Trigger:

```

DELIMITER //

-- 1. After INSERT on fir -> automatically INSERT a row into case_status with status =
'Open'
DROP TRIGGER IF EXISTS after_fir_insert_status //
CREATE TRIGGER after_fir_insert_status
AFTER INSERT ON fir
FOR EACH ROW
BEGIN
    INSERT INTO case_status (fir_id, status, updated_on_date)
    VALUES (NEW.fir_id, 'Open', CURRENT_DATE);
END //

-- 2. After UPDATE on case_status -> INSERT a row into audit_log
DROP TRIGGER IF EXISTS after_case_status_update //
CREATE TRIGGER after_case_status_update
AFTER UPDATE ON case_status
FOR EACH ROW
BEGIN
    IF OLD.status != NEW.status THEN
        INSERT INTO audit_log (table_name, operation, changed_by, old_data, new_data)
        VALUES (
            'case_status',
            'UPDATE',
            USER(),
            JSON_OBJECT('status_id', OLD.status_id, 'fir_id', OLD.fir_id, 'status',
OLD.status, 'updated_on_date', OLD.updated_on_date),

```

```

        JSON_OBJECT('status_id', NEW.status_id, 'fir_id', NEW.fir_id, 'status',
NEW.status, 'updated_on_date', NEW.updated_on_date)
    );
    END IF;
END //

```

```

-- 3. After INSERT on fir -> INSERT into audit_log
DROP TRIGGER IF EXISTS after_fir_insert_audit_trigger //
CREATE TRIGGER after_fir_insert_audit_trigger
AFTER INSERT ON fir
FOR EACH ROW
BEGIN
    INSERT INTO audit_log (table_name, operation, changed_by, old_data, new_data)
    VALUES (
        'fir',
        'INSERT',
        USER(),
        NULL,
        JSON_OBJECT('fir_id', NEW.fir_id, 'fir_date', NEW.fir_date, 'complaint_id',
NEW.complaint_id, 'crime_id', NEW.crime_id, 'officer_id', NEW.officer_id, 'location_id',
NEW.location_id)
    );
END //

```

```

DELIMITER ;

```