




Calculator and Text Editor

Task - 2



Calculator and Text Editor

LMS Username	Name	Batch
2113a54266	SANGEETHA.R	A54
2113a54282	THIRUNETHRA.M	A54
2113a54277	SUNEETH NEWTON.V	A54
2113a54275	SRIRAM.R	A54



Task - 2

Create various Front End Programs

- Draw and design a uniform front end code for calculator
- Draw and design a interactive front end code for text-editor

Evaluation Metric:

- 100% Completion of the above tasks

Learning Outcome

- Get to know about concepts of project bucketing
- Knowing about various frontend development framework like angular, vue,react
- Know about various react topics like components, props, state, life cycle etc.

Step-Wise Description

Step 1: Start with creating a basic HTML page.

Step 2: Add the HTML elements and attributes necessary for creating the form elements.

Step 3: Add the text boxes and buttons for the calculator.

Step 4: Create a function for the calculator that will take the input from the text boxes and perform the desired calculations.

Step 5: Add a JavaScript code to the HTML page that will execute the calculator function when the buttons are clicked

.Step 6: Test the calculator to ensure it is working as expected.

Calculator code :

```
1  <!DOCTYPE html>
2  <html>
3
4  <head>
5      <script src=
6          integrity=
7          crossorigin="anonymous"
8          referrerPolicy="no-referrer"></script>
9      <script src=
10         integrity=
11         crossorigin="anonymous"
12         referrerPolicy="no-referrer"></script>
13     <!-- for styling -->
14     <style>
15         table {
16             border: 1px solid black;
17             margin-left: auto;
18             margin-right: auto;
19         }
20
21         input[type="button"] {
22             width: 100%;
23             padding: 20px 40px;
24             background-color: green;
25             color: white;
26             font-size: 24px;
27             font-weight: bold;
28             border: none;
29             border-radius: 5px;
30         }
31
32         input[type="text"] {
```

```
32         input[type="text"] {
33             padding: 20px 30px;
34             font-size: 24px;
35             font-weight: bold;
36             border: none;
37             border-radius: 5px;
38             border: 2px solid black;
39         }
40     </style>
41 </head>
42 <!-- create table -->
43
44 <body>
45     <table id="calcu">
46         <tr>
47             <td colspan="3"><input type="text" id="result"></td>
48             <!-- clr() function will call clr to clear all value -->
49             <td><input type="button" value="c" onclick="clr()" /> </td>
50         </tr>
51         <tr>
52             <!-- create button and assign value to each button -->
53             <!-- dis("1") will call function dis to display value -->
54             <td><input type="button" value="1" onclick="dis('1')"
55                 onkeydown="myFunction(event)"> </td>
56             <td><input type="button" value="2" onclick="dis('2')"
57                 onkeydown="myFunction(event)"> </td>
58             <td><input type="button" value="3" onclick="dis('3')"
59                 onkeydown="myFunction(event)"> </td>
60             <td><input type="button" value="/" onclick="dis('/')"
61                 onkeydown="myFunction(event)"> </td>
62         </tr>
63         <tr>
64             <td><input type="button" value="4" onclick="dis('4')"
```

```
 63      <tr>
 64          <td><input type="button" value="4" onclick="dis('4')"
 65              onkeydown="myFunction(event)"> </td>
 66          <td><input type="button" value="5" onclick="dis('5')"
 67              onkeydown="myFunction(event)"> </td>
 68          <td><input type="button" value="6" onclick="dis('6')"
 69              onkeydown="myFunction(event)"> </td>
 70          <td><input type="button" value="*" onclick="dis('*')"
 71              onkeydown="myFunction(event)"> </td>
 72      </tr>
 73      <tr>
 74          <td><input type="button" value="7" onclick="dis('7')"
 75              onkeydown="myFunction(event)"> </td>
 76          <td><input type="button" value="8" onclick="dis('8')"
 77              onkeydown="myFunction(event)"> </td>
 78          <td><input type="button" value="9" onclick="dis('9')"
 79              onkeydown="myFunction(event)"> </td>
 80          <td><input type="button" value="-" onclick="dis('-')"
 81              onkeydown="myFunction(event)"> </td>
 82      </tr>
 83      <tr>
 84          <td><input type="button" value="0" onclick="dis('0')"
 85              onkeydown="myFunction(event)"> </td>
 86          <td><input type="button" value"." onclick="dis('.')"
 87              onkeydown="myFunction(event)"> </td>
 88          <!-- solve function call function solve to evaluate value -->
 89          <td><input type="button" value="/" onclick="solve()"> </td>
 90
 91          <td><input type="button" value="+" onclick="dis('+')"
 92              onkeydown="myFunction(event)"> </td>
 93      </tr>
 94  </table>
```

```
92             onkeydown="myFunction(event)"> </td>
93         </tr>
94     </table>
95
96     <script>
97         // Function that display value
98         function dis(val) {
99             document.getElementById("result").value += val
100        }
101
102        function myFunction(event) {
103            if (event.key == '0' || event.key == '1'
104                || event.key == '2' || event.key == '3'
105                || event.key == '4' || event.key == '5'
106                || event.key == '6' || event.key == '7'
107                || event.key == '8' || event.key == '9'
108                || event.key == '+' || event.key == '-'
109                || event.key == '*' || event.key == '/')
110                document.getElementById("result").value += event.key;
111        }
112
113        var cal = document.getElementById("calcu");
114        cal.onkeyup = function (event) {
115            if (event.keyCode === 13) {
116                console.log("Enter");
117                let x = document.getElementById("result").value
118                console.log(x);
119                solve();
120            }
121        }
122
123        // Function that evaluates the digit and return result
124        function solve() {
```

```
124     function solve() {
125         let x = document.getElementById("result").value
126         let y = math.evaluate(x)
127         document.getElementById("result").value = y
128     }
129
130     // Function that clear the display
131     function clr() {
132         document.getElementById("result").value = ""
133     }
134 </script>
135 </body>
136
137 </html>
```

Output:

25			c
1	2	3	/
4	5	6	*
7	8	9	-
0	.	=	+

Text Editor:

```
1  <!DOCTYPE html>
2
3  <html lang="en" dir="ltr">
4
5
6
7  <head>
8
9      <meta charset="utf-8">
10
11     <title>Text Editor</title>
12
13     <!-- Bootstrap Cdn -->
14
15     <link rel="stylesheet"
16
17         href=
18
19         integrity=
20
21         crossorigin="anonymous">
22
23     <!-- fontawesome cdn For Icons -->
24
25     <link rel="stylesheet"
26
27         href=
28
29         integrity=
30
31         crossorigin="anonymous" />
```

```
32
33     <link rel="stylesheet"
34
35         href=
36
37
38
39         integrity=
40
41         crossorigin="anonymous" />
42
43
44
45     <!--Internal CSS start-->
46
47     <style>
48
49         h1 {
50
51             padding-top: 40px;
52
53             padding-bottom: 40px;
54
55             text-align: center;
56
57             color: #957dad;
58
59             font-family: 'Montserrat', sans-serif;
60
61         }
62
63
64
```

```
64      section {
65
66        padding: 5%;
67
68        padding-top: 0;
69
70        height: 100vh;
71
72      }
73
74
75
76
77      .side {
78
79        margin-left: 0;
80
81      }
82
83
84
85      button {
86
87        margin: 10px;
88
89        border-color: #957dad !important;
90
91        color: #888888 !important;
92
93        margin-bottom: 25px;
94
95      }
96
```

```
94
95 }
96
97
98 button:hover {
99     background-color: #fec8d8 !important;
100
101 }
102
103
104
105
106
107 textarea {
108     padding: 3%;
109
110     border-color: #957dad;
111
112     border-width: thick;
113
114 }
115
116
117
118
119 .flex-box {
120     display: flex;
121
122     justify-content: center;
123
124 }
125
126 }
```

```
124
125      }
126
127  </style>
128
129  <!--Internal CSS End-->
130
131  </head>
132  <!--Body start-->
133
134
135
136  <body>
137
138      <section class="">
139
140          <h1 class="shadow-sm">TEXT EDITOR</h1>
141
142          <div class="flex-box">
143
144              <div class="row">
145
146                  <div class="col">
147
148                      <!-- Adding different buttons for
149
150                          different functionality-->
151
152                      <!--onclick attribute is added to give
153
154                          button a work to do when it is clicked-->
155
156                  <button type="button"
```

```
154     button a work to do when it is clicked-->
155
156     <button type="button"
157         onclick="f1()"
158         class=" shadow-sm btn btn-outline-secondary"
159
160         data-toggle="tooltip"
161
162         data-placement="top"
163
164         title="Bold Text">
165
166     Bold</button>
167
168     <button type="button"
169
170         onclick="f2()"
171
172         class="shadow-sm btn btn-outline-success"
173
174         data-toggle="tooltip"
175
176         data-placement="top"
177
178         title="Italic Text">
179
180     Italic</button>
181
182     <button type="button"
183
184         onclick="f3()"
```

```
184     <button type="button"
185         onclick="f3()"
186         class=" shadow-sm btn btn-outline-primary"
187         data-toggle="tooltip"
188         data-placement="top"
189         title="Left Align">
190
191         <i class="fas fa-align-left"></i></button>
192
193     <button type="button"
194         onclick="f4()"
195         class="btn shadow-sm btn-outline-secondary"
196         data-toggle="tooltip"
197         data-placement="top"
198         title="Center Align">
199
200         <i class="fas fa-align-center"></i></button>
201
202     <button type="button"
203         onclick="f5()"
204         class="btn shadow-sm btn-outline-primary"
```

```
215     onclick="f5()"/>
216     class="btn shadow-sm btn-outline-primary"
217
218     data-toggle="tooltip"
219
220     data-placement="top"
221
222     title="Right Align">
223
224 <i class="fas fa-align-right"></i></button>
225
226     <button type="button"
227
228     onclick="f6()"
229
230     class="btn shadow-sm btn-outline-secondary"
231
232     data-toggle="tooltip"
233
234     data-placement="top"
235
236     title="Uppercase Text">
237
238     Upper Case</button>
239
240     <button type="button"
241
242     onclick="f7()"
243
244     class="btn shadow-sm btn-outline-primary"
245
246     data-toggle="tooltip"
```

```
244     class="btn shadow-sm btn-outline-primary"
245
246     data-toggle="tooltip"
247
248     data-placement="top"
249
250     title="Lowercase Text"
251
252     Lower Case</button>
253
254     <button type="button"
255
256         onclick="f8()"
257
258         class="btn shadow-sm btn-outline-primary"
259
260         data-toggle="tooltip"
261
262         data-placement="top"
263
264         title="Capitalize Text"
265
266     Capitalize</button>
267
268     <button type="button"
269
270         onclick="f9()"
271
272         class="btn shadow-sm btn-outline-primary side"
273
274         data-toggle="tooltip"
275
276         data-placement="top"
```

```
274         data-toggle="tooltip"
275
276         data-placement="top"
277
278         title="Tooltip on top">
279
280     Clear Text</button>
281
282   </div>
283
284 </div>
285
286 </div>
287
288 <br>
289
290 <div class="row">
291
292   <div class="col-md-3 col-sm-3">
293
294   </div>
295
296   <div class="col-md-6 col-sm-9">
297
298     <div class="flex-box">
299
300       <textarea id="textarea1"
301
302         class="input shadow"
303
304         name="name"
305
306         rows="15"
```

```
306          rows="15"
307
308          cols="100"
309
310          placeholder="Your text here."
311
312      </textare>
313
314  </div>
315
316  </div>
317
318  <div class="col-md-3">
319
320  </div>
321
322  </div>
323
324  </section>
325
326  <br>
327
328  <br>
329
330  <h6 style="text-align:center;">Priyansh Jha 2021.</h6>
331
332
333
334  <!--External JavaScript file-->
335
336  <script src="home.js"></script>
337
338 </body>
```

```
310         placeholder="Your text here ">
311     </textarea>
312   </div>
313 </div>
314 </div>
315 <div class="col-md-3">
316   </div>
317 </div>
318 <div class="col-md-3">
319   </div>
320 </div>
321 </div>
322 </div>
323 </div>
324 </section>
325 <br>
326 <br>
327 <br>
328 <br>
329 <h6 style="text-align:center;">Priyansh Jha 2021.</h6>
330
331
332
333
334 <!--External JavaScript file-->
335
336 <script src="home.js"></script>
337
338 </body>
339
340
341
342 </html>
```


Output:

TEXT EDITOR

[Bold] [Italic] [Upper Case] [Lower Case] [Capitalize] [Clear Text]

Deepak L

Assessment Parameter



Submission Github



[https://github.com/
SuneethNewton/Full_stack_](https://github.com/SuneethNewton/Full_stack_)

Thank
you!

