



**REPUBLIC OF THE MARSHALL ISLANDS
MARITIME ADMINISTRATOR**

REPORT OF OPERATIONAL SAFETY INSPECTION

The purpose of this inspection is to verify that a vessel is being maintained in substantial compliance with applicable safety, security, and pollution prevention requirements pursuant to Republic of the Marshall Islands (RMI) law and international conventions to which the RMI is a party. It is intended to assist owners/operators with their compliance efforts and thus improve the quality of the RMI fleet. Nautical Inspectors shall complete this form in accordance with the guidance provided by the RMI Maritime Administrator. Inspectors shall provide written comments where appropriate to document the vessel's condition and crew competence.

The originals of pages 8 and 9 (Inspection Narrative – General Comments) and (Report of Operational Safety Inspection – Deficiency List) shall be left onboard with the vessel Master for a record of the inspection, and a copy retained by the inspector for forwarding with this report in its entirety to the RMI Maritime Administrator.

Name of Vessel [Abstract]	Vessel Type	Class [Company]	Date of Last Class Attendance	RO/RSO [Keywords]	IMO Number [Category]	Official Number [Subject]
Inspection Type ☐ Initial ☐ Special ☐ Annual ☐ QCB	Date [Publish Date]			Time Started	Time Ended	Country
Name, Phone / Email of Company Rep. (if onboard)						
Nautical Inspection Company Name		Name of Nautical Inspector [Author]			Inspector ID Card Number	

PART A: MANNING				Yes	No	N/A	Remarks
1.*	Ship manning (see MN 7-038-2)	☐	☐	☐			
	Ship manned per its approved Minimum Safe Manning Certificate? All crew have the appropriate and valid national and flag State documents for their capacities?	☐	☐	☐			

PART B: SAFETY MANAGEMENT SYSTEM (SMS)				Yes	No	N/A	Remarks
1.	Evidence	☐	☐	☐			
	- Ship provides SMS familiarization for new crew? - Ship reports nonconformities as required by SMS? - Company takes corrective action when appropriate? - Ship conducts emergency drills/exercises (practical evidence – photographs/records)? - Ship maintains & tests critical equipment? Results recorded in accordance with SMS? - Maintenance procedures followed and recorded? - Equipment condition indicates effective maintenance system?	☐	☐	☐			
2.	Nonconformities – Any outstanding or overdue nonconformities? (if Yes, list in Remarks or Inspection Narrative section)	☐	☐	☐			

3.	Deficiency Follow-up – Have all deficiencies from the previous Marshall Islands Safety Inspection been rectified?	☐	☐	☐	
----	---	--------------------------	--------------------------	--------------------------	--

PART C: SECURITY		Yes	No	N/A	Remarks
1.	Vessel Security	☐	☐	☐	
	- Officers and crew are familiar with procedures? - Effective system of vessel access control in place? - Restricted areas of the vessel marked and access restricted?				

PART D: DRILLS		Yes	No	N/A	Remarks
<u>Nautical Inspectors shall make every effort to hold a fire and abandon ship drill.</u> In addition, the inspector should query the ship's crew on emergency response scenarios such as spill response, security, or confined space entry/rescue to verify crew preparedness (see MN 7-041-1). RMI inspectors should not enter enclosed spaces during inspections.					
1.*	Fire drill carried out at this inspection?	☐	☐	☐	
2.*	Abandon Ship drill carried out at this inspection?	☐	☐	☐	
3.	Enclosed Space Entry and Rescue drill carried out at this inspection?	☐	☐	☐	
	FOR ALL DRILLS: - Senior officers and staff effectively coordinated drill/response? - Crew familiar with emergency response duties & procedures? - Crewmembers knowledgeable in use of ship's safety & response equipment? - Response equipment in good condition and ready for immediate use? - Officers and crew able to communicate in a common language? Work effectively as a team?				

PART E: OPERATIONAL TEST		Yes	No	N/A	Remarks
Required at every Annual Safety Inspection (ASI) unless current operations preclude testing or expressly not allowed by Port Authority.					
1.*	Quick Closing Fuel Valves	☐	☐	☐	
	- Working properly without binding? - No temporary blocks or gags to force valves in the open position? - All control lines or piping connected?				
2.*	Emergency Fire Pump	☐	☐	☐	
	- Water pressure satisfactory? (one (1) hose from highest and one (1) from furthest positions) - Crew familiar with starting/operating procedures? - Operational under any ballast or loaded condition? - No leaks or soft patches in fire main? - All mechanical components functioning properly and well maintained?				
3.*	Fire Screen Doors	☐	☐	☐	
	- Free from manual hold backs? - Self-closing doors close properly?				

4.*	Fire Dampers	☐	☐	☐	
	- All engine room dampers tested in good working order and condition (both local and remote)? - Ventilation emergency stops satisfactory? - All stack dampers visually examined locally and tested to seal properly and are in good working order? - Other fire dampers and ventilation closing appliances, including gaskets, handles, and other mechanical components in good working condition and close properly?				
5.*	Emergency generator tested?	☐	☐	☐	
	- Starting arrangement working properly? - Two different sources of power for starting - Starting batteries fully charged/in good condition - Crew familiar with starting procedures - Air supply system working properly? - Load supplied, if possible? E-Lights satisfactory? - Emergency switchboard in satisfactory condition? - Quick closing valve/Emergency Stop satisfactory? - Fuel tank at designated level (minimum 18-hours operation)?				
6.*	Oily Water Separator (OWS), including all piping and solenoid valve arrangements, in good operable condition?	☐	☐	☐	
	- Engineering crew has adequate knowledge of system operation including how to retrieve historical data for ships equipped with MEPC.107(49) Oil Content Meter? - OCM data including date and time accurately recorded? 15-ppm alarm and automatic closing system (three-way valve) or pump shutdown working properly? - Free of leakages and soft patches on piping system? - Instructions and written test procedure available and being followed? - No suspicious piping, flanges, and/or hoses? - OCM calibration seal intact? - ORB entries accurate and match tank soundings if maintained by engineers?				

PART F: BRIDGE and NAVIGATION EQUIPMENT		Yes	No	N/A	Remarks
Is the following navigation equipment operating properly?					
1.	Radars	☐	☐	☐	
	3GHz Radar / S – Band 9GHz Radar / X – Band - ARPA and radar plotting facilities				
2.*	Gyro and Magnetic compass	☐	☐	☐	
	- Updated calibration table available? - Compass error regularly checked and recorded?				
3.*	GMDSS	☐	☐	☐	
	- MF HF DSC messaging operating properly with evidence of satisfactory test from shore station? - GMDSS certificate holders can demonstrate adequate knowledge and proper operation including testing? - Operational on emergency power? - EPIRB operational and capable of floating free?				
4.	Echo Sounding Device	☐	☐	☐	
5.	Speed and distance indicator through the water (not GPS over ground)	☐	☐	☐	
6.	Automatic Identification System (see MN 2-011-17)	☐	☐	☐	
7.*	Navigation lights	☐	☐	☐	
	- Fully operational including duplication and failure alarm? - Correct arc of visibility/no substitutes?				

8.*	Charts and Publications (see MN 7-041-6)	☐	☐	☐	
	- Nautical publications, including sailing directions, lists of lights, tide tables, notices to mariners and other publications for intended voyage on board and current to the latest editions and corrections? - Nautical charts updated to the latest available notice to mariners? - Appropriate scaled original charts provided? - Current chart catalog provided?				
9.*	ECDIS (see MN 7-041-6)	☐	☐	☐	
	- If equipped with ECDIS as a primary only, backup paper charts provided? - If equipped with ECDIS as a backup also, evidence of proper training provided? - Officers hold ECDIS Training Certificates as required and can demonstrate competence? - ECDIS maintained to be compatible with IHO standards?				
10.*	Passage Planning	☐	☐	☐	
	- Berth-to-berth passage plan (Voyage Plan) accurate with all data represented including Under Keel Clearances? - Ensure local requirements are being met?				
11.*	Voyage Data Recorder or Simplified Voyage Data Recorder	☐	☐	☐	
	- Annual examination and test conducted? - The maximum period between tests is 18 months, unless certificate has been extended -- Ref: MSC.1 / Circ 1222				

PART G: MLC, 2006		Yes	No	N/A	Remarks
1.*	Hours of Rest (See MN 7-051-2)	☐	☐	☐	
	- Objective evidence that records of rest comply with MLC, 2006 (see below). - Minimum hours of rest shall not be less than: 10 hours in any 24-hour period 77 hours in a 7-day period. - Records must be maintained daily by the seafarer - Unless electronic, records must be signed by the Master, or person authorized by the Master, and by the seafarer. - Table of Shipboard Working Arrangements posted and contains required information (hours of rest)?				
2.	Galley, Food, and Potable Water	☐	☐	☐	
	- Adequate Provisions? - Food properly stowed? - Food kept at correct temperatures? - Food preparation and handling areas clean? - Spaces free from insects, rodents, and other pests? - Galley range hood and grease traps clean and free of grease?				
3.	Accommodations (see MN 7-044-1)	☐	☐	☐	
	- Spaces clean and in habitable condition? - Ventilation/AC and heating in accommodation spaces adequate? - Is the lighting adequate? - Sanitary facilities, including sinks, toilets and showers, clean and in acceptable condition? - Acceptable noise, vibration and other ambient factors? - Hospital space clean, equipped, and ready for use?				

PART H: LIFESAVING APPLIANCES		Yes	No	N/A	Remarks
1.	Required number of properly equipped lifejackets and ring life buoys in good condition?	☐	☐	☐	
2.	Required number of immersion suits and thermal protective aids available, proper size for crew, and serviced per manufacturer's specs (≤ 3 yrs)?	☐	☐	☐	
3.	Ship specific SOLAS Training Manuals available in each crew mess & recreation room, or in each crew cabin, and in language of crew?	☐	☐	☐	
4.*	Lifeboats, Rescue Boat, & Launching Appliances?	☐	☐	☐	
	- Davits, limit switches, falls, sheaves, winches, brakes, hydraulics, and associated equipment fully operational and in satisfactory condition (no wastage, doublers or fractures)? - Rescue boat in good condition? Able to be launched and recovered with independent source of power? - Wire falls renewed at intervals not exceeding 5 years? - On-load release gear properly configured, overhauled and tested at 5-year intervals? - Lifeboat hulls, windows, rudders, propellers and other fittings in satisfactory condition? - Rudders have good freedom of movement and are not bound? - Lifeboat and rescue boat engines start immediately and operate satisfactorily (including cold weather starts)? - Lifeboat inventory complete and in good condition (spot check air tight seals, expiration dates, and quantity)? - Operating instructions posted? Under emergency lighting?				
5.*	Liferafts and Launching Appliances?	☐	☐	☐	
	- Liferafts stowed properly and capable of floating free? - Wire falls renewed at intervals not exceeding 5 years? - If removed for servicing, suitable temporary replacements aboard? - Operating instructions posted? Under emergency lighting?				
6.*	Embarkation ladders in good condition including forward ladder?	☐	☐	☐	
	- Ladders reach water level in light ship condition? - All embarkation areas properly lighted?				


PART I: FIRE SAFETY		Yes	No	N/A	Remarks
1.	Weekly, monthly and quarterly maintenance, testing and inspection of fire detection, extinguishing systems, portable extinguishers, and appliances carried out and recorded by crew? (see MN 2-011-14)	☐	☐	☐	
2.*	Fixed Fire-Fighting Systems	☐	☐	☐	
	- System shows no faults and is ready for use? - Function test satisfactory showing proper locations for alarms? - No covered or blocked detectors? - Crew using proper testing equipment for smoke, heat, or flame detectors (no open flames, cigarettes, paper, or lighters)? - Water mist system is "On" and in "Auto" mode with correct valve positioning? - CO2 lines clear and not plugged, or nozzles painted? - CO2 room bottles and flex loops in satisfactory condition and connected?				

3.*	Fire Main and Stations	☐	☐	☐	
	- Fire pumps in proper working condition and deliver adequate water pressure? - Piping, couplings and valves free of corrosion, doublers and soft patches? No leaks? - Stations: Hose, nozzle and spanner? Nozzle spray adjustments workable and hoses not deteriorated?				
4.	Bulkhead/Deck Penetrations	☐	☐	☐	
	Holes for cable penetrations properly sealed for Class of boundary?				

PART J: HULL		Yes	No	N/A	Remarks
1.	Visible Condition of Hull and Deck	☐	☐	☐	
	- Shell plating and deck in good condition? Free of damage, improper repairs, fractures, excessive pitting and corrosion? - Markings clearly visible and in place? - No excessive bio-fouling?				
2.	Condition of hatch covers satisfactory?	☐	☐	☐	
	- Gasket, channel, clamps in good condition? - Ventilation closures operate properly and close tight? - Non-Return Valves in good condition?				
3.*	Accommodation Ladders, Pilot Ladders, and related boarding arrangements in good condition?	☐	☐	☐	
4.*	Ballast Tank Vent Heads	☐	☐	☐	
	- Vent heads appear in good condition and operational (no missing, broken, or wasted components)? - Markings identify tank or void space?				
5.	Anchors, windlasses, and mooring arrangements satisfactory?	☐	☐	☐	
	- Anchors and chain in good condition? - Windlass and braking systems in satisfactory material condition? - Mooring winches appear in good operable condition? - Sufficient mooring ropes in good condition? - Hydraulic piping in good condition and free of leaks?				
	All Tank Vessels:				
6.	PV valves free of leakages, working and in acceptable condition?	☐	☐	☐	
7.*	Cargo Pump Emergency Stops operational at all locations?	☐	☐	☐	
	Operational test if cargo operations allow				
8.*	High and Overfill (95% and 98%) alarms operational?	☐	☐	☐	
	Audible and Visible Alarms?				
9.*	Cargo control room equipment in good workable condition?	☐	☐	☐	
	Gauges operable and giving proper indications?				

PART K: MACHINERY AND ELECTRICAL		Yes	No	N/A	Remarks
1.*	Condition of the engine room, main and auxiliary machinery satisfactory?	☐	☐	☐	
	- No obvious fuel oil, lube oil, or hydraulic leaks? - No leaking seals, catchment buckets, or excessive amount of oily rags? - No soft patches, doublers, or cement boxes on piping systems in bilge areas? - Bilges free of excessive water or oil? - No oil soaked lagging or valves jammed open with wedges or gags? - No exhaust leaks or missing lagging? - No hazardous chemicals or paints stored in the ER?				
2.	Boilers and steam systems appear satisfactory and free of excessive leakages?	☐	☐	☐	
	- Lagging on boiler exhaust and steam lines appear satisfactory? - Alarms and safety trips understood by crew and fully functional?				
3.	Bilge and ballast pumps in good operable condition?	☐	☐	☐	
	- Pumps, valves and piping free of patches and leakages? - Bilge high level alarms functional?				
4.	Shipboard Waste Incinerator satisfactory?	☐	☐	☐	
	- In good operable condition? - Alarms and safety trips understood by crew and fully functional?				
5*	Sewage System in satisfactory condition?	☐	☐	☐	
	- Sewage treatment system including piping, valves, pumps, and aeration appear in operational condition? - No damage, leaks or unauthorized modifications? - Crew familiar with system operation and maintenance?				
	All tank vessels:				
6.*	Inert gas system working properly?	☐	☐	☐	
	- Determine type installed - Oxygen indication and control working properly? - Deck-seal in satisfactory condition? - IGS Operational Test? (if cargo operations allow) - Witness low water alarm for water seal? - Witness high oxygen content alarm for IGS main? - Witness high temperature alarm shutdown?				
7.*	Fixed gas detection system tested and operating properly?	☐	☐	☐	
	- Fixed gas sampling line system operational (when applicable)? - Audible and Visible Alarms are operational? - Does the ship have adequate means to calibrate fixed and portable instruments?				
8.	ODMCS in operable condition, including indicators?	☐	☐	☐	
	- Recording device operational? - Data accurately recorded in Cargo Record Book?				

PART L: STEERING		Yes	No	Remarks
Type: ☐ Piston ☐ Rotary Vane ☐ Other				
1.*	Satisfactory Operational Test in all modes (including local and emergency)?	☐	☐	
	• Full movement of rudder verified? (35 port to 30 stbd < 28 sec) • Operates smoothly without binding or excessive leaks? • Alarms and cutout limits operate properly? • Accurate heading information displayed? • Means of communication with the navigation bridge? • Officers familiar with operation and posted changeover diagrams/procedures? • Handrails and grating, or other non-slip surface, installed? • Working access provided (area clean and free of debris)?			




**REPUBLIC OF THE MARSHALL ISLANDS
MARITIME ADMINISTRATOR**

REPORT OF OPERATIONAL SAFETY INSPECTION

Name of Vessel [Abstract]	IMO Number [Category]	Official Number [Subject]	Date [Publish Date]
INSPECTION NARRATIVE - GENERAL COMMENTS A Republic of the Marshall Islands (RMI) Safety Inspection has been conducted on the above date/s. The below narrative provides a general summary of the inspection and lists any deficiencies and/or observations noted. Once the complete report is reviewed by the Maritime Administrator, a copy will be forwarded to the DPA at a later date for distribution back to the vessel.			
OBSERVATIONS DISCUSSED WITH MASTER and/or CHIEF ENGINEER (summarize below):			

**ORIGINAL OF THIS PAGE IS TO BE LEFT ON BOARD WITH THE MASTER
(Provide a copy of this page with the final report back to the RMI Maritime Administrator)**



**REPUBLIC OF THE MARSHALL ISLANDS
MARITIME ADMINISTRATOR**

REPORT OF OPERATIONAL SAFETY INSPECTION – DEFICIENCY LIST

Name of Vessel [Abstract]	IMO Number [Category]	Official Number [Subject]	Class [Company]	RO/RSO [Keywords]	Date [Publish Date]
				FOR ADMIN USE ONLY (Inspectors Leave Blank)	
To Master: The following deficiencies were noted during the inspection. All items should be rectified within 30 days of the above date (unless otherwise noted) and reported to both the company DPA and the Maritime Administrator. Deficiency rectification reports shall be forwarded to the regional inspections office. (See MSD 255)			Check if rectified during the inspection.	RO Related?	Code
			☐		
			☐		
			☐		
			☐		
			☐		
			☐		
			☐		
			☐		
			☐		
			☐		

[Author]
Nautical Inspector (Print Name)
Nautical Inspector (Signature)

Master (Print Name)
Master (Signature)

**ORIGINAL OF THIS PAGE IS TO BE LEFT ON BOARD WITH THE MASTER
(Provide a copy of this page with the final report back to the RMI Maritime Administrator)**

NAUTICAL INSPECTOR GUIDELINES

COMPLETING THE INSPECTION NARRATIVE AND DEFICIENCY LIST

On the previous two pages, provide a general description of the current operational condition and voyage circumstances of the vessel. Then summarize the areas of the vessel that were inspected. Finish with general statements of the performance and cooperation of the crew during the inspection and summarize major deficiencies and/or any problems encountered during the course of the inspection. List any observations that may be relevant in the section outlined. Deficiencies shall be clearly listed on the Report of Operational Safety Inspection – Deficiency List. The originals of the previous two pages; (Report of Operational Safety Inspection) and (Report of Operational Safety Inspection – Deficiency List) shall be left onboard the vessel with the Master. The deficiency page must be left onboard even if there were no deficiencies issued because the Master only signs the deficiency page acknowledging both the Inspection Narrative and any deficiencies. Additional deficiencies may be listed on a blank sheet of paper and attached to the report. Please ensure the Master and the Inspector both sign any additional listing of deficiencies. Finally, be sure to retain a signed copy of the two pages left onboard before departing the vessel. Do **not** leave the entire inspection report on the vessel, just the previous two pages are to be left onboard. The entire inspection report will undergo a quality review by the Maritime Administrator and be forwarded back to the vessel via the DPA at a later date.