

---

This content is from the eCFR and is authoritative but unofficial.

---

## Title 33 —Navigation and Navigable Waters

### Chapter I —Coast Guard, Department of Homeland Security

#### Subchapter N —Outer Continental Shelf Activities

##### Part 147 Safety Zones

- § 147.1 Purpose of safety zones.
- § 147.T01-0056 Safety Zone; Sunrise Wind Farm Project Area, Outer Continental Shelf, Lease OCS-A 0487, Massachusetts, New York, and Rhode Island, Atlantic Ocean.
- § 147.T01-0134 Safety Zone; Revolution Wind Farm Project Area, Outer Continental Shelf, Lease OCS-A 0486, Offshore Rhode Island, Atlantic Ocean.
- § 147.T01-0704 Safety Zone; Empire Wind 1 Wind Farm Project Area, Outer Continental Shelf, Lease OCS-A 0512, Offshore New York and New Jersey, Atlantic Ocean.
- § 147.T01-0985 Safety Zones; Coastal Virginia Offshore Wind—Commercial Wind Farm Project Area, Outer Continental Shelf, Lease OCS-A 0483, Offshore Virginia, Atlantic Ocean.
- § 147.5 Delegation of authority.
- § 147.10 Establishment of safety zones.
- § 147.15 Extent of safety zones.
- § 147.20 Definitions.
- § 147.801 Boxer Platform safety zone.
- § 147.803 Bullwinkle Platform safety zone.
- § 147.805 Ursa Tension Leg Platform safety zone.
- § 147.807 West Delta 143 Platform safety zone.
- § 147.809 Mars Tension Leg Platform safety zone.
- § 147.811 Ram-Powell Tension Leg Platform safety zone.
- § 147.813 Auger Tension Leg Platform safety zone.
- § 147.815 ExxonMobil Hoover Floating OCS Facility safety zone.
- § 147.817 Sir Douglas Morpeth Tension Leg Platform safety zone.
- § 147.819 Allegheny Tension Leg Platform safety zone.
- § 147.821 Brutus Tension Leg Platform safety zone.
- § 147.823 Enchilada Platform safety zone.
- § 147.825 Chevron Genesis Spar safety zone.
- § 147.827 Marlin Tension Leg Platform safety zone.
- § 147.829 Matterhorn Tension Leg Platform safety zone.
- § 147.831 Holstein Truss Spar safety zone.
- § 147.833 Na Kika FDS safety zone.
- § 147.835 Magnolia TLP safety zone.

- § 147.837 Marco Polo Tension Leg Platform safety zone.
- § 147.839 Mad Dog Truss Spar Platform safety zone.
- § 147.841 Atlantis Semi-Submersible safety zone.
- § 147.843 Thunder Horse Semi-Submersible safety zone.
- § 147.845 Perdido Regional Host safety zone.
- § 147.847 Safety Zone; BW PIONEER Floating Production, Storage, and Offloading System Safety Zone.
- § 147.849 Safety Zone; Olympus Tension Leg Platform.
- § 147.851 Jack St. Malo Semi-Sub Facility Safety Zone.
- § 147.853 Petronius Compliant Tower Facility Safety Zone.
- § 147.855 Blind Faith Semi-Sub Facility Safety Zone.
- § 147.857 Tahiti SPAR Facility Safety Zone.
- § 147.859 Safety Zone; Gulfstar 1 SPAR, Mississippi Canyon Block 724, Outer Continental Shelf on the Gulf of America.
- § 147.861 Interim Big Foot TLP Construction Site safety zone.
- § 147.863 Turritella FPSO System Safety Zone.
- § 147.865 Titan SPAR Facility Safety Zone.
- § 147.867 Stampede TLP facility safety zone.
- § 147.869 Safety Zone; Appomattox FPS Facility, Outer Continental Shelf on the Gulf of America.
- § 147.871 Safety Zone, Constitution Spar, Outer Continental Shelf Facility, Green Canyon 680, Gulf of America.
- § 147.873 Safety Zone; Lucius Spar, Outer Continental Shelf Facility, Keathley Canyon 875.
- § 147.875 Safety Zone, Horn Mountain Spar, Outer Continental Shelf Facility, Mississippi Canyon 127.
- § 147.877 Safety Zone, Heidelberg Spar, Outer Continental Shelf Facility, Green Canyon 860.
- § 147.879 Safety Zone; Vito Floating Production System, Outer Continental Shelf Facility, Mississippi Canyon Block 939, Gulf of America
- § 147.1102 Platform GRACE safety zone.
- § 147.1103 Platform GINA safety zone.
- § 147.1104 Platform ELLEN & ELLY safety zone.
- § 147.1105 Platform HONDO safety zone.
- § 147.1106 Exxon Santa Ynez offshore storage and treatment vessel mooring safety zone.
- § 147.1107 Platform GILDA safety zone.
- § 147.1108 Platform EDITH safety zone.
- § 147.1109 Platform HERMOSA safety zone.
- § 147.1110 Platform HARVEST safety zone.
- § 147.1111 Platform EUREKA safety zone.
- § 147.1112 Platform HIDALGO safety zone.

- § 147.1113Platform GAIL safety zone.
- § 147.1114Platform HARMONY safety zone.
- § 147.1115Platform HERITAGE safety zone.
- § 147.1116Platform IRENE safety zone.

PART 147—SAFETY ZONES

**Authority:** 14 U.S.C. 544; 43 U.S.C. 1333; 33 CFR 1.05-1; Department of Homeland Security Delegation No. 00170.1, Revision No. 01.4.

**Source:** CGD 78-160, 47 FR 9386, Mar. 4, 1982, unless otherwise noted.

**Editorial Note:** Nomenclature changes to part 147 appear by USCG-2025-0186, 90 FR 12238, Mar. 17, 2025, and by USCG-2025-0716, 90 FR 47585-47586, Oct. 2, 2025.

§ 147.1 Purpose of safety zones.

Safety zones may be established around OCS facilities being constructed, maintained, or operated on the Outer Continental Shelf to promote the safety of life and property on the facilities, their appurtenances and attending vessels, and on the adjacent waters within the safety zones. Regulations adopted for safety zones may extend to the prevention or control of specific activities and access by vessels or persons, and include measures to protect the living resources of the sea from harmful agents. The regulations do not encompass the operating equipment or procedures used in the drilling for and production of oil, gas, or other minerals, or the transportation of oil, gas, or other minerals by pipeline except as they relate to the safety of life and property on OCS facilities and on the waters adjacent to OCS facilities or to the protection of the living resources of the sea within a safety zone from harmful agents.

§ 147.T01-0056 Safety Zone; Sunrise Wind Farm Project Area, Outer Continental Shelf, Lease OCS-A 0487, Massachusetts, New York, and Rhode Island, Atlantic Ocean.

(a) *Description.* Each of the areas within 500-meters of the center point of the positions provided in the table below, expressed in Degrees (°) Minutes (') Seconds (") (DMS) based on North American Datum 1983 (NAD 83), constitutes a safety zone.

TABLE 1 TO PARAGRAPH (a)

| Name | Facility type | Latitude      | Longitude     |
|------|---------------|---------------|---------------|
| AR16 | WTG           | 41°02'47.4" N | 70°56'48.1" W |
| AS01 | WTG           | 41°01'25.3" N | 71°16'34.3" W |
| AS02 | WTG           | 41°01'26.4" N | 71°15'16.2" W |

| Name | Facility type | Latitude      | Longitude     |
|------|---------------|---------------|---------------|
| AS03 | WTG           | 41°01'28.6" N | 71°13'55.2" W |
| AS04 | WTG           | 41°01'29.3" N | 71°12'36.4" W |
| AS05 | WTG           | 41°01'28.2" N | 71°11'18.6" W |
| AS06 | WTG           | 41°01'29.6" N | 71°09'58.7" W |
| AS07 | WTG           | 41°01'34.3" N | 71°08'39.5" W |
| AS08 | OSS           | 41°01'36.1" N | 71°07'20.6" W |
| AS09 | WTG           | 41°01'33.6" N | 71°06'00.7" W |
| AS10 | WTG           | 41°01'39.0" N | 71°04'41.5" W |
| AS11 | WTG           | 41°01'40.1" N | 71°03'18.7" W |
| AS12 | WTG           | 41°01'41.9" N | 71°02'03.1" W |
| AS13 | WTG           | 41°01'43.3" N | 71°00'43.9" W |
| AS14 | WTG           | 41°01'44.4" N | 70°59'24.7" W |
| AS15 | WTG           | 41°01'45.8" N | 70°58'05.5" W |
| AS16 | WTG           | 41°01'48.7" N | 70°56'46.7" W |
| AS17 | WTG           | 41°01'48.7" N | 70°55'26.8" W |
| AS18 | WTG           | 41°01'48.0" N | 70°54'09.4" W |
| AS19 | WTG           | 41°01'51.2" N | 70°52'49.1" W |
| AS20 | WTG           | 41°01'52.7" N | 70°51'26.3" W |
| AT01 | WTG           | 41°00'25.6" N | 71°16'32.5" W |
| AT02 | WTG           | 41°00'27.0" N | 71°15'14.0" W |
| AT04 | WTG           | 41°00'30.2" N | 71°12'35.3" W |
| AT05 | WTG           | 41°00'31.7" N | 71°11'16.1" W |
| AT06 | WTG           | 41°00'33.1" N | 71°09'56.9" W |
| AT07 | WTG           | 41°00'34.6" N | 71°08'37.7" W |
| AT08 | WTG           | 41°00'36.0" N | 71°07'18.5" W |
| AT09 | WTG           | 41°00'38.9" N | 71°06'00.4" W |
| AT10 | WTG           | 41°00'38.9" N | 71°04'39.7" W |
| AT11 | WTG           | 41°00'36.7" N | 71°03'20.5" W |
| AT12 | WTG           | 41°00'41.8" N | 71°02'01.3" W |
| AT13 | WTG           | 41°00'43.2" N | 71°00'42.1" W |
| AT14 | WTG           | 41°00'43.9" N | 70°59'22.6" W |
| AT15 | WTG           | 41°00'45.7" N | 70°58'03.7" W |
| AT16 | WTG           | 41°00'47.2" N | 70°56'44.5" W |
| AT17 | WTG           | 41°00'49.0" N | 70°55'25.7" W |
| AT18 | WTG           | 41°00'49.7" N | 70°54'05.8" W |
| AT19 | WTG           | 41°00'51.1" N | 70°52'46.6" W |
| AT20 | WTG           | 41°00'52.6" N | 70°51'31.3" W |
| AU01 | WTG           | 40°59'25.1" N | 71°16'30.7" W |
| AU02 | WTG           | 40°59'26.9" N | 71°15'11.2" W |

| Name | Facility type | Latitude      | Longitude     |
|------|---------------|---------------|---------------|
| AU04 | WTG           | 40°59'30.1" N | 71°12'33.1" W |
| AU05 | WTG           | 40°59'31.6" N | 71°11'13.9" W |
| AU06 | WTG           | 40°59'33.0" N | 71°09'54.7" W |
| AU07 | WTG           | 40°59'34.4" N | 71°08'35.5" W |
| AU09 | WTG           | 40°59'37.3" N | 71°05'57.1" W |
| AU10 | WTG           | 40°59'38.8" N | 71°04'37.6" W |
| AU11 | WTG           | 40°59'41.3" N | 71°03'15.5" W |
| AU12 | WTG           | 40°59'42.4" N | 71°01'59.2" W |
| AU13 | WTG           | 40°59'43.1" N | 71°00'40.3" W |
| AU14 | WTG           | 40°59'44.5" N | 70°59'21.1" W |
| AU15 | WTG           | 40°59'44.2" N | 70°58'00.1" W |
| AU16 | WTG           | 40°59'47.0" N | 70°56'42.7" W |
| AU17 | WTG           | 40°59'48.5" N | 70°55'23.5" W |
| AU18 | WTG           | 40°59'49.9" N | 70°54'04.3" W |
| AU19 | WTG           | 40°59'52.8" N | 70°52'45.1" W |
| AU21 | WTG           | 40°59'53.5" N | 70°50'09.6" W |
| AV01 | WTG           | 40°58'25.7" N | 71°16'28.9" W |
| AV02 | WTG           | 40°58'27.1" N | 71°15'09.7" W |
| AV03 | WTG           | 40°58'28.6" N | 71°13'50.5" W |
| AV04 | WTG           | 40°58'30.0" N | 71°12'31.3" W |
| AV05 | WTG           | 40°58'31.4" N | 71°11'12.1" W |
| AV06 | WTG           | 40°58'32.9" N | 71°09'52.9" W |
| AV07 | WTG           | 40°58'34.7" N | 71°08'33.7" W |
| AV08 | WTG           | 40°58'36.1" N | 71°07'14.5" W |
| AV09 | WTG           | 40°58'37.6" N | 71°05'55.3" W |
| AV10 | WTG           | 40°58'39.0" N | 71°04'36.1" W |
| AV11 | WTG           | 40°58'40.4" N | 71°03'17.3" W |
| AV12 | WTG           | 40°58'41.2" N | 71°01'57.7" W |
| AV13 | WTG           | 40°58'43.0" N | 71°00'38.5" W |
| AV17 | WTG           | 40°58'48.4" N | 70°55'21.7" W |
| AW01 | WTG           | 40°57'25.6" N | 71°16'26.8" W |
| AW02 | WTG           | 40°57'27.0" N | 71°15'07.6" W |
| AW03 | WTG           | 40°57'28.4" N | 71°13'48.4" W |
| AW05 | WTG           | 40°57'31.7" N | 71°11'10.0" W |
| AW06 | WTG           | 40°57'31.7" N | 71°09'50.8" W |
| AW07 | WTG           | 40°57'34.6" N | 71°08'31.6" W |
| AW08 | WTG           | 40°57'33.8" N | 71°07'12.4" W |
| AW09 | WTG           | 40°57'37.4" N | 71°05'53.5" W |
| AW10 | WTG           | 40°57'38.9" N | 71°04'34.3" W |

| Name | Facility type | Latitude      | Longitude     |
|------|---------------|---------------|---------------|
| AW11 | WTG           | 40°57'40.3" N | 71°03'15.1" W |
| AW12 | WTG           | 40°57'38.9" N | 71°01'55.9" W |
| AU03 | WTG           | 40°59'28.3" N | 71°13'57.4" W |
| AU08 | OCS-DC        | 40°59'36.2" N | 71°07'17.0" W |

(b) **Definitions.** As used in this section:

**Designated representative** means a Coast Guard Patrol Commander, including a Coast Guard coxswain, petty officer, or other officer operating a Coast Guard vessel and a Federal, State, and local officer designated by or assisting the USCG Northeast District Commander in the enforcement of the safety zones.

**Local officer** means any officer, agent, or employee of a unit of local government authorized by law or by a local government agency to engage in or supervise the prevention, detection, investigation, or prosecution of any violation of criminal law.

(c) **Regulations.** No vessel may enter or remain in the safety zone described in paragraph (a) of this section except for the following:

(1) An attending vessel as defined in 33 CFR 147.20;

(2) A vessel authorized by the USCG Northeast District Commander or a designated representative.

(d) **Request for permission.** Persons or vessels seeking to enter the safety zone must request authorization from the USCG Northeast District Commander or a designated representative. If permission is granted, all persons and vessels must comply with lawful instructions of the USCG Northeast District Commander or designated representative via VHF-FM channel 16 or by phone at 866-842-1560 (USCG Northeast District Command Center).

(e) **Effective and enforcement periods.** This rule will be effective from 12:01 a.m. June 1, 2025, through 11:59 p.m. on May 31, 2028. But individual safety zones will only be enforced during active construction or other instances which may cause a hazard to navigation as determined by the USCG Northeast District Commander. The USCG Northeast District Commander will make notification of the exact dates and times in advance of each enforcement period for the safety zones in paragraph (a) of this section to the local maritime community through the Local Notice to Mariners and will issue a Broadcast Notice to Mariners via marine channel 16 (VHF-FM) as soon as practicable in response to an emergency. If the project is completed before May 31, 2028, enforcement of the safety zones will be suspended, and notice given via Local Notice to Mariners. The USCG Northeast District Local Notice to Mariners can be found at: <http://www.navcen.uscg.gov>.

(f) **Processing of violations.** Violations of this section may be processed in accordance with 33 CFR 140.40 on civil and criminal penalty proceedings.

[USCG-2025-0056, 90 FR 25154, June 16, 2025]

**Effective Date Note:** By USCG-2025-0056, 90 FR 25154, June 16, 2025, § 147.T01-0056 was added, effective

June 16, 2025, through May 31, 2028.

**§ 147.T01-0134 Safety Zone; Revolution Wind Farm Project Area, Outer Continental Shelf, Lease OCS-A 0486, Offshore Rhode Island, Atlantic Ocean.**

- (a) *Description.* The area within 500-meters of the center point of the positions provided in table 1 is a safety zone:

**TABLE 1 TO PARAGRAPH (a)**

| Name | Facility type | Latitude     | Longitude    |
|------|---------------|--------------|--------------|
| AE06 | WTG           | 41°13.555' N | 71°10.367' W |
| AE07 | WTG           | 41°13.575' N | 71°09.050' W |
| AE08 | WTG           | 41°13.603' N | 71°07.719' W |
| AE09 | WTG           | 41°13.632' N | 71°06.402' W |
| AE10 | WTG           | 41°13.652' N | 71°05.081' W |
| AE11 | WTG           | 41°13.676' N | 71°03.763' W |
| AF05 | WTG           | 41°12.528' N | 71°11.647' W |
| AF06 | WTG           | 41°12.554' N | 71°10.336' W |
| AF08 | OSS           | 41°12.607' N | 71°07.702' W |
| AF09 | WTG           | 41°12.628' N | 71°06.375' W |
| AF10 | WTG           | 41°12.652' N | 71°05.051' W |
| AF11 | WTG           | 41°12.676' N | 71°03.738' W |
| AG04 | WTG           | 41°11.504' N | 71°12.944' W |
| AG05 | WTG           | 41°11.529' N | 71°11.625' W |
| AG06 | WTG           | 41°11.554' N | 71°10.302' W |
| AG07 | WTG           | 41°11.579' N | 71°08.984' W |
| AG08 | WTG           | 41°11.606' N | 71°07.660' W |
| AG09 | WTG           | 41°11.625' N | 71°06.359' W |
| AH04 | WTG           | 41°10.503' N | 71°12.921' W |
| AH05 | WTG           | 41°10.529' N | 71°11.594' W |
| AH06 | WTG           | 41°10.548' N | 71°10.276' W |
| AH07 | WTG           | 41°10.586' N | 71°08.946' W |
| AH08 | WTG           | 41°10.610' N | 71°07.622' W |
| AH09 | WTG           | 41°10.632' N | 71°06.307' W |
| AJ02 | WTG           | 41°09.452' N | 71°15.530' W |
| AJ03 | WTG           | 41°09.470' N | 71°14.213' W |
| AJ04 | WTG           | 41°09.502' N | 71°12.896' W |
| AJ05 | WTG           | 41°09.528' N | 71°11.478' W |
| AJ06 | WTG           | 41°09.563' N | 71°10.243' W |

| Name | Facility type | Latitude     | Longitude    |
|------|---------------|--------------|--------------|
| AJ07 | WTG           | 41°09.578' N | 71°08.919' W |
| AJ08 | WTG           | 41°09.604' N | 71°07.612' W |
| AJ09 | WTG           | 41°09.633' N | 71°06.319' W |
| AJ10 | WTG           | 41°09.638' N | 71°04.949' W |
| AJ11 | OSS           | 41°09.675' N | 71°03.617' W |
| AJ12 | WTG           | 41°09.695' N | 71°02.297' W |
| AJ13 | WTG           | 41°09.737' N | 71°00.954' W |
| AJ14 | WTG           | 41°09.748' N | 70°59.654' W |
| AJ15 | WTG           | 41°09.757' N | 70°58.367' W |
| AK10 | WTG           | 41°08.654' N | 71°04.935' W |
| AK12 | WTG           | 41°08.699' N | 71°02.260' W |
| AL10 | WTG           | 41°07.652' N | 71°04.840' W |
| AL11 | WTG           | 41°07.666' N | 71°03.554' W |
| AL12 | WTG           | 41°07.652' N | 71°02.224' W |
| AL18 | WTG           | 41°07.834' N | 70°54.300' W |
| AL19 | WTG           | 41°07.856' N | 70°52.968' W |
| AL20 | WTG           | 41°07.876' N | 70°51.651' W |
| AL21 | WTG           | 41°07.887' N | 70°50.387' W |
| AM11 | WTG           | 41°06.666' N | 71°03.547' W |
| AM12 | WTG           | 41°06.680' N | 71°02.252' W |
| AM14 | WTG           | 41°06.705' N | 70°59.567' W |
| AM17 | WTG           | 41°06.796' N | 70°55.614' W |
| AM18 | WTG           | 41°06.833' N | 70°54.272' W |
| AM19 | WTG           | 41°06.862' N | 70°52.937' W |
| AM20 | WTG           | 41°06.877' N | 70°51.626' W |
| AM21 | WTG           | 41°06.904' N | 70°50.325' W |
| AN11 | WTG           | 41°05.666' N | 71°03.499' W |
| AN12 | WTG           | 41°05.703' N | 71°02.118' W |
| AN13 | WTG           | 41°05.675' N | 71°00.836' W |
| AN14 | WTG           | 41°05.801' N | 70°59.538' W |
| AN15 | WTG           | 41°05.760' N | 70°58.223' W |
| AN16 | WTG           | 41°05.792' N | 70°56.911' W |
| AP11 | WTG           | 41°04.671' N | 71°03.482' W |
| AP12 | WTG           | 41°04.697' N | 71°02.144' W |
| AP13 | WTG           | 41°04.731' N | 71°00.873' W |
| AP14 | WTG           | 41°04.746' N | 70°59.423' W |
| AP15 | WTG           | 41°04.766' N | 70°58.180' W |



| Name | Facility type | Latitude     | Longitude    |
|------|---------------|--------------|--------------|
| AP16 | WTG           | 41°04.788' N | 70°56.858' W |

- (b) **Definitions.** As used in this section, *designated representative* means a Coast Guard Patrol Commander, including a Coast Guard coxswain, petty officer, or other officer operating a Coast Guard vessel and a Federal, State, and local officer designated by or assisting the USCG Northeast District Commander in the enforcement of the safety zones. *Local officer* means any officer, agent, or employee of a unit of local government authorized by law or by a local government agency to engage in or supervise the prevention, detection, investigation, or prosecution of any violation of criminal law.
- (c) **Regulations.** No vessel may enter or remain in this safety zone except for the following:
- (1) An attending vessel as defined in 33 CFR 147.20;
  - (2) A vessel authorized by the USCG Northeast District Commander or a designated representative.
- (d) **Request for Permission.** Persons or vessels seeking to enter the safety zone must request authorization from the USCG Northeast District Commander or a designated representative. If permission is granted, all persons and vessels must comply with lawful instructions of the USCG Northeast District Commander or designated representative via VHF-FM channel 16 or by phone at 866-842-1560 (USCG Northeast District Command Center).
- (e) **Effective and enforcement periods.** This section will be effective from June 1, 2024, through 11:59 p.m. on May 31, 2027. But it will only be enforced during active construction or other instances which may cause a hazard to navigation deemed necessary by the USCG Northeast District Commander. The USCG Northeast District Commander will make notification of the exact dates and times in advance of each enforcement period for the locations above in paragraph (a) of this section to the local maritime community through the Local Notice to Mariners and will issue a Broadcast Notice to Mariners via marine channel 16 (VHF-FM) as soon as practicable in response to an emergency. If the project is completed before May 31, 2027, enforcement of the safety zones will be suspended, and notice given via Local Notice to Mariners. The USCG Northeast District Local Notice to Mariners can be found at:  
<https://www.navcen.uscg.gov>.

[USCG-2024-0134, 89 FR 42801, May 16, 2024]

**Effective Date Note:** By USCG-2024-0134, 89 FR 42801, May 16, 2024, § 147.T01-0134 was added, effective June 1, 2024, through May 31, 2027.

**§ 147.T01-0704 Safety Zone; Empire Wind 1 Wind Farm Project Area, Outer Continental Shelf, Lease OCS-A 0512, Offshore New York and New Jersey, Atlantic Ocean.**

- (a) *Description.* The area within 500-meters of the center point of the positions provided in the table below expressed in Degrees (°) Minutes (') Seconds (") (DMS) based on North American Datum 1983 (NAD 83).

**TABLE 1 TO PARAGRAPH (a)**

| Name | Facility type | Latitude         | Longitude       |
|------|---------------|------------------|-----------------|
| B01  | WTG           | 40°22'25.878" N  | 73°33'41.509" W |
| C01  | WTG           | 40°21'35.382" N  | 73°33'42.583" W |
| B02  | WTG           | 40°22'15.912" N  | 73°32'49.958" W |
| D02  | WTG           | 40°21'12.870" N  | 73°32'51.312" W |
| B03  | WTG           | 40°22'05.938" N  | 73°31'58.412" W |
| D03  | WTG           | 40°20'50.352" N  | 73°32'00.051" W |
| B04  | WTG           | 40°21'55.959" N  | 73°31'06.870" W |
| D04  | WTG           | 40°20'27.828" N  | 73°31'08.799" W |
| B05  | WTG           | 40°21'45.973" N  | 73°30'15.333" W |
| D05  | WTG           | 40°20'05.299" N  | 73°30'17.557" W |
| B06  | WTG           | 40°21'35.981" N  | 73°29'23.800" W |
| E06  | WTG           | 40°19'42.762" N  | 73°29'26.325" W |
| B07  | WTG           | 40°21'25.983" N  | 73°28'32.271" W |
| E07  | WTG           | 40°19'20.220" N  | 73°28'35.102" W |
| B08  | WTG           | 40°21'15.978" N  | 73°27'40.747" W |
| E08  | WTG           | 40°18'57.671" N  | 73°27'43.888" W |
| B09  | WTG           | 40°21'05.967" N  | 73°26'49.227" W |
| C09  | OSS           | 40°20'25.307" N  | 73°26'50.160" W |
| F09  | WTG           | 40°18'35.116" N  | 73°26'52.685" W |
| B10  | WTG           | 40°20'55.950" N  | 73°25'57.712" W |
| C10  | WTG           | 40°20'15.2898" N | 73°25'58.653" W |
| D10  | WTG           | 40°19'34.629" N  | 73°25'59.594" W |
| E10  | WTG           | 40°18'53.969" N  | 73°26'00.534" W |
| B11  | WTG           | 40°20'45.926" N  | 73°25'06.201" W |
| C11  | WTG           | 40°20'05.266" N  | 73°25'07.150" W |
| D11  | WTG           | 40°19'24.606" N  | 73°25'08.100" W |
| E11  | WTG           | 40°18'43.946" N  | 73°25'09.048" W |
| F11  | WTG           | 40°17'49.988" N  | 73°25'10.306" W |
| B12  | WTG           | 40°20'35.896" N  | 73°24'14.694" W |
| C12  | WTG           | 40°19'55.236" N  | 73°24'15.652" W |
| B13  | WTG           | 40°20'25.860" N  | 73°23'23.192" W |
| C13  | WTG           | 40°19'45.200" N  | 73°23'24.159" W |

| Name | Facility type | Latitude        | Longitude       |
|------|---------------|-----------------|-----------------|
| B14  | WTG           | 40°20'15.817" N | 73°22'31.694" W |
| D14  | WTG           | 40°18'54.499" N | 73°22'33.644" W |
| C15  | WTG           | 40°19'25.110" N | 73°21'41.185" W |
| H15  | WTG           | 40°16'19.659" N | 73°21'45.664" W |
| B16  | WTG           | 40°19'55.714" N | 73°20'48.712" W |
| G16  | WTG           | 40°16'32.420" N | 73°20'53.667" W |
| H16  | WTG           | 40°15'57.881" N | 73°20'54.528" W |
| B17  | WTG           | 40°19'45.652" N | 73°19'57.228" W |
| D17  | WTG           | 40°18'24.335" N | 73°19'59.229" W |
| F17  | WTG           | 40°17'03.018" N | 73°20'01.227" W |
| C18  | WTG           | 40°18'54.926" N | 73°19'06.757" W |
| D18  | WTG           | 40°18'14.268" N | 73°19'07.766" W |
| E18  | WTG           | 40°17'33.610" N | 73°19'08.774" W |
| F18  | WTG           | 40°16'52.952" N | 73°19'09.781" W |
| B19  | WTG           | 40°19'25.511" N | 73°18'14.273" W |
| C19  | WTG           | 40°18'44.853" N | 73°18'15.290" W |
| D19  | WTG           | 40°18'04.195" N | 73°18'16.307" W |
| E19  | WTG           | 40°17'23.537" N | 73°18'17.324" W |
| B20  | WTG           | 40°19'15.431" N | 73°17'22.802" W |
| C20  | WTG           | 40°18'34.773" N | 73°17'23.828" W |
| D20  | WTG           | 40°17'54.115" N | 73°17'24.853" W |
| B21  | WTG           | 40°19'05.344" N | 73°16'31.335" W |
| C21  | WTG           | 40°18'24.687" N | 73°16'32.370" W |

(b) **Definitions.** As used in this section:

- (1) **Designated representative** means a Coast Guard Patrol Commander, including a Coast Guard coxswain, petty officer, or other officer operating a Coast Guard vessel and a Federal, State, and local officer designated by or assisting the USCG Northeast District Commander in the enforcement of the safety zones.
- (2) **Local officer** means any officer, agent, or employee of a unit of local government authorized by law or by a local government agency to engage in or supervise the prevention, detection, investigation, or prosecution of any violation of criminal law.

(c) **Regulations.** No vessel may enter or remain in this safety zone except for the following:

- (1) An attending vessel as defined in 33 CFR 147.20;
- (2) A vessel authorized by the USCG Northeast District Commander or a designated representative.

- (d) **Request for permission.** Persons or vessels seeking to enter the safety zone must request authorization from the USCG Northeast District Commander or a designated representative. If permission is granted, all persons and vessels must comply with lawful instructions of the USCG Northeast District Commander or designated representative via VHF-FM channel 16 or by phone at 866-842-1560 (USCG Northeast District Command Center).
- (e) **Effective and enforcement periods.** This section will be effective from 12:01 a.m. on March 10, 2025, through 11:59 p.m. on February 29, 2028. But it will only be enforced during active construction or other instances which may cause a hazard to navigation deemed necessary by the USCG Northeast District Commander. The USCG Northeast District Commander will make notification of the exact dates and times in advance of each enforcement period for the safety zones in paragraph (a) of this section to the local maritime community through the Local Notice to Mariners and will issue a Broadcast Notice to Mariners via marine channel 16 (VHF-FM) as soon as practicable in response to an emergency. If the project is completed before February 29, 2028, enforcement of the safety zones will be suspended, and notice given via Local Notice to Mariners. The USCG Northeast District Local Notice to Mariners can be found at: <https://www.navcen.uscg.gov/msi>.
- (f) **Processing of violations.** Violations of this section may be processed in accordance with 33 CFR 140.40 on civil and criminal penalty proceedings.

[USCG-2024-0704, 90 FR 15408, Apr. 11, 2025]

**Effective Date Note:** By USCG-2024-0704, 90 FR 15408, Apr. 11, 2025, § 147.T01-0704 was added, effective Apr. 11, 2025, through Feb. 29, 2028.

**§ 147.T01-0985 Safety Zones; Coastal Virginia Offshore Wind—Commercial Wind Farm Project Area, Outer Continental Shelf, Lease OCS-A 0483, Offshore Virginia, Atlantic Ocean.**

- (a) **Description.** The area within 500 meters of the center point of each of the positions provided in the table below is an individual safety zone:

| Name  | Facility type | Latitude             | Longitude             |
|-------|---------------|----------------------|-----------------------|
| G1K11 | WTG           | 36°52'10.43097128" N | 075°20'50.55112518" W |
| G1M03 | WTG           | 36°50'17.85976540" N | 075°28'04.02927152" W |
| G1K12 | WTG           | 36°52'10.59092864" N | 075°19'54.56958689" W |
| G1M04 | WTG           | 36°50'18.07627889" N | 075°27'08.07134847" W |
| G1K13 | WTG           | 36°52'10.74355846" N | 075°18'58.58792867" W |
| G1M05 | WTG           | 36°50'18.28547996" N | 075°26'12.11326220" W |
| G1K14 | WTG           | 36°52'10.88886719" N | 075°18'02.60615617" W |
| G1M06 | WTG           | 36°50'18.48736529" N | 075°25'16.15501832" W |
| G1K15 | WTG           | 36°52'11.02685154" N | 075°17'06.62427499" W |
| G1M07 | WTG           | 36°50'18.68193157" N | 075°24'20.19662240" W |
| G1K16 | WTG           | 36°52'11.15750822" N | 075°16'10.64229074" W |
| G1M08 | WTG           | 36°50'18.86918522" N | 075°23'24.23808009" W |

| Name  | Facility type | Latitude             | Longitude             |
|-------|---------------|----------------------|-----------------------|
| G1K17 | WTG           | 36°52'11.28084368" N | 075°15'14.66020907" W |
| G1M09 | WTG           | 36°50'19.04912296" N | 075°22'28.27939699" W |
| G1K18 | WTG           | 36°52'11.39685463" N | 075°14'18.67803558" W |
| G1M10 | WTG           | 36°50'19.22174146" N | 075°21'32.32057869" W |
| G1K19 | WTG           | 36°52'11.50553780" N | 075°13'22.69577588" W |
| G1M11 | WTG           | 36°50'19.38704718" N | 075°20'36.36163083" W |
| G1L03 | WTG           | 36°51'13.39015630" N | 075°28'11.19226080" W |
| G1M12 | WTG           | 36°50'19.54503681" N | 075°19'40.40255901" W |
| G1L04 | WTG           | 36°51'13.60768637" N | 075°27'15.22311182" W |
| G1M13 | WTG           | 36°50'19.69570706" N | 075°18'44.44336883" W |
| G1L05 | WTG           | 36°51'13.81789345" N | 075°26'19.25379877" W |
| G1M14 | WTG           | 36°50'19.83906437" N | 075°17'48.48406591" W |
| G1L06 | WTG           | 36°51'14.02078396" N | 075°25'23.28432730" W |
| G1M15 | WTG           | 36°50'19.97510546" N | 075°16'52.52465182" W |
| G1L07 | WTG           | 36°51'14.21635459" N | 075°24'27.31470302" W |
| G1M16 | WTG           | 36°50'20.10382703" N | 075°15'56.56514024" W |
| G1L08 | WTG           | 36°51'14.40460203" N | 075°23'31.34493152" W |
| G1M17 | WTG           | 36°50'20.22523552" N | 075°15'00.60553275" W |
| G1L09 | WTG           | 36°51'14.58553272" N | 075°22'35.37501844" W |
| G1M18 | WTG           | 36°50'20.33932767" N | 075°14'04.64583497" W |
| G1L10 | WTG           | 36°51'14.75914336" N | 075°21'39.40496939" W |
| G1M19 | WTG           | 36°50'20.44610343" N | 075°13'08.68605250" W |
| G1L12 | WTG           | 36°51'15.08440100" N | 075°19'47.46448580" W |
| G1N03 | WTG           | 36°49'22.32924535" N | 075°27'56.82891331" W |
| G1L13 | WTG           | 36°51'15.23605115" N | 075°18'51.49406251" W |
| G1N04 | WTG           | 36°49'22.54474453" N | 075°27'00.88220767" W |
| G1L14 | WTG           | 36°51'15.38038104" N | 075°17'55.52352570" W |
| G1N05 | WTG           | 36°49'22.75293211" N | 075°26'04.93533961" W |
| G1L15 | WTG           | 36°51'15.51738738" N | 075°16'59.55288098" W |
| G1N06 | WTG           | 36°49'22.95380477" N | 075°25'08.98831473" W |
| G1L16 | WTG           | 36°51'15.64707661" N | 075°16'03.58213399" W |
| G1N07 | WTG           | 36°49'23.14736895" N | 075°24'13.04113865" W |
| G1L17 | WTG           | 36°51'15.76944545" N | 075°15'07.61129032" W |
| G1N08 | WTG           | 36°49'23.33362134" N | 075°23'17.09381697" W |
| G1L18 | WTG           | 36°51'15.88449062" N | 075°14'11.64035558" W |
| G1N09 | WTG           | 36°49'23.51255863" N | 075°22'21.14635529" W |
| G1L19 | WTG           | 36°51'15.99221858" N | 075°13'15.66933541" W |
| G1N10 | WTG           | 36°49'23.68418726" N | 075°21'25.19875519" W |
| G1N11 | WTG           | 36°49'23.84850393" N | 075°20'29.25103034" W |

| Name  | Facility type | Latitude             | Longitude             |
|-------|---------------|----------------------|-----------------------|
| G2F06 | WTG           | 36°55'51.61831765" N | 075°25'59.09646230" W |
| G1N12 | WTG           | 36°49'24.00550534" N | 075°19'33.30318231" W |
| G2F07 | WTG           | 36°55'51.81892515" N | 075°25'03.07058271" W |
| G1N13 | WTG           | 36°49'24.15519793" N | 075°18'37.35521671" W |
| G2F08 | WTG           | 36°55'52.01218908" N | 075°24'07.04455187" W |
| G1N14 | WTG           | 36°49'24.29757841" N | 075°17'41.40713915" W |
| G2F09 | WTG           | 36°55'52.19811586" N | 075°23'11.01837544" W |
| G1N15 | WTG           | 36°49'24.43264349" N | 075°16'45.45895522" W |
| G2F10 | WTG           | 36°55'52.37670219" N | 075°22'14.99205905" W |
| G1N16 | WTG           | 36°49'24.56039962" N | 075°15'49.51067054" W |
| G2F11 | WTG           | 36°55'52.54794477" N | 075°21'18.96560832" W |
| G1N17 | WTG           | 36°49'24.68084352" N | 075°14'53.56229072" W |
| G2G03 | WTG           | 36°54'55.47610540" N | 075°28'39.95488075" W |
| G1N18 | WTG           | 36°49'24.79397189" N | 075°13'57.61382134" W |
| G2G04 | WTG           | 36°54'55.69770649" N | 075°27'43.94075021" W |
| G1N19 | WTG           | 36°49'24.89979121" N | 075°13'01.66526804" W |
| G2G05 | WTG           | 36°54'55.91197477" N | 075°26'47.92645237" W |
| G2B06 | WTG           | 36°59'33.71078023" N | 075°26'27.78408472" W |
| G2G06 | WTG           | 36°54'56.11890692" N | 075°25'51.91199284" W |
| G2B07 | WTG           | 36°59'33.91543395" N | 075°25'31.71304424" W |
| G2G08 | WTG           | 36°54'56.51075936" N | 075°23'59.88261121" W |
| G2C05 | WTG           | 36°58'38.57467997" N | 075°27'20.62031850" W |
| G2G09 | WTG           | 36°54'56.69568276" N | 075°23'03.86770040" W |
| G2C06 | WTG           | 36°58'38.21250366" N | 075°26'20.58758650" W |
| G2G10 | WTG           | 36°54'56.87326655" N | 075°22'07.85265041" W |
| G2C07 | WTG           | 36°58'38.41606238" N | 075°25'24.55006971" W |
| G2H03 | WTG           | 36°53'59.94685093" N | 075°28'32.77985639" W |
| G2D04 | WTG           | 36°57'42.25404052" N | 075°28'05.53076883" W |
| G2H04 | WTG           | 36°54'00.16743776" N | 075°27'36.77698565" W |
| G2D05 | WTG           | 36°57'42.47136588" N | 075°27'09.48264513" W |
| G2H05 | WTG           | 36°54'00.38069261" N | 075°26'40.77394842" W |
| G2D06 | WTG           | 36°57'42.68134287" N | 075°26'13.43435729" W |
| G2H06 | WTG           | 36°54'00.58661217" N | 075°25'44.77075028" W |
| G2D07 | WTG           | 36°57'42.88396818" N | 075°25'17.38591093" W |
| G2H07 | WTG           | 36°54'00.78520287" N | 075°24'48.76739692" W |
| G2D08 | WTG           | 36°57'43.07924823" N | 075°24'21.33731172" W |
| G2H08 | WTG           | 36°54'00.97646139" N | 075°23'52.76389394" W |
| G2D09 | WTG           | 36°57'43.26717972" N | 075°23'25.28856531" W |
| G2H09 | WTG           | 36°54'01.16038445" N | 075°22'56.76024694" W |

| Name  | Facility type | Latitude             | Longitude             |
|-------|---------------|----------------------|-----------------------|
| G2D10 | WTG           | 36°57'43.44775934" N | 075°22'29.23967731" W |
| G2J03 | WTG           | 36°53'04.41747586" N | 075°28'25.56744405" W |
| G2D11 | WTG           | 36°57'43.62099353" N | 075°21'33.19065340" W |
| G2J04 | WTG           | 36°53'04.63703769" N | 075°27'29.57582449" W |
| G2E03 | WTG           | 36°56'46.50113710" N | 075°28'54.35420276" W |
| G2J05 | WTG           | 36°53'04.84927487" N | 075°26'33.58403927" W |
| G2E04 | WTG           | 36°56'46.72478481" N | 075°27'58.31753397" W |
| G2J06 | WTG           | 36°53'05.05418408" N | 075°25'37.59209399" W |
| G2E05 | WTG           | 36°56'46.94108831" N | 075°27'02.28069620" W |
| G2J07 | WTG           | 36°53'05.25176202" N | 075°24'41.59999425" W |
| G2E06 | WTG           | 36°56'47.15004427" N | 075°26'06.24369509" W |
| G2J09 | WTG           | 36°53'05.62494006" N | 075°22'49.61534996" W |
| G2E07 | WTG           | 36°56'47.35165913" N | 075°25'10.20653631" W |
| G2K03 | WTG           | 36°52'08.88765106" N | 075°28'18.39844436" W |
| G2E08 | WTG           | 36°56'47.54592958" N | 075°24'14.16922549" W |
| G2K04 | WTG           | 36°52'09.10620073" N | 075°27'22.41806364" W |
| G2E09 | WTG           | 36°56'47.73285231" N | 075°23'18.13176420" W |
| G2K05 | WTG           | 36°52'09.31742657" N | 075°26'26.43752208" W |
| G2E10 | WTG           | 36°56'47.91243374" N | 075°22'22.09416621" W |
| G2K06 | WTG           | 36°52'09.52132527" N | 075°25'30.45682126" W |
| G2E11 | WTG           | 36°56'48.08467058" N | 075°21'26.05643310" W |
| G2K07 | WTG           | 36°52'09.71790326" N | 075°24'34.47596683" W |
| G2F03 | WTG           | 36°55'50.97245702" N | 075°28'47.17314135" W |
| G2K08 | WTG           | 36°52'09.90715725" N | 075°23'38.49496439" W |
| G2F04 | WTG           | 36°55'51.19508514" N | 075°27'51.14774524" W |
| G2K09 | WTG           | 36°52'10.08908391" N | 075°22'42.51381954" W |
| G2F05 | WTG           | 36°55'51.41036987" N | 075°26'55.12218502" W |
| G2K10 | WTG           | 36°52'10.26368969" N | 075°21'46.53253794" W |
| G3F14 | WTG           | 36°55'53.01763543" N | 075°18'30.88550656" W |
| G3B12 | WTG           | 36°59'34.82834796" N | 075°20'51.35563765" W |
| G3F15 | WTG           | 36°55'53.15951871" N | 075°17'34.85857490" W |
| G3B13 | WTG           | 36°59'34.98885750" N | 075°19'55.28375508" W |
| G3F16 | WTG           | 36°55'53.29406124" N | 075°16'38.83153710" W |
| G3F17 | WTG           | 36°55'53.42125972" N | 075°15'42.80439879" W |
| G3F18 | WTG           | 36°55'53.54112062" N | 075°14'46.77716562" W |
| G3B14 | WTG           | 36°59'35.14201327" N | 075°18'59.21175196" W |
| G3F19 | WTG           | 36°55'53.65364064" N | 075°13'50.74984322" W |
| G3B15 | WTG           | 36°59'35.28781198" N | 075°18'03.13963394" W |
| G3G11 | WTG           | 36°54'57.04351716" N | 075°21'11.83746691" W |

| Name  | Facility type | Latitude             | Longitude             |
|-------|---------------|----------------------|-----------------------|
| G3B16 | WTG           | 36°59'35.42625034" N | 075°17'07.06740666" W |
| G3G12 | WTG           | 36°54'57.20643128" N | 075°20'15.82215551" W |
| G3B17 | WTG           | 36°59'35.55733479" N | 075°16'10.99507580" W |
| G3G13 | WTG           | 36°54'57.36200563" N | 075°19'19.80672183" W |
| G3B18 | WTG           | 36°59'35.68106205" N | 075°15'14.92264701" W |
| G3G14 | WTG           | 36°54'57.51024665" N | 075°18'23.79117153" W |
| G3C12 | WTG           | 36°58'39.32403511" N | 075°20'44.22693929" W |
| G3G16 | WTG           | 36°54'57.78471551" N | 075°16'31.75974356" W |
| G3C13 | WTG           | 36°58'39.48355669" N | 075°19'48.16635951" W |
| G3G17 | WTG           | 36°54'57.91094652" N | 075°15'35.74387716" W |
| G3C14 | WTG           | 36°58'39.63572535" N | 075°18'52.10565996" W |
| G3G18 | WTG           | 36°54'58.02984078" N | 075°14'39.72791666" W |
| G3C16 | WTG           | 36°58'39.91800046" N | 075°16'59.98392414" W |
| G3G19 | WTG           | 36°54'58.14139499" N | 075°13'43.71186768" W |
| G3C17 | WTG           | 36°58'40.04811007" N | 075°16'03.92289920" W |
| G3H12 | WTG           | 36°54'01.66816614" N | 075°20'08.74849831" W |
| G3C18 | WTG           | 36°58'40.17086334" N | 075°15'07.86177303" W |
| G3H13 | WTG           | 36°54'01.82276296" N | 075°19'12.74433164" W |
| G3C19 | WTG           | 36°58'40.28626670" N | 075°14'11.80055940" W |
| G3H14 | WTG           | 36°54'01.97002729" N | 075°18'16.74004507" W |
| G3C20 | WTG           | 36°58'40.39431689" N | 075°13'15.73925991" W |
| G3H16 | WTG           | 36°54'02.24255501" N | 075°16'24.73115496" W |
| G3D12 | WTG           | 36°57'43.78687899" N | 075°20'37.14149923" W |
| G3H17 | WTG           | 36°54'02.36782157" N | 075°15'28.72655864" W |
| G3D13 | WTG           | 36°57'43.94541242" N | 075°19'41.09222040" W |
| G3H19 | WTG           | 36°54'02.59635341" N | 075°13'36.71709160" W |
| G3D14 | WTG           | 36°57'44.09660027" N | 075°18'45.04281857" W |
| G3J12 | WTG           | 36°53'06.12974216" N | 075°20'01.63737188" W |
| G3D16 | WTG           | 36°57'44.37692600" N | 075°16'52.94368860" W |
| G3J13 | WTG           | 36°53'06.28335394" N | 075°19'05.64446363" W |
| G3D17 | WTG           | 36°57'44.50606705" N | 075°15'56.89396774" W |
| G3J15 | WTG           | 36°53'06.56858897" N | 075°17'13.65830753" W |
| G3D18 | WTG           | 36°57'44.62785910" N | 075°15'00.84415047" W |
| G3J16 | WTG           | 36°53'06.70021537" N | 075°16'17.66507094" W |
| G3D19 | WTG           | 36°57'44.74230209" N | 075°14'04.79424245" W |
| G3J17 | WTG           | 36°53'06.82450998" N | 075°15'21.67173614" W |
| G3D20 | WTG           | 36°57'44.84939275" N | 075°13'08.74424932" W |
| G3J18 | WTG           | 36°53'06.94147924" N | 075°14'25.67830877" W |
| G3E13 | WTG           | 36°56'48.40710702" N | 075°19'33.98058407" W |



| Name  | Facility type | Latitude             | Longitude             |
|-------|---------------|----------------------|-----------------------|
| G3J19 | WTG           | 36°53'07.05111989" N | 075°13'29.68479445" W |
| G3E14 | WTG           | 36°56'48.55730976" N | 075°18'37.94247944" W |
| T1L11 | OSS           | 36°51'14.92543064" N | 075°20'43.43478996" W |
| G3E15 | WTG           | 36°56'48.70016447" N | 075°17'41.90426225" W |
| T2G07 | OSS           | 36°54'56.31849964" N | 075°24'55.89737723" W |
| G3E16 | WTG           | 36°56'48.83567758" N | 075°16'45.86593816" W |
| T3G15 | OSS           | 36°54'57.65115104" N | 075°17'27.77551023" W |
| G3E17 | WTG           | 36°56'48.96384581" N | 075°15'49.82751279" W |
| G3E18 | WTG           | 36°56'49.08466587" N | 075°14'53.78899178" W |
| G3F12 | WTG           | 36°55'52.71185004" N | 075°20'22.93902891" W |
| G3F13 | WTG           | 36°55'52.86841469" N | 075°19'26.91232645" W |

- (b) **Definitions.** As used in this section, *designated representative* means a Coast Guard Patrol Commander, including a Coast Guard coxswain, petty officer, or other officer operating a Coast Guard vessel and a Federal, State, and local officer designated by or assisting the USCG East District Commander in the enforcement of the safety zones.
- (c) **Regulations.** No vessel may enter or remain in this safety zone except for the following:
- (1) An attending vessel, as defined in 33 CFR 147.20;
  - (2) A vessel authorized by the USCG East District Commander or a designated representative.
- (d) **Request for Permission.** Persons or vessels seeking to enter the safety zone must request authorization from the USCG East District Commander or a designated representative. If permission is granted, all persons and vessels must comply with lawful instructions of the USCG East District Commander or designated representative via VHF-FM channel 16 or by phone at 757-398-6391 (USCG East District Command Center).
- (e) **Effective dates and enforcement periods.** This section will be in effect from May 1, 2024, through May 1, 2027. Individual safety zones designated in the table in subparagraph (a) will only be subject to enforcement, however, during active construction or other circumstances which may create a hazard to navigation as determined by the USCG East District Commander. The USCG East District Commander will provide notification of the exact dates and times each safety zone is subject to enforcement in advance of each enforcement period for each of the locations listed above, in paragraph (a) of this section. Notifications will be made to the local maritime community through the Local Notice to Mariners and the Coast Guard will issue a Broadcast Notice to Mariners via marine channel 16 (VHF-FM) as soon as practicable in response to an emergency. If the entire project is completed before May 1, 2027, enforcement of the safety zones will be suspended, and notice given via Local Notice to Mariners. The USCG East District Local Notice to Mariners can be found at: <https://www.navcen.uscg.gov>.

[USCG-2023-0985, 89 FR 20854, Mar. 26, 2024]

**Effective Date Note:** By USCG-2023-0985, 89 FR 20854, Mar. 26, 2024, § 147.T01-0985 was added, effective

May 1, 2024, through May 1, 2027.

## § 147.5 Delegation of authority.

The authority to establish safety zones and to issue and enforce safety zone regulations in accordance with the provisions of this part is delegated to District Commanders.

## § 147.10 Establishment of safety zones.

- (a) Whenever it comes to the attention of the District Commander that a safety zone and regulations may be required concerning any OCS facility being constructed, maintained, or operated on the Outer Continental Shelf or its appurtenances and attending vessels, or the adjacent waters, the District Commander may initiate appropriate inquiry to determine whether a safety zone and regulations should be established. In making this determination, the District Commander considers all relevant safety factors, including existing or reasonably foreseeable congestion of vessels, the presence of unusually harmful or hazardous substances, and any obstructions within 500 meters of the OCS facility. If the District Commander determines that the circumstances warrant the establishment of a safety zone and regulations the District Commander takes action as necessary consistent with the provisions of this part.
- (b) For purposes of establishing safety zones under this part, OCS facility includes non-mineral energy resource permanent or temporary structures.
- (c) Except as provided in paragraph (d) of this section, a safety zone and necessary regulations may be established concerning any OCS facility being constructed, maintained or operated on the Outer Continental Shelf, following publication of a notice of proposed rule making in the FEDERAL REGISTER and after interested parties have been given the opportunity to submit comments. A zone and necessary regulations may be in effect during any period when construction equipment and materials are within 500 meters of the construction site until the removal of all portions of the facility.
- (d) A safety zone and necessary regulations may be established without public rule making procedures when the District Commander determined that imminent danger exists with respect to the safety of life and property on an OCS facility constructed, maintained, or operated on the Outer Continental Shelf, its appurtenances and attending vessels or adjacent waters. A safety zone and regulations may be made effective on the date the rule is published in the FEDERAL REGISTER. However, if circumstances require, they may be placed into effect immediately, followed promptly by publication in the FEDERAL REGISTER. The District Commander may utilize, in addition to broadcast Notices to Mariners, Local Notices to Mariners, and Notices to Mariners, newspapers, and broadcasting stations to disseminate information concerning a safety zone and regulations pertaining thereto. The public may comment concerning the establishment of a safety zone or regulations under this paragraph. A safety zone or regulations may be modified or withdrawn, as appropriate, based on the comments received.
- (e) Geographic coordinates expressed in terms of latitude or longitude, or both, are not intended for plotting on maps or charts whose referenced horizontal datum is the North American Datum of 1983 (NAD 83), unless such geographic coordinates are expressly labeled NAD 83. Geographic coordinates without the NAD 83 reference may be plotted on maps or charts reference to NAD 83 only after application of the appropriate corrections that are published on the particular map or chart being used.

[CGD 78-160, 47 FR 9386, Mar. 4, 1982, as amended by CGD 86-082, 52 FR 33811, Sept. 8, 1987; 88 FR 1513, Jan. 11, 2023]

## § 147.15 Extent of safety zones.

A safety zone establishment under this part may extend to a maximum distance of 500 meters around the OCS facility measured from each point on its outer edge or from its construction site, but may not interfere with the use of recognized sea lanes essential to navigation.

## § 147.20 Definitions.

Unless otherwise stated, the term “attending vessel” refers to any vessel which is operated by the owner or operator of an OCS facility located in the safety zone, which is used for the purpose of carrying supplies, equipment or personnel to or from the facility, which is engaged in construction, maintenance, alteration, or repair of the facility, or which is used for further exploration, production, transfer or storage of natural resources from the seabed beneath the safety zone.

[CGD 08-99-023, 65 FR 16825, Mar. 30, 2000]

## § 147.801 Boxer Platform safety zone.

- (a) **Description.** The Boxer Platform is located at position 27°56'48" N, 90°59'48" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge, not to extend into the adjacent East–West Gulf of America Fairway is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD 08-99-023, 65 FR 16825, Mar. 30, 2000]

## § 147.803 Bullwinkle Platform safety zone.

- (a) **Description.** The Bullwinkle Platform is located at position 27°53'01" N, 90°54'04" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD 08-99-023, 65 FR 16825, Mar. 30, 2000]

## § 147.805 Ursa Tension Leg Platform safety zone.

- (a) **Description.** The Ursa Tension Leg Platform (Ursa TLP) is located at position 28°09'14.497" N, 89°06'12.790" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone.

(b) **Regulation.** No vessel may enter or remain in this safety zone except:

- (1) An attending vessel;
- (2) A vessel under 100 feet in length overall not engaged in towing; or
- (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD 08-99-023, 65 FR 16825, Mar. 30, 2000]

#### § 147.807 West Delta 143 Platform safety zone.

(a) **Description.** The West Delta 143 Platform is located at position 28°39'42" N, 89°33'05" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge, not to extend into the adjacent Mississippi River Approach Fairway, is a safety zone.

(b) **Regulation.** No vessel may enter or remain in this safety zone except:

- (1) An attending vessel;
- (2) A vessel under 100 feet in length overall not engaged in towing; or
- (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD 08-99-023, 65 FR 16825, Mar. 30, 2000]

#### § 147.809 Mars Tension Leg Platform safety zone.

(a) **Description.** The Mars Tension Leg Platform (Mars TLP) is located at position 28°10'10.29" N, 89°13'22.35" W with two supply boat mooring buoys at positions 28°10'18.12" N, 89°12'52.08" W (Northeast) and 28°09'49.62" N, 89°12'57.48" W (Southeast). The area within 500 meters (1640.4 feet) from each point on the structure's outer edge and the area within 500 meters (1640.4 feet) of each of the supply boat mooring buoys is a safety zone.

(b) **Regulation.** No vessel may enter or remain in this safety zone except:

- (1) An attending vessel;
- (2) A vessel under 100 feet in length overall not engaged in towing; or
- (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD 08-99-023, 65 FR 16825, Mar. 30, 2000]

#### § 147.811 Ram-Powell Tension Leg Platform safety zone.

(a) **Description.** The Ram-Powell Tension Leg Platform (Ram-Powell TLP) is located at position 29°03'52.2" N, 88°05'30" W with two supply boat mooring buoys at positions 29°03'52.2" N, 88°05'12.6" W (Northeast) and 29°03'28.2" N, 88°05'10.2" W (Southeast). The area within 500 meters (1640.4 feet) from each point on the structure's outer edge and the area within 500 meters (1640.4 feet) of each of the supply boat mooring buoys is a safety zone.

(b) **Regulation.** No vessel may enter or remain in this safety zone except:

- (1) An attending vessel;

- (2) A vessel under 100 feet in length overall not engaged in towing; or
- (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD 08-99-023, 65 FR 16825, Mar. 30, 2000]

#### § 147.813 Auger Tension Leg Platform safety zone.

- (a) **Description.** The Auger Tension Leg Platform (Auger TLP) is located at position 27°32'45.4" N, 92°26'35.09" W with two supply boat mooring buoys at positions 27°32'38.1" N, 92°26'04.8" W (East Buoy) and 27°32'58.14" N, 92°27'04.92" W (West Buoy). The area within 500 meters (1640.4 feet) from each point on the structure's outer edge and an area within 500 meters (1640.4 feet) of each of the supply boat mooring buoys is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except:
  - (1) an attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing or fishing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD 08-99-023, 65 FR 16825, Mar. 30, 2000]

#### § 147.815 ExxonMobil Hoover Floating OCS Facility safety zone.

- (a) **Description.** The ExxonMobil Hoover Floating OCS Facility, Alaminos Canyon Block 25A (AC25A), is located at position 26°56'33" N, 94°41'19.55" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-01-025, 68 FR 4102, Jan. 28, 2003]

#### § 147.817 Sir Douglas Morpeth Tension Leg Platform safety zone.

- (a) **Description.** The Sir Douglas Morpeth Tension Leg Platform (Morpeth TLP), Ewing Bank Block 921A (EW 921A), is located at position 28°02'05.28" N, 90°01'22.12" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-01-025, 68 FR 4102, Jan. 28, 2003]

### § 147.819 Allegheny Tension Leg Platform safety zone.

- (a) **Description.** The Allegheny Tension Leg Platform (Allegheny TLP), Green Canyon Block 254A (GC 254A), is located at position 27°41'29.65" N, 90°16'31.93" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-01-025, 68 FR 4102, Jan. 28, 2003]

### § 147.821 Brutus Tension Leg Platform safety zone.

- (a) **Description.** The Brutus Tension Leg Platform (Brutus TLP), Green Canyon Block 158 (GC 158), is located at position 27°47'42.86" N, 90°38'51.15" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-01-025, 68 FR 4102, Jan. 28, 2003]

### § 147.823 Enchilada Platform safety zone.

- (a) **Description.** The Enchilada Platform, Garden Banks Block 128A (GB 128A), is located at position 27°52'31.31" N, 91°59'11.09" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge, not to extend into the adjacent East-West Gulf of America Fairway, is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-01-025, 68 FR 4102, Jan. 28, 2003]

### § 147.825 Chevron Genesis Spar safety zone.

- (a) **Description.** The Chevron Genesis Spar, Green Canyon 205A (GC205A), is located at position 27°46'46.365" N, 90°31'06.553" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:

- (1) An attending vessel;
- (2) A vessel under 100 feet in length overall not engaged in towing; or
- (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-01-043, 68 FR 4100, Jan. 28, 2003]

#### § 147.827 Marlin Tension Leg Platform safety zone.

- (a) **Description.** The Marlin Tension Leg Platform (Marlin TLP), Viasca Knoll, Block 915 (VK 915), is located at position 29°6'27.46" N, 87°56'37.14" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-02-045, 68 FR 55445, Sept. 26, 2003]

#### § 147.829 Matterhorn Tension Leg Platform safety zone.

- (a) **Description.** The Matterhorn Tension Leg Platform A (Matterhorn TLP), Mississippi Canyon 243 (MC 243), located at position 28°44'32" N, 88°39'32" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone. These coordinates are based upon [NAD 83].
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-03-017, 68 FR 59118, Oct. 14, 2003]

#### § 147.831 Holstein Truss Spar safety zone.

- (a) **Description.** Holstein, Green Canyon 645 (GC 645), located at position 27°19'17" N, 90°32'08" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone. These coordinates are based upon North American Datum 1983.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-03-028, 69 FR 6147, Feb. 10, 2004]

### § 147.833 Na Kika FDS safety zone.

- (a) **Description.** Na Kika FDS, Mississippi Canyon 474 "A" (MC 474 "A"), located at position 28°31'14.86" N, 88°17'19.69" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone. These coordinates are based upon [NAD 83].
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-03-039, 69 FR 21066, Apr. 20, 2004]

### § 147.835 Magnolia TLP safety zone.

- (a) **Description.** Magnolia TLP, Garden Banks 783 "A" (GB 783 "A"), located at position 27°12'13.86" N, 92°12'09.36" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone. These coordinates are based upon [NAD 83].
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-03-040, 69 FR 19934, Apr. 15, 2004]

### § 147.837 Marco Polo Tension Leg Platform safety zone.

- (a) **Description.** Marco Polo Tension Leg Platform, Green Canyon 608 (GC 608), located at position 27°21'43.32" N, 90°10'53.01" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone. These coordinates are based upon [NAD 83].
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-04-004, 69 FR 33858, June 17, 2004]

### § 147.839 Mad Dog Truss Spar Platform safety zone.

- (a) **Description.** The Mad Dog Truss Spar system is in the deepwater area of the Gulf of America at Green Canyon 782. The facility is located at 27°11'18.124" N., 90°16'7.363" W. and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:



- (1) An attending vessel;
- (2) A vessel under 100 feet in length overall not engaged in towing; or
- (3) A vessel authorized by the Commander, USCG Heartland District.

[USCG-2015-0512, 80 FR 54721, Sept. 11, 2015]

#### § 147.841 Atlantis Semi-Submersible safety zone.

- (a) **Description.** Atlantis Semi-Submersible, Green Canyon 787 (GC 787), located at position 27°11'44" N, 90°01'37" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone. These coordinates are based upon [NAD 83].
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-05-015, 70 FR 43772, July 29, 2005]

#### § 147.843 Thunder Horse Semi-Submersible safety zone.

- (a) **Description.** Thunder Horse Semi-Submersible, Mississippi Canyon 778 (MC 778), located at position 28°11'26" N, 88°29'44" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone. These coordinates are based upon [NAD 83].
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[CGD08-05-019, 70 FR 43770, July 29, 2005]

#### § 147.845 Perdido Regional Host safety zone.

- (a) **Description.** The Perdido Regional Host is located at position 26°07'44" N, 094°53'53" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.

[USCG-2008-1051, 74 FR 55138, Oct. 27, 2009]

### § 147.847 Safety Zone; BW PIONEER Floating Production, Storage, and Offloading System Safety Zone.

- (a) **Description.** The BW PIONEER, a Floating Production, Storage and Offloading (FPSO) system, is in the deepwater area of the Gulf of America at Walker Ridge 249. The FPSO can swing in a 360 degree arc around the center point of the turret buoy's swing circle at 26°41'46.25" N and 090°30'30.16" W. The area within 500 meters (1640.4 feet) around the stern of the FPSO when it is moored to the turret buoy is a safety zone. If the FPSO detaches from the turret buoy, the area within 500 meters around the center point at 26°41'46.25" N and 090°30'30.16" W is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[USCG-2009-0571, 75 FR 19882, Apr. 16, 2010]

### § 147.849 Safety Zone; Olympus Tension Leg Platform.

- (a) **Description.** The Olympus Tension Leg Platform is in the deepwater area of the Gulf of America in Mississippi Canyon Block 807B. The facility is located at 28° 9'35.59" N, 89°14'20.86" W. The area within 500 meters (1640.4 feet) from each point on the structure's outer edge and the area within 500 meters (1640.4 feet) of each of the supply boat mooring buoys is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.

[USCG-2013-0070, 79 FR 6819, Feb. 5, 2014]

### § 147.851 Jack St. Malo Semi-Sub Facility Safety Zone.

- (a) **Description.** The Jack St. Malo Semi-Sub facility is in the deepwater area of the Gulf of America at Walker Ridge block 718. The facility is located at 26°14'5.94" N, 91°15'39.99" W and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.

[USCG-2013-0874, 79 FR 52561, Sept. 4, 2014]

### § 147.853 Petronius Compliant Tower Facility Safety Zone.

- (a) **Description.** The Petronius Compliant Tower facility is in the deepwater area of the Gulf of America at Viosca Knoll Block 786. The facility is located at 28°13'44" N/-87°47'51" W and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.

[USCG-2013-0874, 79 FR 52561, Sept. 4, 2014]

### § 147.855 Blind Faith Semi-Sub Facility Safety Zone.

- (a) **Description.** The Blind Faith Semi-Sub facility is in the deepwater area of the Gulf of America at Mississippi Canyon Block 650. The facility is located at 28°20'29.5279" N/-88°15'56.4728" W and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.

[USCG-2013-0874, 79 FR 52561, Sept. 4, 2014]

### § 147.857 Tahiti SPAR Facility Safety Zone.

- (a) **Description.** The Tahiti SPAR facility is in the deepwater area of the Gulf of America at Tahiti SPAR. The facility is located at 27°19'33.3" N/-90°42'50.9" W and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.

[USCG-2013-0874, 79 FR 52561, Sept. 4, 2014]

### § 147.859 Safety Zone; Gulfstar 1 SPAR, Mississippi Canyon Block 724, Outer Continental Shelf on the Gulf of America.

- (a) **Description.** The Gulfstar 1 Spar is in the deepwater area of the Gulf of America at Mississippi Canyon Block 724. The facility is located at 28°14'05.904" N, 88°59'43.306" W, and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.

[USCG-2014-0242, 79 FR 51899, Sept. 2, 2014]

### § 147.861 Interim Big Foot TLP Construction Site safety zone.

- (a) **Description.** The Big Foot Tension Leg Platform (TLP) construction site is in the deepwater area of the Gulf of America at Walker Ridge 29. The Big Foot TLP construction site outermost points are located at:  
NW Corner 26-56-18.85 N, 090-31-26.44 W  
NE Corner 26-56-18.85 N, 090-30-53.06 W  
SE Corner 26-55-46.76 N, 090-30-53.06 W  
SW Corner 26-55-46.76 N, 090-31-26.44 W,  
and the area within 500 meters of the construction site's outermost points, is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel authorized by the Commander, USCG Heartland District or a designated representative.

[80 FR 42388, July 17, 2015]

### § 147.863 Turretella FPSO System Safety Zone.

- (a) **Description.** The Turretella, a Floating Production, Storage and Offloading (FPSO) system is to be installed in the deepwater area of the Gulf of America at Walker Ridge 551. The FPSO can swing in a 360 degree arc around the center point of the turret buoy's swing circle at 26°25'38.74" N., 90°48'45.34" W., and the area within 500 meters (1640.4 feet) around the stern of the FPSO when it is moored to the turret buoy is a safety zone. If the FPSO detaches from the turret buoy, the area within 500 meters (1640.4 feet) around the center point at 26°25'38.74" N., 90°48'45.34" W. is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[USCG-2015-0318, 80 FR 71942, Nov. 18, 2015]

### § 147.865 Titan SPAR Facility Safety Zone.

- (a) **Description.** The Titan SPAR system is in the deepwater area of the Gulf of America at Mississippi Canyon 941. The facility is located at 28°02'02" N. 89°06'04" W. and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District.

[USCG-2015-0320, 80 FR 71944, Nov. 18, 2015]

### § 147.867 Stampede TLP facility safety zone.

- (a) **Description.** The Stampede Tension Leg Platform (TLP) system is in the deepwater area of the Gulf of America at Green Canyon Block 468. The facility is located at 27°30'33.3431" N. 90°33'22.963" W. (NAD 83) and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel, as defined by 33 CFR 147.20;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the USCG Heartland District Commander.

[USCG-2017-0110, 82 FR 37177, Aug. 9, 2017]

### § 147.869 Safety Zone; Appomattox FPS Facility, Outer Continental Shelf on the Gulf of America.

- (a) **Description.** The Appomattox Floating Production System (FPS) system is in the deepwater area of the Gulf of America at Mississippi Canyon Block 437. The facility is located at 28°34'25.47" N 87°56'03.11" W (NAD 83), and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel, as defined by 33 CFR 147.20;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the USCG Heartland District Commander or a designated representative.

[USCG-2017-0446, 83 FR 20734, May 8, 2018]

**§ 147.871 Safety Zone, Constitution Spar, Outer Continental Shelf Facility, Green Canyon 680, Gulf of America.**

- (a) **Description.** The Constitution Spar is in the deepwater area of the Gulf of America at Green Canyon Block 680. The facility is located at 27°17'31.92" N, 90°58'4.8" W, (NAD 83) and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in the safety zone described in paragraph (a) of this section except for the following:
  - (1) An attending vessel, as defined in 147.20
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.
- (c) **Requests for Permission.** Persons or vessels requiring authorization to enter the safety zone described in paragraph (a) of this section must request permission from the Commander, USCG Heartland District or a designated representative. If permission is granted, all persons and vessels shall comply with the instructions of the Commander or designated representative.

[88 FR 22914, Apr. 14, 2023]

**§ 147.873 Safety Zone; Lucius Spar, Outer Continental Shelf Facility, Keathley Canyon 875.**

- (a) **Description.** The Lucius Spar in the deepwater area of the Gulf of America at Keathley Canyon 875. The facility is located at: 26°7'55.0632" N, 92°2'24.2982" W (NAD 83) and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except for the following:
  - (1) An attending vessel, as defined in 147.20
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.
- (c) **Requests for permission.** Persons or vessels requiring authorization to enter the safety zone must request permission from the Commander, USCG Heartland District or a designated representative. If permission is granted, all persons and vessels shall comply with the instructions of the Commander or designated representative.

[USCG-2021-0474, 88 FR 21470, Apr. 11, 2023]

**§ 147.875 Safety Zone, Horn Mountain Spar, Outer Continental Shelf Facility, Mississippi Canyon 127.**

- (a) **Description.** The Horn Mountain Spar is in the deepwater area of the Gulf of America at Mississippi Canyon 127. The facility is located at: 28°51'57.5994" N, 88°3'22.32" W, (NAD 83) and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except for the following:
  - (1) An attending vessel, as defined in 147.20;

- (2) A vessel under 100 feet in length overall not engaged in towing; or
- (2) A vessel authorized by the Commander, USCG Heartland District or a designated representative.
- (c) **Requests for permission.** Persons or vessels requiring authorization to enter the safety zone must request permission from the Commander, USCG Heartland District or a designated representative. If permission is granted, all persons and vessels shall comply with the instructions of the Commander or designated representative.

[USCG-2021-0475, 88 FR 21476, Apr. 11, 2023]

#### **§ 147.877 Safety Zone, Heidelberg Spar, Outer Continental Shelf Facility, Green Canyon 860.**

- (a) **Description.** The Heidelberg Spar in the deepwater area of the Gulf of America at Green Canyon. The facility is located at: 27°6'41.0394" N, 90°45'50.3994" W (NAD 83) and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except for the following:
  - (1) An attending vessel, as defined in § 147.20;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.
- (c) **Requests for permission.** Persons or vessels requiring authorization to enter the safety zone must request permission from the Commander, USCG Heartland District or a designated representative. If permission is granted, all persons and vessels shall comply with the instructions of the Commander or designated representative.

[USCG-2021-0476, 88 FR 21472, Apr. 11, 2023]

#### **§ 147.879 Safety Zone; Vito Floating Production System, Outer Continental Shelf Facility, Mississippi Canyon Block 939, Gulf of America**

- (a) **Description.** The Vito FPS is in the deepwater area of the Gulf of America at Mississippi Canyon Block 939. The facility is located at 28°01'32.325" N, 89°12'33.254" W, (NAD 83) and the area within 500 meters (1640.4 feet) from each point on the facility structure's outer edge is a safety zone.
- (b) **Regulation.** No vessel may enter or remain in this safety zone except for the following:
  - (1) An attending vessel, as defined in 147.20;
  - (2) A vessel under 100 feet in length overall not engaged in towing; or
  - (3) A vessel authorized by the Commander, USCG Heartland District or a designated representative.
- (c) **Requests for permission.** Persons or vessels requiring authorization to enter the safety zone must request permission from the Commander, USCG Heartland District or a designated representative. If permission is granted, all persons and vessels shall comply with the instructions of the Commander or designated representative.

[USCG-2022-0313, 88 FR 21474, Apr. 11, 2023]

### § 147.1102 Platform GRACE safety zone.

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34°-10'-47" N, 119°-28'-05" W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing, or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CCGD 11-79-02, 47 FR 39679, Sept. 9, 1982; 48 FR 33263, July 21, 1983]

### § 147.1103 Platform GINA safety zone.

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34°-07'-02" N, 119°-16'-35" W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing, or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CCGD 11-79-02, 47 FR 39679, Sept. 9, 1982; 48 FR 33263, July 21, 1983]

### § 147.1104 Platform ELLEN & ELLY safety zone.

- (a) **Description:** The areas within a line 500 meters from each point on the outer edge of each structure. The structures are approximately 120 meters apart. The position of the center of each structure is: Platform Ellen, 33°-34'-57" N, 118°-07'-42" W; and Platform Elly, 33°-35'-00" N, 118°-07'-40" W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel serving either structure,
  - (2) a vessel under 100 feet in length overall not engaged in towing, or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CCGD 11-79-02, 47 FR 39679, Sept. 9, 1982; 48 FR 33263, July 21, 1983]

### § 147.1105 Platform HONDO safety zone.

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34°-23'-27" N, 120°-07'-14" W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except for the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing, or



- (3) a vessel authorized by the Commander, USCG Southwest District.

[CCGD 11-79-02, 47 FR 39679, Sept. 9, 1982; 48 FR 33263, July 21, 1983]

#### § 147.1106 Exxon Santa Ynez offshore storage and treatment vessel mooring safety zone.

- (a) **Description:** The area within a line 1108 meters for the center of the mooring. The position of the center of the mooring is 34°-24'-19" N 120°-06'00" W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing, or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CCGD 11-79-02, 47 FR 39679, Sept. 9, 1982; 48 FR 33263, July 21, 1983]

#### § 147.1107 Platform GILDA safety zone.

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34°-10'-56" N. 119°-25'-07" W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except for the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing, or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CCGD 11-79-02, 47 FR 39679, Sept. 9, 1982; 48 FR 33263, July 21, 1983]

#### § 147.1108 Platform EDITH safety zone.

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 33°-35'-45" N. 118°-08'-27" W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except for the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing, or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CCGD 11-79-02, 47 FR 39679, Sept. 9, 1982; 48 FR 33263, July 21, 1983]

#### § 147.1109 Platform HERMOSA safety zone.

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34-27-19 N, 120-38-47 W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except the following:

- (1) An attending vessel,
- (2) a vessel under 100 feet in length overall not engaged in towing or
- (3) a vessel authorized by the Commander, USCG Southwest District.

[CGD 11-84-01, 49 FR 33015, Aug. 20, 1984]

#### § 147.1110 Platform HARVEST safety zone.

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34-28-09.5 N, 120-40-46.1 W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except for the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CGD 11-84-01, 49 FR 33016, Aug. 20, 1984]

#### § 147.1111 Platform EUREKA safety zone.

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 33-33-50 N, 118-07-00 W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CGD 11-84-01, 49 FR 33016, Aug. 20, 1984]

#### § 147.1112 Platform HIDALGO safety zone.

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34-29-42 N, 120-42-08 W.
- (b) **Regulations:** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CGD 11-84-01, 49 FR 33016, Aug. 20, 1984]

**§ 147.1113 Platform GAIL safety zone.**

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34°-07'-30" N, 119°-24'-01" W.
- (b) **Regulation:** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel,
  - (2) a vessel under 100 feet in length overall not engaged in towing, or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CGD11-87-06, 52 FR 9657, Mar. 26, 1987]

**§ 147.1114 Platform HARMONY safety zone.**

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34°-22'-36" N, 120°-10'-03" W.
- (b) **Regulation:** No vessel may enter or remain in this safety zone except the following:
  - (1) an attending vessel;
  - (2) a vessel under 100 feet in length overall not engaged in towing; or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CGD11-92-01, 57 FR 9055, Mar. 16, 1992]

**§ 147.1115 Platform HERITAGE safety zone.**

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34°-21'-01" N, 120°-16'-45" W.
- (b) **Regulation:** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) a vessel under 100 feet in length overall not engaged in towing; or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CGD11-92-01, 57 FR 9055, Mar. 16, 1992]

**§ 147.1116 Platform IRENE safety zone.**

- (a) **Description:** The area within a line 500 meters from each point on the structure's outer edge. The position of the center of the structure is 34°-36'-37.5" N, 120°-43'-46" W.
- (b) **Regulation:** No vessel may enter or remain in this safety zone except the following:
  - (1) An attending vessel;
  - (2) a vessel under 100 feet in length overall not engaged in towing; or
  - (3) a vessel authorized by the Commander, USCG Southwest District.

[CGD11-92-02, 57 FR 9054, Mar. 16, 1992]