SYNTHETIC CLINICAL STUDY PROTOCOL

SYNTHETIC DEMO DOCUMENT - FOR SOFTWARE TESTING/HACKATHON USE ONLY - NOT IRB APPROVED

A Phase II Study of RA-315 in Adults With Active Rheumatoid Arthritis

Protocol ID: RA315-204 **Study ID:** STUDY-007

Protocol version	1.6
Sponsor	Calder Immunology (synthetic)
Phase	Phase 2
Condition	Rheumatoid Arthritis
Design	Randomized, double-blind, placebo-controlled
Target enrollment	120
Duration	12 weeks
Primary objective	Proportion of participants achieving ACR20 response at Week 12

1. Study Synopsis

This synthetic protocol evaluates RA-315 in participants with Rheumatoid Arthritis. The study uses a randomized, double-blind, placebo-controlled design and plans to enroll approximately 120 participants across multiple sites.

2. Objectives and Endpoints

Primary endpoint: Proportion of participants achieving ACR20 response at Week 12. Secondary objectives include participant safety, adherence, feasibility of remote data collection, and descriptive changes in study-specific patient-reported measures.

3. Study Arms

RA-315 100 mg subcutaneous once weekly; Placebo subcutaneous once weekly.

4. Inclusion Criteria

- Age 18 years or older
- Rheumatoid arthritis diagnosis for at least 6 months
- At least 6 swollen joints at screening
- Stable methotrexate dose for 8 weeks

5. Exclusion Criteria

- Active or latent tuberculosis
- Prior treatment with a biologic in the same class
- Pregnancy

6. Study Procedures

Participants complete screening, informed consent, baseline assessments, scheduled study visits, and remote or site-based assessments according to the Schedule of Activities. Patient-reported measures may be collected through a secure messaging interface or linked web form.

7. Study Measurements

- Joint pain severity: Daily (Patient message)
- Morning stiffness duration: Daily (Patient message)
- Weekly injection given: Weekly (Patient message)
- Injection site reaction: Weekly (Patient questionnaire)
- C-reactive protein: Weeks 0,4,8,12 (Site laboratory)

8. Safety Monitoring

Study staff review predefined safety and completeness signals. Automated software may flag missing or unusual values for human review but does not independently make medical decisions.

9. Data Management

Each participant is assigned a study-specific participant ID. Identifiable contact information is stored separately from the analysis dataset. Source responses, parsed values, timestamps, document versions, and audit events are retained.

10. Statistical Overview

The primary analysis will summarize the primary endpoint according to the prespecified analysis population. Descriptive statistics will be used for adherence, missingness, participant-reported measures, and operational monitoring.