



tree

Hardware List

# Hardware List

## TABLE OF CONTENTS

[Hardware List](#)

- > Gen11
  - > fi-icl-y
  - > fi-icl-u3
  - > fi-icl-u2
- > Gen9
  - > fi-whl-u
  - > fi-cfl-s3
  - > fi-cfl-guc
  - > fi-cfl-8700k
  - > fi-cfl-8109u
  - > fi-glk-j4005
  - > fi-kbl-x1275
  - > fi-kbl-soraka
  - > fi-kbl-r
  - > fi-kbl-guc
  - > fi-kbl-8809g
  - > fi-kbl-7567u
  - > fi-kbl-7560u
  - > fi-kbl-7500u
  - > fi-bxt-j4205
  - > fi-bxt-dsi
  - > fi-apl-guc
  - > fi-skl-guc
  - > fi-skl-gvtvm
  - > fi-skl-6700k
  - > fi-skl-6700k2
  - > fi-skl-6700k
  - > fi-skl-6600u
  - > fi-skl-6260u
  - > Gen8
    - > fi-bsw-n3050
    - > fi-bsw-kefka
    - > fi-bsw-cyan
    - > fi-bdw-samus
    - > fi-bdw-gvtdvm
    - > fi-bdw-5557u
  - > Gen7
    - > fi-hsw-peppy
    - > fi-hsw-4770r

[raw](#)  
[yaml](#)

## Gen11

fi-  
icl-  
y

[raw](#)  
[data](#)

```
cpu: Genuine Intel(R) CPU 0000 @ 1.60GHz
gen: 11
display:
  DP-1:
    status: connected
    display: AVA AG0 B33HAN04.3
  DP-2:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-3:
    status: disconnected
  HDMI-A-2:
    status: disconnected
  DP-4:
    status: disconnected
  HDMI-A-3:
    status: disconnected
  DP-5:
    status: disconnected
  HDMI-A-4:
    status: disconnected
```

fi-  
icl-  
u3

[raw](#)  
[data](#)

```
cpu: Genuine Intel(R) CPU 0000 @ 1.60GHz
gen: 11
display:
  eDP-1:
    status: connected
    display: SHP LQ133D1JW33B
  DP-1:
```

```
status: connected
display: DEL 32R1F52R153L DELL P2715Q
HDMI-A-1:
status: disconnected
HDMI-A-2:
status: connected
display: SAM U24E590 HTPH700224
DP-2:
status: disconnected
DP-3:
status: disconnected
DP-4:
status: disconnected
```

## fi-icl-u2

Ice  
Lake  
RVP

[raw](#)  
[data](#)

```
Cpu: Genuine Intel(R) CPU 0000 @ 1.60GHz
gen: 11
display:
eDP-1:
status: connected
display: SHP LQ133D1JW33B
DP-1:
status: disconnected
HDMI-A-1:
status: disconnected
HDMI-A-2:
status: connected
display: AOC 28E850
DP-2:
status: disconnected
DP-3:
status: disconnected
DP-4:
status: disconnected
```

## Gen9

### fi-whl-u

Intel  
Whiskey  
Lake  
RVP

[raw](#)  
[data](#)

```
Cpu: Genuine Intel(R) CPU 0000 @ 1.60GHz
gen: 9
display:
eDP-1:
status: connected
```

```
DP-1:
  status: disconnected
DP-2:
  status: disconnected
HDMI-A-1:
  status: disconnected
```

**fi-  
cfl-  
s3**

Intel  
Coffee  
Lake-  
S  
RVP

[raw](#)  
[data](#)

```
Cpu: Intel(R) Core(TM) i7-8700 CPU @ 3.20GHz
gen: 9
display:
  eDP-1:
    status: connected
    display: SHP LQ125T1JX05
  DP-1:
    status: disconnected
    via: MC2800 v1.75
  DP-2:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-3:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

**fi-  
cfl-  
guc**

MSI  
Mortar  
Z370

[raw](#)  
[data](#)

```
Cpu: Intel(R) Core(TM) i7-8700K CPU @ 3.70GHz
gen: 9
display:
  HDMI-A-1:
    status: connected
    display: AOC 28E850
  HDMI-A-2:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-3:
    status: disconnected
  DP-2:
    status: disconnected
```

**fi-  
cfl-  
8700k**

MSI  
Mortar  
Z370

[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM) i7-8700K CPU @ 3.70GHz
gen: 9
display:
  HDMI-A-1:
    status: connected
    display: AAA Dummy Plug
  HDMI-A-2:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-3:
    status: disconnected
  DP-2:
    status: disconnected
```

**fi-  
cfl-  
8109u**

Intel  
Coffee  
Lake  
NUC

[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM) i3-8109U CPU @ 3.00GHz
gen: 9
display:
  DP-1:
    status: connected
    to: HDMI
    via: MC2800 v1.75
    display: AOC 28E850
  DP-2:
    status: connected
    to: HDMI
    via: 176GB0 v7.38
    display: AOC 28E850
  HDMI-A-1:
    status: disconnected
```

**fi-  
glk-  
j4005**

Intel  
NUC7CJYH

[raw](#)[data](#)

```
Cpu: Intel(R) Celeron(R) J4005 CPU @ 2.00GHz
```

```
gen: 9
display:
  HDMI-A-1:
    status: connected
  HDMI-A-2:
    status: disconnected
```

## fi- kbl- x1275

Intel  
S1200SPLR

[raw](#)  
[data](#)

```
Cpu: Intel(R) Xeon(R) CPU E3-1275 v6 @ 3.80GHz
gen: 9
display:
  DP-1:
    status: disconnected
  DP-2:
    status: disconnected
    via: 3355N2 v1.3
  HDMI-A-1:
    status: disconnected
```

## fi- kbl- soraka

HP  
ChromeBook  
X2

[raw](#)  
[data](#)

```
Cpu: Intel(R) Core(TM) m3-7Y30 CPU @ 1.00GHz
gen: 9
display:
  eDP-1:
    status: connected
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-2:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

## fi- kbl- r

Intel  
Kaby  
Lake-  
R  
RVP

[raw](#)[data](#)

```
cpu: Genuine Intel(R) CPU 0000 @ 1.70GHz
gen: 9
display:
  eDP-1:
    status: connected
    display: SHP LQ125D1JW33
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-2:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

**fi-  
kbl-  
guc**

Asus  
Z170M-  
PLUS

[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i7-7700K CPU @ 4.20GHz
gen: 9
display:
  HDMI-A-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
  DP-1:
    status: disconnected
```

**fi-  
kbl-  
8809g**

Intel  
NUC8i7HVK  
Hades  
Canyon

[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i7-8809G CPU @ 3.10GHz
gen: 9
display: {}
```

**fi-  
kbl-  
7567u**

Intel  
NUC7i7BNH

[raw](#)

[data](#)  
cpu: Intel(R) Core(TM) i7-7567U CPU @ 3.50GHz  
gen: 9  
display:  
  DP-1:  
    status: connected  
    to: HDMI  
    via: MC2800 v1.75  
    display: STM AthenaDP  
  DP-2:  
    status: disconnected  
  HDMI-A-1:  
    status: disconnected

**fi-  
kbl-  
7560u**

Dell  
XPS  
13

[raw](#)  
[data](#)  
cpu: Intel(R) Core(TM) i7-7560U CPU @ 2.40GHz  
gen: 9  
display:  
  eDP-1:  
    status: connected  
    display: !binary |-  
      U0hQIFJYTjQ5gUxRMTMzWjE=  
  DP-1:  
    status: disconnected  
  DP-2:  
    status: disconnected

**fi-  
kbl-  
7500u**

Gigabyte  
NUC  
GB-  
BKi7

[raw](#)  
[data](#)  
cpu: Intel(R) Core(TM) i7-7500U CPU @ 2.70GHz  
gen: 9  
display:  
  DP-1:  
    status: connected  
    display: STM AthenaDP  
  HDMI-A-1:  
    status: disconnected  
  DP-2:  
    status: connected  
    to: HDMI  
    via: 175IB0 v7.32  
    display: STM AthenaDP

**fi-**

**bxt-  
j4205**

Asrock  
J4205-  
ITX

[raw](#)[data](#)

```
cpu: Intel(R) Pentium(R) CPU J4205 @ 1.50GHz
gen: 9
display:
  DP-1:
    status: connected
    to: VGA
  DP-2:
    status: disconnected
    via: MC2800 v1.56
  HDMI-A-1:
    status: disconnected
```

**fi-  
bxt-  
dsi**

Broxton  
RVP

[raw](#)[data](#)

```
cpu: 06/5c
gen: 9
display:
  DSI-1:
    status: connected
  DP-1:
    status: disconnected
    via: MC2800 v1.39
  DP-2:
    status: disconnected
  HDMI-A-1:
    status: disconnected
```

**fi-  
apl-  
guc**

Intel  
NUC6CAY

[raw](#)[data](#)

```
cpu: Intel(R) Celeron(R) CPU J3455 @ 1.50GHz
gen: 9
display:
  DP-1:
    status: connected
    to: HDMI
    via: MC2800 v1.75
    display: AOC 28E850
  DP-2:
    status: disconnected
```



**fi-  
skl-  
iommu**

Asus  
Z170I  
Pro  
Gaming

[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i7-6700 CPU @ 3.40GHz
gen: 9
display:
  HDMI-A-1:
    status: connected
    display: 'SAM 1315-478-0722 Dummy #4B'
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

**fi-  
skl-  
gvt\_dvm**[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i5-6260U CPU @ 1.80GHz
gen: 9
display:
  HDMI-A-1:
    status: connected
    display: DEL MFT4K38NAL1M DELL E2014T
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

**fi-  
skl-  
guc**

Asus  
Z170  
Pro  
Gaming

[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i7-6700K CPU @ 4.00GHz
gen: 9
display:
  HDMI-A-1:
    status: disconnected
  HDMI-A-2:
    status: connected
    display: 'SAM 1315-478-0722 Dummy #4B'
  DP-1:
    status: disconnected
```

```
HDMI-A-3:
  status: disconnected
DP-2:
  status: connected
  to: VGA
```

## fi- skl- 6770hq

Intel  
NUC6i7KYK  
Skull  
Canyon

[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM) i7-6770HQ CPU @ 2.60GHz
gen: 9
display:
  DP-1:
    status: connected
    to: HDMI
    via: 175IB0 v7.32
    display: SAM U24E590 HTPH800249
  DP-2:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-3:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

## fi- skl- 6700k2

Asus  
Z170  
Pro  
Gaming

[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM) i7-6700K CPU @ 4.00GHz
gen: 9
display:
  HDMI-A-1:
    status: connected
    display: DEL KF87Y33UEYGL DELL U2312HM
  HDMI-A-2:
    status: connected
    display: STM AthenaDP
  DP-1:
    status: disconnected
  HDMI-A-3:
    status: disconnected
  DP-2:
    status: connected
    to: VGA
```

**fi-  
skl-  
6700hq**

Toshiba  
Satellite  
P50-  
C-  
18C

[raw](#)  
[data](#)

```
Cpu: Intel(R) Core(TM) i7-6700HQ CPU @ 2.60GHz
gen: 9
display:
  eDP-1:
    status: connected
    display: LGD LG Display LP156WF6-SPA1
  DP-1:
    status: disconnected
    via: MC2800 v1.29
```

**fi-  
skl-  
6600u**

Dell  
XPS  
13

[raw](#)  
[data](#)

```
Cpu: Intel(R) Core(TM) i7-6600U CPU @ 2.60GHz
gen: 9
display:
  eDP-1:
    status: connected
    display: !binary |-
      U0hQIFJYTjQ5gUxRMTMzWjE=
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-2:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

**fi-  
skl-  
6260u**

Intel  
NUC6i5SYH

[raw](#)  
[data](#)

```
Cpu: Intel(R) Core(TM) i5-6260U CPU @ 1.80GHz
gen: 9
display:
  HDMI-A-1:
```

```
status: connected
display: ACI VE248 F2LMQS031155
DP-1:
status: disconnected
HDMI-A-2:
status: disconnected
```

## Gen8

### fi- bsw- n3050

Intel  
NUC5CPYH

[raw](#)

[data](#)

```
Cpu: Intel(R) Celeron(R) CPU N3050 @ 1.60GHz
gen: 8
display:
DP-1:
status: disconnected
HDMI-A-1:
status: disconnected
DP-2:
status: disconnected
HDMI-A-2:
status: connected
display: LEN LEN LT2452pwC VN-131717
```

### fi- bsw- kefka

Dell  
ChromeBook  
11

[raw](#)

[data](#)

```
Cpu: Intel(R) Celeron(R) CPU N3060 @ 1.60GHz
gen: 8
display:
eDP-1:
status: connected
display: !binary |-
Qk9FIEhHTkdQgE5UMTFBMjI=
DP-1:
status: disconnected
HDMI-A-1:
status: disconnected
DP-2:
status: disconnected
HDMI-A-2:
status: disconnected
```

### fi- bsw- cyan

Acer  
R11  
ChromeBook

[raw](#)[data](#)

```
Cpu: Intel(R) Celeron(R) CPU N3150 @ 1.60GHz
gen: 8
display:
  eDP-1:
    status: connected
    display: AUO AUO B116XAN04.0
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-2:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

fi-  
bdw-  
samus

[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM) i7-5500U CPU @ 2.40GHz
gen: 8
display:
  eDP-1:
    status: connected
    display: LGD LG Display LP129QE2-SPA1
  DP-1:
    status: disconnected
  DP-2:
    status: disconnected
```

fi-  
bdw-  
gvt\_dvm

[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM) i5-5250U CPU @ 1.60GHz
gen: 8
display:
  HDMI-A-1:
    status: connected
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

fi-  
bdw-  
5557u

Intel  
NUC5I7RYB

[raw](#)  
[data](#)

```
cpu: Intel(R) Core(TM) i7-5557U CPU @ 3.10GHz
gen: 8
display:
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: connected
  display: ACI VE248 F2LMQS031155
```

**Gen7**

**fi-  
hsw-  
peppy**

Acer  
C720P  
ChromeBook

[raw](#)  
[data](#)

```
cpu: Intel(R) Celeron(R) 2955U @ 1.40GHz
gen: 7
display:
  eDP-1:
    status: connected
    display: CMN N116BGE-EA2 CMN N116BGE-EA2
  HDMI-A-1:
    status: disconnected
```

**fi-  
hsw-  
4770r**

Gigabyte  
Brixbox

[raw](#)  
[data](#)

```
cpu: Intel(R) Core(TM) i7-4770R CPU @ 3.20GHz
gen: 7
display:
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: connected
    to: VGA
    via: DpVga v1.48
  HDMI-A-2:
    status: disconnected
```

**fi-  
hsw-  
4770**

Lenovo  
ThinkCene  
M83

[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i7-4770 CPU @ 3.40GHz
gen: 7
display:
  VGA-1:
    status: connected
    display: LEN LEN LT2452pwC VN-131717
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-2:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

**fi-  
hsw-  
4200u**

Dell  
XPS  
13  
fliptop

[raw](#)[data](#)


```
cpu: Intel(R) Core(TM) i5-4200U CPU @ 1.60GHz
gen: 7
display:
  eDP-1:
    status: connected
    display: !binary |-
      TEdEIFJNM1lWgDEyNVdGMQ==
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
```

**fi-  
byt-  
squawks**

Asus  
C200M  
Chromebook

[raw](#)[data](#)

```
cpu: Intel(R) Celeron(R) CPU N2830 @ 2.16GHz
gen: 7
display:
  eDP-1:
    status: connected
    display: CMN N116BGE-EB2 CMN N116BGE-EB2
  DP-1:
    status: disconnected
  HDMI-A-1:
```

 status: disconnected**fi-  
byt-  
j1900**Gigabyte  
GB-  
BXBT-  
1900[raw](#)[data](#)

```
cpu: Intel(R) Celeron(R) CPU J1900 @ 1.99GHz
gen: 7
display:
  VGA-1:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: connected
    display: AAA Dummy Plug
```

**fi-  
byt-  
clapper**Lenovo  
N20  
Chromebook[raw](#)[data](#)

```
cpu: Intel(R) Celeron(R) CPU N2830 @ 2.16GHz
gen: 7
display:
  eDP-1:
    status: connected
    display: LEN B116XTN01.0
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
```

**fi-  
ivb-  
3770**HP  
Pro  
3500[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i7-3770 CPU @ 3.40GHz
gen: 7
display:
  VGA-1:
    status: connected
  HDMI-A-1:
```



```
status: disconnected
DP-1:
status: disconnected
```

## fi- ivb- 3520m

IBM  
Thinkpad  
T430s

[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM) i7-3520M CPU @ 2.90GHz
gen: 7
display:
  LVDS-1:
    status: connected
  VGA-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
  HDMI-A-3:
    status: disconnected
  DP-2:
    status: disconnected
  DP-3:
    status: disconnected
```

## Gen6

## fi- snb- 2600

Dell  
XPS  
8300

[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM) i7-2600 CPU @ 3.40GHz
gen: 6
display:
  VGA-1:
    status: disconnected
  HDMI-A-1:
    status: connected
    display: DNK HDMI_UHD
  DP-1:
    status: disconnected
```

## fi- snb- 2520m

IBM  
Lenovo  
X220

[raw](#)  
[data](#)

```
Cpu: Intel(R) Core(TM) i5-2520M CPU @ 2.50GHz
gen: 6
display:
  LVDS-1:
    status: connected
    display: LGD LG Display LP125WH2-SLB1
  VGA-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
  HDMI-A-3:
    status: disconnected
  DP-2:
    status: disconnected
  DP-3:
    status: disconnected
```

**Gen5**

**fi-  
ilk-  
m540**

HP  
EliteBook  
8440p

[raw](#)  
[data](#)

```
Cpu: Intel(R) Core(TM) i5 CPU           M 540  @ 2.53GHz
gen: 5
display:
  eDP-1:
    status: connected
    display: LGD
  VGA-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
  HDMI-A-3:
    status: disconnected
  DP-2:
    status: disconnected
  DP-3:
    status: disconnected
```

**fi-  
ilk-  
650**

HP  
Compaq  
8100  
Elite

[raw](#)  
[data](#)

```
cpu: Intel(R) Core(TM) i5 CPU          650  @ 3.20GHz
gen: 5
display:
  VGA-1:
    status: connected
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: connected
display: DEL MFT4K38NAKZM DELL E2014T
```

Gen4

fi-  
ctg-  
p8600

IBM  
Lenovo  
X200

[raw](#)  
[data](#)

```
cpu: Intel(R) Core(TM)2 Duo CPU          P8600  @ 2.40GHz
gen: 4
display:
  LVDS-1:
    status: connected
    display: LEN B121EW09 V3
  VGA-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
  DP-2:
    status: disconnected
  DP-3:
    status: disconnected
```

fi-  
elk-  
e7500

HP  
Compaq  
8000

[raw](#)  
[data](#)

```
cpu: Intel(R) Core(TM)2 Duo CPU          E7500  @ 2.93GHz
gen: 4
display:
```

```
VGA-1:
  status: disconnected
HDMI-A-1:
  status: connected
  display: ACR G246HYL LZ5EE0032410
DP-1:
  status: disconnected
```

## fi- bwr- 2160

Dell  
Optiplex  
745

[raw](#)[data](#)

```
Cpu: Genuine Intel(R) CPU                2160  @ 1.80GHz
gen: 4
display:
  VGA-1:
    status: disconnected
  DVI-D-1:
    status: connected
    display: DEL J8J3155LAFNL DELL P2314H
```

## Gen3

## fi- pnv- d510

Intel  
Pineview  
D510

[raw](#)[data](#)

```
Cpu: Intel(R) Atom(TM) CPU D510          @ 1.66GHz
gen: 3
display:
  VGA-1:
    status: connected
```

## fi- blb- e6850

Dell  
Optiplex  
755

[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM)2 Duo CPU          E6850  @ 3.00GHz
gen: 3
display:
  VGA-1:
    status: connected
```

**fi-  
gdg-  
551**

Dell  
Optiplex  
280

[raw](#)[data](#)

```
Cpu: Intel(R) Pentium(R) 4 CPU 3.40GHz
gen: 3
display:
  VGA-1:
    status: connected
  DVI-D-1:
    status: disconnected
```

**pigs****pig-  
glk-  
j5005**

Intel  
NUC7CJYH

[raw](#)[data](#)

```
Cpu: Intel(R) Pentium(R) Silver J5005 CPU @ 1.50GHz
gen: 9
display:
  HDMI-A-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

**pig-  
skl-  
6260u**[raw](#)[data](#)

```
Cpu: Intel(R) Core(TM) i5-6260U CPU @ 1.80GHz
gen: 9
display:
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

**pig-  
hsw-  
4770r**

Gigabyte

Brixbox

[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i7-4770R CPU @ 3.20GHz
gen: 7
display:
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

**pig-  
byt-  
n2820**[raw](#)[data](#)

```
cpu: Intel(R) Celeron(R) CPU N2820 @ 2.13GHz
gen: 7
display:
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
```

**pig-  
snb-  
2600**

Dell

XPS

8300

[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i7-2600 CPU @ 3.40GHz
gen: 6
display:
  VGA-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: disconnected
```

**shards****shard-  
iclb**

Intel

Icelake

RVP

[raw](#)

[data](#)

```
cpu: Genuine Intel(R) CPU 0000 @ 1.30GHz
gen: 11
display:
  eDP-1:
    status: connected
    display: CMN CMN N133HSE-EA1
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  HDMI-A-2:
    status: disconnected
  DP-2:
    status: disconnected
  DP-3:
    status: disconnected
  DP-4:
    status: disconnected
```

## shard- glk

Intel  
NUC7CJYH

[raw](#)  
[data](#)

```
cpu: Intel(R) Celeron(R) J4005 CPU @ 2.00GHz
gen: 9
display:
  HDMI-A-1:
    status: connected
    display: AOC 28E850
  HDMI-A-2:
    status: connected
    display: AOC 28E850
```

## shard- kbl

Intel  
NUC7i5BNH

[raw](#)  
[data](#)

```
cpu: Intel(R) Core(TM) i5-7260U CPU @ 2.20GHz
gen: 9
display:
  DP-1:
    status: connected
    to: HDMI
    via: MC2800 v1.75
    display: AOC 28E850
  DP-2:
    status: disconnected
  HDMI-A-1:
    status: disconnected
```

## shard- apl

Intel  
NUC6CAYH

[raw](#)[data](#)

```
cpu: Intel(R) Celeron(R) CPU J3455 @ 1.50GHz
gen: 9
display:
  DP-1:
    status: connected
    to: HDMI
    via: MC2800 v1.75
  DP-2:
    status: disconnected
```

## shard- skl

Samsung  
Chromebook  
XE510

[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) m3-6Y30 CPU @ 0.90GHz
gen: 9
display:
  eDP-1:
    status: connected
    display: SHP LQ123P1JX31
  DP-1:
    status: disconnected
  HDMI-A-1:
    status: disconnected
  DP-2:
    status: disconnected
  HDMI-A-2:
    status: disconnected
```

## shard- hsw

MSI  
Z97M-  
G43

[raw](#)[data](#)

```
cpu: Intel(R) Core(TM) i7-4790K CPU @ 4.00GHz
gen: 7
display:
  VGA-1:
    status: connected
  HDMI-A-1:
    status: connected
    display: AOC 28E850
  HDMI-A-2:
    status: disconnected
  DP-1:
    status: disconnected
  HDMI-A-3:
    status: disconnected
```

## shard- snb



Dell  
XPS  
8300

raw  
data

```
cpu: Intel(R) Core(TM) i7-2600 CPU @ 3.40GHz
gen: 6
display:
  VGA-1:
    status: connected
  HDMI-A-1:
    status: disconnected
  DP-1:
    status: disconnected
```

Stored in  
**gitlab**,  
where  
you can  
**submit**  
**and**  
**issue**.