## **CSE215: Lecture 03 Foundations of Computer Science**

Instructor: Zhoulai Fu

**State University of New York, Korea** 

**February 23, 2022** 

Course materials and Info available here: https://github.com/zhoulaifu/22\_cse215\_spring

### News

- Attendance check —> From next week
- hybrid —> In person only, unless covid
- Homework —> Per week instead of per chapter

## Today's objectives

### To understand

- the scope of propositional logic
- a mathematical way to check if a proposition is true or false

## Why?

### SBU's answer (selection)

### Remove ambiguity.

English is ambiguous:

- "The cat chased the mouse until it fell."
- "My mother never made cake, which we hated."

### Logic and artificial intelligence

#### Nils J. Nilsson

Computer Science Department, Stanford University, Stanford, CA 94305, USA

Received February 1989

Abstract

Nilsson, N.J., Logic and artificial intelligence, Artificial Intelligence 47 (1990) 31-56.

The theoretical foundations of the logical approach to artificial intelligence are presented.

- 1989 paper from a founding AI researcher at Stanford CS
- Quote: "Logic provides the vocabulary and many of the techniques needed both for analyzing the processes of representation and reasoning and for synthesizing machines that represent and reason."

## Scope

## Example: Intelligence in software analysis used by Facebook, Microsoft, or Google

```
int x = 0;
while (x < 10){
    x = x + 1;
}
</pre>
```

- Without executing the code, what will the value of x become after the loop ends?
- Answer: x must equals to 10. Since x>=10 here after the loop, and x<11 as an invariant. Combined with the fact that x is an integer, we can be certain that x=10.

# How do we know if a proposition is true or false

- There exists life in other planets
- The next President of Korea will be Mr / Ms \_\_\_\_.
- The earth is round.
- If earth is round, I can return to where I am by traveling toward a certain direction.
- To check truthfulness of these propositions require physics or geography knowledge beyond computer scientists / mathematicians.
- But they may tell you whether you can rightfully argue that, based on some assumptions, whether a statement is true.
- Namely, they may tell if your argument makes sense. For example, ...

### Scope of propositional logic

- To check if a proposition like (p -> q) -> (q -> p) is true of false
- We call such propositions compound statement.
- Scope: This class is not to decide truthfulness of unit proposition, but their combination and connection, and the truthfulness of the resulted compound statements.

### How?

## Can we check (p -> q) -> (q -> p) with a truth table talked yesterday?

Let us try!

# A more systematic study (based on SBU's materials)

# Truth in the sense of Logic / Mathematics

Rigor	Truth type	Field	Truth teller	
0	Word of God	Religion	God/Priests	
1	Authoritative truth	Business	Boss	
2	Legal truth	Judiciary	Law/Judge/Law makers	
3	Philosophical truth	Philosophy	Plausible argument	
4	Scientific truth	Physical sciences	Experiments/observation	
5	Statistical truth	Statistics	Data sampling	
6	Mathematical truth	Mathematics	Logical deduction	

### Proposition

#### Definition

 A statement or proposition is a sentence for which a truth value (either true or false) can be assigned

#### Classes of statements

- True statements. "The atomic number of Oxygen is 8."
- False statements. "1+1=3."
- Truth value currently unknown.
  - Goldbach's conjecture

▶ Why?

> Why?

- Truth values change with time/scenarios.
  - "Today is Sunday." written on a paper slip

### Compound statement

#### **Definition**

 A compound statement is a complex sentence that is obtained by joining propositional variables using logical connectives

Logical operator	Notation	Read as
Negation	$\sim p$	$not\ p$
Conjunction	$p \wedge q$	p and $q$
Disjunction	$p \lor q$	p or $q$
Conditional	$p \rightarrow q$	p implies $q$
		if $p$ , then $q$
		p only if $q$
		q if $p$
		$\it q$ , provided that $\it p$
Biconditional	$p \leftrightarrow q$	p if and only if $q$
Logical equivalence	$p \equiv q$	p logically equivalent to $q$

**Negation**  $(\sim p)$ 

#### Definition

• Negation of a statement p, denoted by  $\sim p$ , is a statement obtained by changing the truth value of p.

p	$\sim p$
Т	F
F	Т

### Conjunction $(p \land q)$

#### **Definition**

• Conjunction of statements p and q, denoted by  $p \wedge q$ , is a statement such that it is true if both p and q are true and it is false, otherwise.

p	q	$p \wedge q$
Т	Т	Т
Т	F	F
F	Т	F
F	F	F

**Disjunction**  $(p \lor q)$ 

#### **Definition**

• Disjunction of statements p and q, denoted by  $p \lor q$ , is a statement such that it is false if both p and q are false and it is true, otherwise.

$\left[ \begin{array}{c} p \end{array} \right]$	q	$p \lor q$	
Т	Т	Т	
Т	F	Т	
F	Т	Т	
F	F	F	

Exclusive or  $(p \oplus q)$ 

#### Definition

• Exclusive or of statements p and q, denoted by  $p \oplus q$ , is defined as p or q but not both. It is computed as  $(p \lor q) \land \sim (p \land q)$ 

p	q	$p \lor q$	$p \wedge q$	$\sim (p \wedge q)$	$(p \lor q) \land \sim (p \land q)$
Т	Τ	Т	Т	F	F
Т	F	Т	F	Т	Т
F	Т	Т	F	Т	Т
F	F	F	F	Т	F

Do you want Kimchi, or do you want Gimbap?

#### Definition

• Conditional or implication is a compound statement of the form "if p, then q". It is denoted by  $p \to q$  and read as "p implies q". It is false when p is true and q is false, and it is true, otherwise.

f(p)	q	$p \rightarrow q$
Т	Т	Т
Т	F	F
F	Т	Т
F	F	Т

### Examples of from absurd to absurd

- If 1+1=3, then 1=0
- If the earth is plat, I am walking on the moon

## Precedence of Logical Operators

Priority	Operator	Comments	
1	2	Evaluate $\sim$ first	
2	^	Evaluate $\land$ and $\lor$ next; Use	
	V	parenthesis to avoid ambiguity	
3	$\rightarrow$	Evaluate $\rightarrow$ and $\leftrightarrow$ next; Use	
	$\leftrightarrow$	parenthesis to avoid ambiguity	
4		$Evaluate \equiv last$	

- p∨q∧r reads as ...
- ~ p -> q reads as ...
- p -> q ∧ q -> p reads as ...

## Logic equivalence

### Definition

• Two statement forms p and q are logically equivalent, denoted by  $p\equiv q$ , if and only if they have the same truth values for all possible combination of truth values for the propositional variables

### Checking logical equivalence

- 1. Construct and compare truth tables (most powerful)
- 2. Use logical equivalence laws

# Logical equivalence: Example

#### **Problem**

• Show that  $p \wedge (q \vee r) \not\equiv (p \wedge q) \vee r$ 

p	q	r	$q \lor r$	$p \wedge (q \vee r)$	$p \wedge q$	$(p \land q) \lor r$
Т	Τ	Η	Т	Т	Т	Т
Т	Т	F	Т	Т	Т	Т
Т	F	Т	Т	Т	F	Т
Т	F	F	F	F	F	F
F	Т	Τ	Т	F	F	Т
F	Т	F	Т	F	F	F
F	F	Т	T	F	F	Т
F	F	F	F	F	F	F

### Useful logical equivalence

Laws	Formula	Formula
Commutative laws	$p \wedge q \equiv q \wedge p$	$p \vee q \equiv q \vee p$
Associative laws	$(p \wedge q) \wedge r \equiv p \wedge (q \wedge r)$	$(p \vee q) \vee r \equiv p \vee (q \vee r)$
Distributive laws	$p \land (q \lor r) \equiv (p \land q) \lor (p \land r)$	$p \lor (q \land r) \equiv (p \lor q) \land (p \lor r)$
Identity laws	$p \wedge \mathbf{t} \equiv p$	$p \lor \mathbf{c} \equiv p$
Negation laws	$p \lor \sim p \equiv \mathbf{t}$	$p \wedge \sim p \equiv \mathbf{c}$
Double neg. law	$\sim (\sim p) \equiv p$	
Idempotent laws	$p \wedge p \equiv p$	$p\vee p\equiv p$
Uni. bound laws	$pee\mathbf{t}\equiv\mathbf{t}$	$p \wedge \mathbf{c} \equiv \mathbf{c}$
De Morgan's laws	$\sim (p \land q) \equiv \sim p \lor \sim q$	$\sim (p \lor q) \equiv \sim p \land \sim q$
Absorption laws	$p \vee (p \wedge q) \equiv p$	$p \land (p \lor q) \equiv p$
Negations	$\sim \mathbf{t} \equiv \mathbf{c}$	$\sim \mathbf{c} \equiv \mathbf{t}$

### Tautology and contradiction

#### **Definitions**

- A tautology is a statement form that is always true regardless of the truth values of the individual statements substituted for its statement variables.
- A contradication is a statement form that is always false regardless of the truth values of the individual statements substituted for its statement variables.

### Examples

•  $p \lor \sim p$ 

•  $p \land \sim p$ 

The secret of a fortune teller



### Let's practice - 2021 Final

### Problem 2. [5 points]

Check the logical equivalence of  $\sim (p \lor (\sim p \land q))$  and  $\sim p \land \sim q$ .

- Use De Morgen law and ~(p ∨ q) = ...
- Use distribution law  $p \land (q \lor r) = ...$

## See how logic saved Chris Gardner



## What would you say if a person wearing such a T-shirt walking into the interview, and I hired him

- Interview's proposition: Bad-T-shirt ∧ Get-hired
- Usually we assume Bad-T-shirt —> ~Get-hired



-> Get Hired

- Following this usual assumption, we now know ~Get-hired ∧ Get-hired. That means **contradiction**.
- Never tell the interviewer that what they said was a contradiction.
- As Chris followed CSE215 long time ago, he knows the assumption Bad-T-shirt —> ~Get-hired is false
- So, Chris is now thinking from another angle. What can we imply from Get-hired?
- Since Get-hired means there must be some extraordinary quality. Chris thinks of two things: Get-hired
   Nice-T-shirt V Nice-Pants
- He put this one to the interviewer's proposition, he gets Bad-T-Shirt ∧ (Nice-T-shirt ∨ Nice-Pants)
- Because he knows **associative law**, he gets (Bad-T-shirt ∧ Nice T-shirt) ∨ (Bad-T-shirt and Nice-Pants)
- So he gets an equivalent formula: Bad-T-shirt ∧ Nice-pants.
- Bad-T-shirt is kind of **tautology** for the interviewer. So he answers, with confidence from his logic lessons, that he got "nice pants".

## Takeaway for today

- What kind of things does Propositional Logic study
- How to evaluate (1) basic logic structures and (2) compound ones
- Practiced with a bit of real-world examples

## Thank you for your attention!