





enc.out
encoder output

end of training: different
qualifier: modulated agents
also differ among themselves
more than ordinary agents do
end of stage 1 (interim):
provisional — end of stage 1
of 5: different





rnn.state
memory state (GRU carry)

end of training: uninformative
(no verdict)
end of stage 1 (interim):
provisional — end of stage 1
of 5: different
changed between the end of
stage 1 and the end of
training





rnn.out
memory output

end of training: uninformative
(no verdict)
end of stage 1 (interim):
provisional — end of stage 1
of 5: different
changed between the end of
stage 1 and the end of
training





actor.out
actor hidden layer

end of training: different
end of stage 1 (interim):
provisional — end of stage 1
of 5: different



critic.out
critic hidden layer

end of training: different
qualifier: modulated agents
also differ among themselves
more than ordinary agents do
end of stage 1 (interim):
provisional — end of stage 1
of 5: undetermined at 3 seeds
changed between the end of
stage 1 and the end of
training



- ordinary–ordinary band [L, U]

ordinary–ordinary pair
- modulated–ordinary, different seeds

mean of those (bootstrap 5–95 %)
- modulated–modulated pair

untrained–untrained pair

evidence status: evidence; verdict words come only from decision_rules.evaluate_*
decision rules sha256 5ef6f731d15e @ 47b91611
Interim marks: results/analysis/algorithmic_null/algorithmic_null_mayrep_interim/similarity.json, interim — every
verdict word carries the prefix "provisional — end of stage 1 of 5"; verdict words come only from
decision_rules.evaluate_*, rules 4c8508af14b6. Rows in every panel, top to bottom: ordinary–ordinary;
modulated–ordinary (different seeds); their mean; modulated–modulated; untrained. Each panel has its own horizontal
range: compare positions within a panel, not across panels.