



enc.out
encoder output

layer verdict: provisional — end of stage 1 of 5: different



qualifier: modulated agents also differ among themselves more than ordinary agents do



rnn.state
memory state (GRU carry)

layer verdict: provisional — end of stage 1 of 5: different



qualifier: modulated agents also differ among themselves more than ordinary agents do



rnn.out
memory output



layer verdict: provisional — end of stage 1 of 5: different

qualifier: modulated agents also differ among themselves more than ordinary agents do





actor.out
actor hidden layer

layer verdict: provisional — end of stage 1 of 5: different



critic.out
critic hidden layer

layer verdict: provisional — end of stage 1 of 5: undetermined at 3 seeds



- ordinary–ordinary band [L, U]
- ordinary–ordinary pair
- modulated–ordinary, different seeds
- mean of those (bootstrap 5–95 %)
- modulated–modulated pair
- untrained–untrained pair

evidence status: interim — every verdict word carries the prefix "provisional — end of stage 1 of 5"; verdict words come only from decision_rules.evaluate_*

decision rules sha256 4c8508af14b6 @ 872b0e04 — computed under the rules before the 2026-09-30 revision (P1_rare_predictor_columns, P2_predictivity_gain_invariance_wording); reported with that sha, as the revision requires. The current rules file is 5ef6f731d15e.

Rows in every panel, top to bottom: ordinary–ordinary; modulated–ordinary (different seeds); their mean; modulated–modulated; untrained. Each panel has its own horizontal range: compare positions within a panel, not across panels.