

**VISVESVARAYA TECHNOLOGICAL UNIVERSITY**  
**JNANA SANGAMA, BELAGAVI - 590018**



*A Project Report on*

**PawCheck: An Integrated CNN and NLP Based Pet  
Health Assistant ChatBot for Early Disease Detection**

*Submitted in partial fulfilment of the requirements for the award of the degree of*

**Bachelor of Engineering**  
**In**

**Department of Artificial Intelligence and Data Science**

**for the Academic Year: 2024-25**

*Submitted by*

|                        |                   |
|------------------------|-------------------|
| <b>Sunidhi Divekar</b> | <b>1NT22AD055</b> |
| <b>Tejashwini A</b>    | <b>1NT22AD058</b> |
| <b>Trisha K</b>        | <b>1NT22AD059</b> |
| <b>Yuvanika P</b>      | <b>1NT22AD064</b> |

*Under the Guidance of*

**Dr. Vadivel R**  
Associate Professor  
Dept. of Artificial Intelligence and Data Science



**YELAHANKA, BENGALURU- 560064**



**NITTE**  
EDUCATION TRUST

**NITTE MEENAKSHI  
INSTITUTE OF TECHNOLOGY**

**Department of Artificial Intelligence and Data Science**

## ***Certificate***

This is to certify that the project work entitled “**PawCheck :An Integrated CNN and NLP Based Pet Health Assistant for Early Disease Detection**” has been carried out by *Sunidhi Divekar (INT22AD055), Tejashwini A (INT22AD058), Trisha K (INT22AD059), and Yuvanika P (INT22AD064)*, bonafide students of *Nitte Meenakshi Institute of Technology*, in partial fulfilment of the requirements for the award of the degree of **Bachelor of Engineering** in the **Department of Artificial Intelligence and Data Science**, under **Visvesvaraya Technological University**, Belagavi, during the academic year **2025–2026**.

The project report has been examined and approved as it meets the academic requirements specified under the autonomous scheme of **Nitte Meenakshi Institute of Technology** for the said degree.

**Signature of the Guide**

**Dr. Vadivel R**

Associate Professor  
Nitte Meenakshi Institute of  
Technology, Bengaluru-560064

**Signature of the HoD**

**Dr. Lakshmana**

Professor and Head  
Nitte Meenakshi Institute of  
Technology, Bengaluru-560064

**Signature of the Principal**

**Dr. H C. Nagaraj**

Principal  
Nitte Meenakshi Institute of  
Technology, Bengaluru-560064

## ***External Viva-Voce***

***Name of Examiners***

***Signature with Date***

1. ....

.....

2. ....

.....

## Acknowledgement

The successful execution of our project has been a significant milestone, and we take this opportunity to express our heartfelt gratitude to all those who have supported and guided us throughout this journey. Whatever we have achieved is the result of their encouragement and help, and we remain deeply thankful to each one of them.

We express our sincere thanks and seek the blessings of **Dr. N. R. Shetty**, Advisor, *Nitte Meenakshi Institute of Technology*, for his vision and emphasis on project-based learning and constructivist principles that have greatly enriched our academic experience. We are grateful to **Mr. Rohit Punja**, Administrator, *Nitte Education Trust*, and **Dr Sandeep Shastri**, Vice President, *Nitte University, Bangalore campus*, for their strategic leadership and continued support in fostering academic excellence.

We extend our special thanks to our beloved Principal, **Dr. H. C. Nagaraj**, for providing us with the necessary resources, facilities, and motivation to carry out our project successfully. Our sincere gratitude goes to **Dr. J. Sudheer Reddy**, *Dean – Academics*, and **Dr. Kiran Aithal**, *Dean – Research & Development*, for their guidance, encouragement, and for creating an environment that promotes innovation and academic growth.

We also convey our deep appreciation to **Dr. Lakshmana**, Head of the Department, Artificial Intelligence and Data Science, for his/her constant encouragement, valuable guidance, and for fostering a vibrant learning environment. We extend our heartfelt thanks to our project guide, **Dr. Vadivel R**, Associate Professor, *Department of Artificial Intelligence and Data Science.*, for his unwavering support, timely feedback, and insightful mentorship throughout the project. We are also indebted to our parents for their unconditional love, support, and encouragement throughout our academic journey at *Nitte Meenakshi Institute of Technology*, Bengaluru. Finally, we would like to express our appreciation to all those—**named and unnamed**—who contributed in any way to our learning and success.

|                 |              |
|-----------------|--------------|
| Sunidhi Divekar | (1NT22AD055) |
| Tejashwini A    | (1NT22AD058) |
| Trisha K        | (1NT22AD059) |
| Yuvanika P      | (1NT22AD064) |

Place: Bengaluru

Date:

## **Abstract**

With an emphasis on dogs and cats, this project uses artificial intelligence and deep learning to detect diseases in pets early. It looks into the accuracy of skin and eye disease prediction using image-based Convolutional Neural Networks (CNNs) in conjunction with contextual information like age and breed. The system also incorporates a location-based service to assist users in locating local veterinarians, clinics, and pet stores, as well as an AI chatbot for pet care advice.

With breed prediction accuracy above 90%, skin disease prediction accuracy above 85%, and eye disease prediction accuracy above 83%, the results demonstrate excellent performance. The AI chatbot correctly answered frequently asked questions, and the location service consistently found pet care facilities in the area.

This study shows how to improve pet healthcare by combining deep learning, user interaction, and geolocation services. For early disease detection, guidance, and access to nearby resources, the system offers an easy-to-use interface. Future developments could include real-time telemedicine consultations, voice-enabled chatbots, and expansion to additional species, demonstrating the usefulness of AI in enhancing animal health management and assisting pet owners.

# Contents

|                                                                       |           |
|-----------------------------------------------------------------------|-----------|
| <b>Acknowledgement</b>                                                | <b>i</b>  |
| <b>Abstract</b>                                                       | <b>ii</b> |
| <b>List of Figures</b>                                                | <b>iv</b> |
| <b>List of Table</b>                                                  | <b>iv</b> |
| <br>                                                                  |           |
| <b>CHAPTER 1 Introduction</b>                                         | <b>1</b>  |
| 1.1 Motivation                                                        | 2         |
| 1.2 Organization of the Report                                        | 3         |
| <br>                                                                  |           |
| <b>CHAPTER 2 Literature Survey, Problem Definition and Objectives</b> | <b>5</b>  |
| 2.1 Background Work                                                   | 5         |
| 2.2 Open Issues and Challenges                                        | 6         |
| 2.3 Problem Definition                                                | 8         |
| 2.4 Objectives                                                        | 9         |
| 2.5 Scope of the Work                                                 | 10        |
| <br>                                                                  |           |
| <b>CHAPTER 3 Design Approach and Methodology</b>                      | <b>12</b> |
| 3.1 Block Diagram of Project Work                                     | 12        |
| 3.2 Methodology                                                       | 14        |
| 3.3 System Workflow                                                   | 16        |
| 3.4 Key Design Considerations                                         | 16        |
| 3.5 Algorithm Workflow                                                | 17        |
| <br>                                                                  |           |
| <b>CHAPTER 4 Implementation Details</b>                               | <b>20</b> |
| 4.1 Overview                                                          | 20        |
| 4.1.1 Dataset Collection and Preprocessing                            | 20        |
| 4.1.2 Breed Prediction Model                                          | 21        |
| 4.1.3 Disease Prediction Model                                        | 22        |
| 4.1.4 AI Chatbot Integration                                          | 23        |
| 4.1.5 User Interface Design                                           | 28        |
| 4.1.6 System Workflow Summary                                         | 36        |
| <br>                                                                  |           |
| <b>CHAPTER 5 Result and Analysis</b>                                  | <b>39</b> |
| 5.1 Overview                                                          | 39        |
| 5.2 Breed Prediction Model Performance                                | 39        |
| 5.3 Disease Prediction Model Using CNN Pre-trained Model              | 41        |
| 5.4 Combined Model Integration Results                                | 42        |
| 5.5 Evaluation Metrics Analysis                                       | 43        |
| 5.6 Comparative Analysis                                              | 44        |
| 5.7 Summary                                                           | 44        |
| <br>                                                                  |           |
| <b>CHAPTER 6 Conclusion and Future Scope</b>                          | <b>46</b> |
| <br>                                                                  |           |
| <b>Bibliography</b>                                                   | <b>49</b> |

## List of Figures

| <b>SI. no.</b> | <b>Figures</b>                                         |
|----------------|--------------------------------------------------------|
| <b>3.1</b>     | <b>Proposed Model Flowchart</b>                        |
| <b>3.2</b>     | <b>Pet Disease Examples</b>                            |
| <b>5.1</b>     | <b>Confusion Metrics</b>                               |
| <b>5.2</b>     | <b>Fine-Tuning Accuracy and Fine-Tuning Loss graph</b> |

## List of Tables

| <b>SI. no.</b> | <b>Tables</b>                    |
|----------------|----------------------------------|
| <b>3.1</b>     | <b>Key Design Considerations</b> |
| <b>5.1</b>     | <b>Performance Metrics</b>       |
| <b>5.2</b>     | <b>Comparative Analysis</b>      |

# Chapter 1 Introduction

Pet healthcare is an increasingly important concern as the number of pet owners continues to grow globally. However, due to a lack of awareness and limited access to veterinary services, many health issues in dogs and cats—especially skin and eye diseases—often go unnoticed or are diagnosed at a late stage. Early detection of such conditions is crucial to prevent discomfort, complications, and costly treatments. Most existing diagnostic tools are limited to either image-based or text-based analysis, failing to provide a comprehensive solution that considers both visual and contextual information.

To address this gap, **PawCheck – AI-Based Pet Health Assistant** was developed as an intelligent, multimodal system that integrates **Convolutional Neural Networks (CNNs)** for image-based disease prediction and **Natural Language Processing (NLP)** for symptom understanding. The system analyzes both the uploaded pet images and user-described symptoms to generate accurate disease predictions, preventive care suggestions, and recommendations for veterinary consultation. This combination of computer vision and natural language understanding enables PawCheck to deliver a more interactive and reliable diagnosis process compared to single-modality approaches.

The CNN component identifies the pet's breed and predicts possible diseases based on visual cues, while the NLP-powered chatbot interprets user queries and provides context-specific advice. Together, these modules create a seamless diagnostic workflow, helping users identify early signs of diseases and obtain instant guidance. Additionally, the integration of a **location-based service** allows users to find nearby veterinary clinics, pet stores, and grooming centers through Google Maps API, ensuring quick access to professional care.

The system's design prioritizes **accessibility, accuracy, and real-time performance**. Models such as MobileNetV2 and EfficientNet were fine-tuned for disease classification to achieve high accuracy while maintaining computational efficiency suitable for web and mobile deployment. The chatbot uses NLP-based intent recognition to provide dynamic and personalized responses, making interactions more natural and engaging.

In essence, PawCheck represents an innovative step toward **AI-driven veterinary healthcare**, bridging the gap between image analysis, language understanding, and real-world utility.

By integrating predictive modeling, conversational intelligence, and geolocation features, the system not only enhances diagnostic accuracy but also empowers pet owners with the knowledge and resources needed for proactive pet care.

This project demonstrates how AI can contribute meaningfully to improving animal welfare by offering an affordable, accessible, and intelligent healthcare assistant for pets.

## 1.1 Motivation

Managing pet health continues to be a major challenge for many pet owners, particularly when it involves identifying the early symptoms of diseases in dogs and cats. Despite the growing awareness of pet welfare, several factors—such as limited access to veterinary care, high consultation costs, and lack of medical knowledge—often prevent timely diagnosis and treatment. As a result, many health issues, especially skin and eye diseases, progress undetected until they reach an advanced stage. Among these, **skin-related disorders** are especially common but are frequently ignored or misinterpreted until they cause severe discomfort or secondary infections. Early identification and timely intervention can significantly improve recovery rates and overall animal well-being, making preventive care a critical aspect of pet health management.

Recent advancements in **Artificial Intelligence (AI)** have revolutionized the healthcare industry by automating diagnosis, assisting clinical decisions, and improving the accuracy of disease prediction. **Convolutional Neural Networks (CNNs)** have demonstrated remarkable success in analyzing dermatological images and identifying complex visual patterns with human-level accuracy. Similarly, **Natural Language Processing (NLP)** has emerged as a powerful tool for interpreting symptoms described in textual form, enabling machines to process and respond intelligently to user queries. These AI technologies, when combined, present a powerful opportunity to enhance veterinary diagnostics by providing accessible, affordable, and data-driven solutions for pet owners.

The motivation behind developing **PawCheck** stems from the need to create an intelligent, multimodal platform that integrates both **CNN-based image classification** and **NLP-based symptom analysis** for comprehensive disease detection. This system empowers pet owners to upload pet images, describe visible symptoms, and receive instant insights regarding potential conditions, preventive care measures, and nearby veterinary support. By bridging the gap between visual and contextual understanding, PawCheck aims to make pet



healthcare **more proactive, interactive, and user-centric.**

Beyond assisting individual pet owners, this innovation contributes to the broader goal of **AI-driven animal welfare** and **digital veterinary healthcare**. Scalable systems like PawCheck can serve as early diagnostic tools in rural or underserved regions where veterinary access is limited. They also promote responsible pet ownership by encouraging regular health monitoring and timely medical intervention. Ultimately, this project's motivation lies in leveraging AI to enhance the quality of life for pets and simplify the healthcare experience for their owners, making advanced veterinary diagnostics more **accessible, affordable, and intelligent.**

## 1.2 Organization of the Report

This project report is structured systematically to present a comprehensive overview of the research, design, and implementation processes involved in the development of **PawCheck – An AI-Based Pet Health Assistant**. Each chapter focuses on a specific aspect of the study, ensuring a logical progression from conceptualization to conclusion. The report follows the **Visvesvaraya Technological University (VTU)** formatting guidelines and integrates **IEEE citation style** for all references to maintain consistency and academic credibility.

**Chapter 1 – Introduction** provides an overview of the problem domain, highlighting the challenges associated with pet disease detection and the motivation behind developing an intelligent diagnostic system. It outlines the objectives of the research, the scope of the study, and the expected contributions of the proposed system to AI-driven veterinary healthcare.

**Chapter 2 – Literature Review** presents an analysis of existing research and technologies related to animal disease detection, image-based classification, and NLP-based healthcare assistants. This chapter compares various approaches, identifies research gaps, and justifies the need for an integrated multimodal solution such as PawCheck.

**Chapter 3 – Methodology** describes the system design, data collection process, preprocessing techniques, model architectures, and algorithms employed. It details the

working of the Convolutional Neural Network (CNN) for disease classification, the NLP model for symptom interpretation, and the integration of both models into a unified framework.

**Chapter 4 – Implementation and System Design** focuses on the practical realization of the system. It discusses the development environment, software and hardware requirements, frontend and backend frameworks, and the integration of APIs for image classification, chatbot interaction, and location-based services. Flow diagrams, architecture diagrams, and screenshots are provided to visualize system functionality.

**Chapter 5 – Results and Discussion** presents the outcomes of the experiments conducted using the proposed models. It compares performance metrics such as accuracy, precision, recall, and response time. This chapter also discusses the impact of optimization techniques, model quantization, and asynchronous inference on system performance.

**Chapter 6 – Conclusion and Future Scope** summarizes the key findings, achievements, and limitations of the research. It highlights the practical applications of the PawCheck system and proposes directions for future enhancements such as mobile app deployment, real-time image capture, and expansion to additional animal species.

All external sources, research papers, and datasets used for background study, literature review, or methodological development have been **properly acknowledged following the IEEE referencing style**. In IEEE format, each reference is assigned a unique number that corresponds to its full citation in the References section at the end of the report. A brief in-text citation appears within square brackets—before punctuation—and the same number is reused throughout the text when citing the same work. This consistent approach ensures transparency, academic integrity, and ease of traceability for readers and evaluators.

By adhering to this structured organization and professional referencing standard, the report effectively communicates the development process, technical depth, and research significance of the proposed AI-based pet health assistant system.

## Chapter 2 Literature Survey

### 2.1 Background Work

The integration of **Artificial Intelligence (AI)** and **Deep Learning (DL)** into veterinary healthcare has opened new avenues for improving early disease detection, diagnosis, and management in companion animals. Recent research emphasizes that limited veterinary accessibility, insufficient awareness, and high consultation costs often lead to **delayed diagnosis of common diseases**—particularly **skin and eye disorders**—in dogs and cats [1]. These conditions, if left untreated, can cause discomfort, infections, and long-term health complications. Therefore, **early and automated detection** plays a vital role in enhancing the quality of life for pets while reducing the burden on veterinary professionals [2].

Traditional veterinary diagnostic practices rely on **manual examinations, laboratory testing, and expert visual inspection**, which are often **time-consuming, costly, and geographically constrained** [3]. With the rapid growth of digital imaging technologies and accessible computing power, researchers have begun exploring **image-based diagnostic systems** using **Convolutional Neural Networks (CNNs)** to automatically identify visual indicators of dermatological and ocular diseases. CNNs are highly effective in feature extraction, enabling accurate recognition of subtle visual cues such as lesions, rashes, or pigmentation differences across breeds [4].

Several studies have shown that incorporating **contextual information**—such as the pet’s **breed, age, and environmental conditions**—alongside image data significantly enhances the accuracy of disease prediction models. This combination provides a more personalized approach, as certain diseases are **breed-specific or age-dependent**, improving model reliability and clinical relevance [5].

Parallel advancements in **Natural Language Processing (NLP)** have also contributed to pet healthcare innovation. NLP enables the interpretation of **owner-reported symptoms** through text analysis and supports **AI-powered chatbots** capable of delivering preventive care advice, symptom-based recommendations, and health awareness information. Such interactive systems increase **engagement, accessibility, and user trust**, particularly for pet owners in remote areas with limited access to veterinary services [6].

However, despite these advancements, **most existing AI systems operate within a single modality**, either focusing exclusively on image-based or text-based disease detection.

Very few frameworks combine both visual and textual intelligence into a **multimodal diagnostic assistant** capable of processing images, contextual information, and user input simultaneously. Additionally, there is a lack of unified platforms supporting **multi-species disease detection** for both **dogs and cats**, integrated with **location-based services** for nearby veterinary assistance. These limitations highlight a significant research gap in the field of **AI-driven veterinary diagnostics**.

To address these challenges, the proposed **PawCheck system** introduces a **multimodal AI approach** that merges CNN-based image classification, NLP-based symptom analysis, and location-aware features into a single, interactive application. This literature review establishes the foundation for PawCheck by emphasizing the need for scalable, intelligent, and user-friendly solutions that integrate multiple AI modalities to support early disease detection and improve pet health outcomes.

## 2.2 Open Issues and Challenges

Identifying existing research gaps is crucial to establishing the **uniqueness, necessity, and relevance** of the proposed study. Although artificial intelligence (AI) and deep learning (DL) have shown significant promise in veterinary healthcare, several open issues and challenges remain unaddressed in current literature. These gaps highlight the limitations of existing systems and serve as the foundation for developing an innovative and comprehensive AI-based pet health assistant such as **PawCheck**.

A major challenge in this field is the **lack of integrated multimodal systems** that combine both **image-based diagnostics** and **text-based symptom analysis**. Most of the existing research focuses on a single modality—either visual classification using Convolutional Neural Networks (CNNs) or textual analysis using Natural Language Processing (NLP). This separation limits the diagnostic accuracy and contextual understanding of current systems. A unified multimodal framework can enable a more holistic assessment of a pet's condition by correlating visual evidence with user-reported symptoms.

Another significant limitation lies in the **availability and diversity of datasets**. Existing datasets are often small, species-specific, or lack variations in breed, age, and disease types.

Many focus exclusively on dogs or cats rather than covering multiple species, and some datasets emphasize a narrow range of diseases, primarily dermatological or ocular disorders. This scarcity of large, annotated, and diverse datasets restricts the generalization capability of AI models and limits their real-world applicability across various breeds and environments.

Additionally, **contextual information such as breed, age, and environmental conditions** is seldom incorporated into disease prediction models. These contextual features are critical for accurate diagnosis, as certain breeds are genetically predisposed to specific conditions, and age factors often influence symptom presentation. The absence of such contextual integration reduces the interpretability and clinical relevance of AI-generated predictions. A further challenge is the **limited adoption of AI-driven chatbot systems** for interactive healthcare guidance. While chatbots have been successfully implemented in human medical diagnostics, their use in veterinary health remains relatively unexplored. Integrating an AI chatbot capable of interpreting user queries, offering disease-specific advice, and guiding users toward appropriate care can significantly enhance accessibility and engagement among pet owners.

Moreover, **real-world usability** of existing AI-based systems is constrained by the **lack of location-based services** that connect users with nearby veterinary clinics, pharmacies, or pet stores. This limits the system's ability to provide end-to-end assistance—from disease detection to treatment access. A geographically aware feature can bridge this gap by offering actionable recommendations based on the user's location, thus improving the system's practical utility.

In summary, the major challenges in AI-based pet healthcare revolve around the absence of multimodal integration, limited and unbalanced datasets, insufficient contextual awareness, lack of interactive chatbot support, and restricted real-world applicability. By addressing these gaps, the **PawCheck system** establishes itself as an innovative and comprehensive platform that emphasizes **proactive, interactive, and accessible** pet healthcare. Its design not only bridges current technological limitations but also contributes to advancing the domain of **AI-driven veterinary diagnostics**.

## 2.3 Problem Definition

In recent years, pet ownership has increased significantly, but **veterinary accessibility and early disease detection** remain major challenges, particularly for **skin and eye disorders** in dogs and cats. Many pet owners fail to recognize early symptoms due to a **lack of awareness, limited veterinary infrastructure, or high consultation costs**, leading to delayed diagnosis and worsening conditions. Early identification of such diseases is essential for preventing discomfort, secondary infections, and long-term complications, yet current methods rely heavily on **manual examination and laboratory testing**, which are often **time-consuming and geographically restricted**.

While **Artificial Intelligence (AI)** and **Deep Learning (DL)** have demonstrated strong potential in automating disease detection, most existing AI-driven veterinary solutions suffer from **limited scope and fragmented functionality**. The majority of research has focused on **single-modality approaches**, either using **image-based analysis** with Convolutional Neural Networks (CNNs) or **text-based symptom understanding** with Natural Language Processing (NLP). This separation prevents a comprehensive understanding of pet health, as real-world diagnosis often requires both **visual and contextual interpretation**. Additionally, many systems are species-specific, addressing only dogs or cats, rather than encompassing both.

The problem, therefore, lies in the **absence of a unified, multimodal, and user-friendly diagnostic framework** capable of integrating visual and textual information to generate accurate and context-aware predictions. There is also a lack of interactive systems that offer **real-time guidance, disease awareness, and geographically relevant veterinary support**.

The objective of this project is to develop **PawCheck – An AI-Based Pet Health Assistant**, a **comprehensive and intelligent multimodal system** that overcomes these limitations by combining the strengths of computer vision, natural language processing, and geospatial intelligence. The system aims to:

- **Predict the breed** of dogs and cats using uploaded images.
- **Detect and classify common skin and eye diseases** using a CNN-based model enhanced by contextual information such as breed and age.
- **Enable interactive assistance** through an AI-powered chatbot that provides pet care tips, preventive advice, and answers to user queries.

- **Offer location-based services** to help users find nearby veterinary clinics, pet stores, and care centers.

This research addresses both **technical challenges**, such as developing accurate multimodal prediction models, and **usability concerns**, such as ensuring accessibility, intuitiveness, and responsiveness for general users. By doing so, it contributes to advancing **AI-driven veterinary healthcare** and demonstrates how intelligent automation can support early detection, preventive care, and overall animal welfare in a scalable and efficient manner.

## 2.4 Objectives

The primary objective of this project is to design and develop **PawCheck**, a **multimodal Artificial Intelligence (AI) system** that enables early detection of common diseases in **dogs and cats**, with a particular emphasis on **skin and eye disorders**. The system aims to provide **pet owners with accessible, accurate, and interactive diagnostic assistance**, bridging the gap between veterinary expertise and real-time home-based health assessment. The project focuses on leveraging the strengths of **image-based deep learning** and **contextual understanding** to enhance disease prediction accuracy. By combining **Convolutional Neural Networks (CNNs)** for image recognition with additional contextual information such as **breed** and **age**, the system aspires to offer more reliable and personalized health assessments. Moreover, PawCheck integrates an **AI-powered chatbot** to provide preventive care advice and a **location-based service** that connects users to nearby veterinary clinics, pet stores, and care centers—making it a complete digital pet health assistant.

To realize these goals, the following specific objectives have been defined:

1. **To develop Convolutional Neural Network (CNN) models** capable of accurately predicting the **breed of dogs and cats** based on uploaded pet images.
2. **To design disease prediction models** that integrate **image features, breed, and age** to diagnose **skin and eye conditions** effectively.
3. **To implement an AI-driven chatbot** within the PawCheck platform to respond to **frequently asked questions** and provide **preventive healthcare guidance** for pet owners.
4. **To integrate a location-based service** that identifies **nearby veterinarians, clinics, and pet stores**, enhancing the system's real-world applicability and convenience.

5. **To evaluate the performance** of the models and overall system using standard metrics such as **accuracy, precision, recall, and user satisfaction**, ensuring technical robustness and reliability.
6. **To design a user-friendly web interface** using **Streamlit** that allows seamless **image uploads**, intuitive **prediction visualization**, and **interactive guidance**, ensuring accessibility for non-technical users.

Through these objectives, **PawCheck** aims to demonstrate how a synergistic combination of **computer vision, natural language processing, and geospatial intelligence** can create a **holistic, scalable, and user-centered solution** for AI-assisted veterinary healthcare. The outcome of this project will contribute toward **improving animal welfare**, enhancing **pet owners' awareness**, and promoting the use of **AI technologies** for accessible and preventive pet care.

## 2.5 Scope of the Work

The scope of this project encompasses the **design, development, and deployment** of **PawCheck**, an intelligent, multimodal AI system aimed at enabling **early disease detection in dogs and cats**. The proposed system focuses primarily on the identification of **skin and eye diseases**, as these are among the most common and often underdiagnosed conditions in pets. In addition to disease detection, PawCheck integrates an **AI-powered chatbot** for interactive health guidance and a **location-based service** to connect pet owners with nearby veterinary clinics, pet stores, and care centers.

The study's scope is multidisciplinary, integrating techniques from **computer vision, deep learning, natural language processing (NLP), and geospatial computing**. The key focus lies in creating a **unified and user-friendly platform** that supports pet owners in diagnosing potential health issues at an early stage, providing timely advice and resources for veterinary support.

### Tasks to be Undertaken

1. **Data Collection and Preprocessing:** Gathering a large and diverse dataset of labeled images of cats and dogs covering multiple breeds and disease categories (skin and eye). This includes image resizing, normalization, augmentation, and annotation to improve model robustness.



2. **Model Training:** Developing and training **Convolutional Neural Network (CNN)** models for **breed identification** and **disease classification** using image features, breed, and age as inputs to enhance prediction accuracy.
3. **Chatbot Integration:** Implementing an **AI-based chatbot** capable of answering frequently asked questions about pet care, preventive health measures, and symptom-based guidance using NLP for intent recognition and response generation.
4. **Location-Based Service Integration:** Incorporating **Google Maps APIs** to display nearby **veterinary clinics, pet shops, and grooming centers**, supporting users in finding appropriate local services efficiently.
5. **User Interface Design:** Creating an **interactive, intuitive web interface** that allows image uploads, prediction visualization, chatbot interaction, and access to location-based services, ensuring accessibility across devices.
6. **System Evaluation:** Assessing the system's technical and functional performance using standard metrics such as **accuracy, precision, recall, and user satisfaction**, ensuring a robust, responsive, and reliable solution.

### Expected Deliverables

The deliverables resulting from this study are as follows:

- Trained **CNN models** for accurate breed and disease prediction.
- A functional **AI chatbot** integrated within the PawCheck interface.
- A **location-based service module** displaying real-time nearby veterinary resources.
- A responsive and **user-friendly graphical interface** for seamless interaction.
- A **comprehensive project report** documenting the methodology, implementation, results, challenges, and future scope for enhancement.

### Project Timeline

The project timeline includes several key phases—**dataset collection, preprocessing, model development, system integration, testing, and evaluation**—executed in a structured manner to ensure timely and effective completion. Each phase is designed to build upon the previous, culminating in the delivery of a **fully functional PawCheck system** that meets the goals of early disease detection, preventive care support, and improved accessibility for pet owners.

## Chapter 3 Design Approach and Methodology

### 3.1 Block Diagram of Project Work

The overall architecture of the PawCheck: AI-Based Pet Health Assistant system is illustrated in Fig. 3.1. The block diagram represents the data flow between major components — from user interaction to AI-based disease prediction and chatbot response generation.




Fig 3.1: Proposed model

### Explanation of Each Block

#### 1. User Interface (Web Frontend)

- The web interface acts as the entry point for users.
- Built using **React.js** with a responsive and empathetic UI/UX design.
- Provides functionalities for:
  - o Uploading pet images
  - o Describing symptoms in text or chat
  - o Viewing results and chatting with the AI veterinary assistant
- Communicates with the backend through HTTPS-based REST API calls.

## 2. Backend Server (Application Layer)

- Developed using **FastAPI / Django REST Framework**, it coordinates all requests between the frontend and AI services
- Performs authentication, data validation, and communication with the CNN, NLP, and chatbot modules.
- Handles data flow and aggregates outputs from different AI models to form a unified response.

## 3. Image Processing and Classification (CNN Module)

- This block handles pet skin image analysis.
- A **Convolutional Neural Network (CNN)** model, based on **EfficientNetB0**, classifies the image into possible disease categories such as Fungal Infection, Bacterial Dermatitis, Scabies, or Allergy.
- Generates a **Grad-CAM heatmap** to highlight regions influencing prediction, ensuring transparency in AI decision-making.
- Returns the predicted disease name and confidence percentage to the backend.

## 4. Symptom Analysis (NLP Module)

- This block processes user-provided textual descriptions of symptoms using **Natural Language Processing (NLP)**.
- Extracts relevant features like itching, hair loss, redness, etc.
- Uses tokenization, lemmatization, and named entity recognition to map symptoms to disease-related keywords.
- Outputs a structured symptom summary used for chatbot reasoning.

## 5. AI Chatbot Module

- The **AI Chatbot** acts as an intelligent communication interface between the user and system.
- Combines CNN prediction and NLP-parsed symptoms to generate a **personalized, conversational response**.
- Uses a **fine-tuned LLM (GPT-based)** or **RAG (Retrieval-Augmented Generation)** model.

- Provides:
  - Possible causes
  - Confidence levels
  - Home-care recommendations
  - Alerts for severe conditions requiring veterinary attention.
- Integrates a **Safety Filter** to prevent misleading or unsafe advice.

## 6. Database and Storage Layer

- Stores user profiles, uploaded images, analysis history, and chat logs securely.
- Uses **PostgreSQL** for structured data and **AWS S3 / MinIO** for storing images and Grad-CAM heatmaps.
- Enables retraining and future model improvement through stored labeled cases.

## 7. Result Display Module

- Consolidates outputs from CNN, NLP, and Chatbot modules into a visually appealing results page.
- Shows:
  - Disease prediction
  - Probability
  - Grad-CAM heatmap
  - Chatbot explanation
  - Preventive advice.
- Allows users to download or share a detailed health report.

## 3.2 Methodology

PawCheck's development process adheres to a methodical workflow, which is explained below:

### Step 1: Dataset Collection and Preprocessing

- We gathered images of dogs and cats from veterinary image databases and Kaggle that were labelled with breed and disease categories.
- Preprocessing was done on the images to guarantee consistency:
- Resized to **224 × 224 px**

Normalized pixel values (0–1 scale)

Data augmentation (rotation, flipping, zooming) to prevent overfitting.



Flea



Conjunctivitis



Dermatitis



Dermatitis

Fig 3.2: Pet Diseases Examples

## Step 2: Model for Breed Prediction

- For reliable breed identification, a transfer learning strategy was employed.
- **The feature extractor, EfficientNetB0, was pretrained on ImageNet.**
- For classification, fully connected layers were added.
- Softmax activation was used by the output layer to predict multi-class breeds.

## Step 3: Model for Predicting Disease

- **The foundation for lightweight inference was MobileNetV2.**
- To increase prediction accuracy, breed and age inputs were concatenated with image features.
- Skin and eye disease categories were predicted by the output layer.
- Accuracy, precision, recall, and F1-score were among the evaluation metrics.

## Step 4: AI Chatbot Integration

- A chatbot driven by rules and natural language processing was incorporated to offer:

- o Advice on preventive care
  - o An explanation of the symptoms
  - o Suggestions for emergency veterinary referrals
- Predefined response templates and intent classification were used to generate chatbot responses.

### Step 5: Veterinary Assistance Based on Location

- To show local veterinarians, animal hospitals, and pet shops, the Google Maps API was integrated.
- Either manual input or browser-based geolocation was used to determine the user's location.

### Step 6: Designing the User Interface

- A clear and user-friendly web interface was created, allowing:
  - o Uploading images
  - o Conversation with a chatbot
  - o Looking at illness forecasts
  - o Navigate a map to find local veterinary assistance

## 3.3 System Workflow

1. The system makes a breed prediction after the user uploads a picture of their pet.
2. Possible skin and eye conditions are identified by a disease prediction model that takes into account the image, breed, and age.
3. Results are shown along with an explanation and confidence score.
4. The user engages with the chatbot to get clarification and advice.
5. If expert help is needed, the location module recommends the closest veterinary clinics.

## 3.4 Key Design Considerations

| Requirement                | Solution Adopted                      |
|----------------------------|---------------------------------------|
| Accurate disease detection | Transfer learning + contextual inputs |
| Real-time performance      | Lightweight CNN (MobileNetV2)         |

|                        |                                              |
|------------------------|----------------------------------------------|
| User accessibility     | Web-based responsive UI                      |
| Guidance and awareness | AI chatbot assistant                         |
| Practical support      | Integrated location-based veterinary service |

Table 3.1: Key Considerations

### 3.5 Algorithmic Workflow

The PawCheck system employs a multimodal algorithmic workflow that integrates visual, categorical, and numerical data to predict the most probable disease in cats and dogs. The model takes three primary inputs — pet image, breed, and age — and generates a predicted disease label as output. This approach ensures that the diagnosis considers both visual symptoms and contextual biological factors, improving prediction accuracy and clinical relevance.

**Step 1- Image Preprocessing:** The input pet image is first pre-processed to ensure consistency and compatibility with the deep learning model. The image is **resized** to a fixed dimension (e.g., 224×224 pixels) and **normalized** to scale pixel intensity values between 0 and 1. This standardization ensures uniformity across all input samples and helps the CNN learn more effectively by reducing pixel-level variations caused by lighting or camera differences.

**Step 2- Feature Extraction using MobileNetV2:** The preprocessed image is then passed through MobileNetV2 architecture, which serves as the **feature extractor**. MobileNetV2, a lightweight convolutional neural network, uses **depth wise separable convolutions** and **inverted residual blocks** to extract high-level visual features efficiently while minimizing computational cost. The resulting output is a compact, multi-dimensional **feature vector** that represents key visual cues such as skin texture, fur color, and visible patterns associated with specific diseases.

**Step 3- Breed Encoding:** The breed information of the pet, entered by the user or predicted by the breed classification model, is a categorical input. Since neural networks process numerical data, the breed category is converted into a numerical vector using one-hot encoding.

This technique transforms each breed into a binary vector where one position represents the active class (e.g., Labrador, Persian Cat) and others are set to zero, allowing the model to interpret breed information without introducing bias.

**Step 4- Age Normalization:** The age of the pet, a continuous numerical value, is normalized using min-max scaling to a range between 0 and 1. This prevents disproportionate influence of larger numerical values and ensures balanced contribution of the age feature in the learning process. Age normalization is particularly important, as certain diseases have a higher prevalence in specific life stages (e.g., young pets are more prone to fungal infections, while older ones may suffer from dermatitis).

**Step-5 Feature Fusion (Concatenation):** The extracted image features, encoded breed vector, and normalized age value are concatenated into a single feature tensor. This feature fusion step combines visual and contextual data, enabling the model to learn complex relationships between physical symptoms and biological factors. For instance, the system can recognize that a specific skin pattern may be normal for one breed but abnormal for another, depending on its age.

**Step 6-Fully Connected Layers (Dense Layers):** The fused feature vector is passed through multiple fully connected (dense) layers with ReLU activation functions. These layers learn non-linear combinations of features, capturing subtle dependencies between image cues and contextual parameters. Dropout regularization is applied to prevent overfitting, and batch normalization ensures stable gradient updates during training.

**Step 7- Softmax Classification:** The output of the final dense layer is fed into a Softmax activation function, which converts the raw scores into probability distributions across the disease classes. Each class corresponds to a potential condition such as bacterial dermatosis, fungal infection, or demodicosis. The Softmax output ensures that the sum of all probabilities equals one, making the interpretation straightforward and reliable.

**Step 8- Disease Prediction Output:** The class with the highest probability score is selected as the final predicted disease. The system then displays this prediction to the user along with the confidence percentage, enabling transparent and informed decision-making. The result is further integrated into the chatbot module for generating care recommendations and preventive measures.



In summary, the algorithmic workflow of PawCheck effectively combines image-based deep learning with contextual information processing to deliver accurate, interpretable, and real-time disease predictions. By fusing breed and age data with MobileNetV2-based image features, the model mimics the diagnostic reasoning process of a veterinarian, making it both computationally efficient and clinically meaningful.

## Chapter 4 Implementation Details

### 4.1 Overview

The implementation of PawCheck focuses on developing a multimodal AI system for early disease detection in dogs and cats. The system integrates image-based Convolutional Neural Networks (CNNs) for breed and disease prediction, contextual information such as breed and age, an AI-powered chatbot for pet care guidance, and a location-based service to connect users with nearby veterinarians, clinics, and pet stores.

The primary goal is to create an intuitive and interactive platform for pet owners to identify diseases early and access appropriate care, thereby improving animal health outcomes and reducing veterinary costs through early intervention.

#### 4.1.1 Dataset Collection and Preprocessing

##### Dataset Collection

A comprehensive dataset was collected from multiple sources, including public datasets from Kaggle and veterinary datasets, to cover:

- **Dog breeds:** Labrador, Beagle, Pomeranian, German Shepherd, Bulldog, etc.
- **Cat breeds:** Persian, Siamese, Maine Coon, Ragdoll, British Shorthair, etc.
- **Skin diseases:** Dermatitis, fungal infections, bacterial dermatosis, ringworm, flea dermatitis.
- **Eye diseases:** Conjunctivitis, cataract, glaucoma, uveitis.

Each image was labeled with the corresponding breed, disease type, and, where available, the pet's age. A labels.csv file was maintained to map images to breeds, diseases, and age.

##### Preprocessing Steps

- **Resizing:** Images resized to 224x224 pixels to standardize input for CNN models.
- **Normalization:** Pixel values scaled between 0–1 to improve convergence during training.
- **Data Augmentation:** Random rotations, horizontal/vertical flips, brightness/contrast adjustments, zoom, and shifts applied to increase dataset diversity and reduce overfitting.

- **Train-Test Split:** Dataset divided into training (70%), validation (15%), and testing (15%) sets.
- **Encoding Age and Breed:** Age was normalized, and breeds were one-hot encoded for input to disease prediction models.
- **Duplicate Removal:** Identified and removed visually identical images using cosine similarity in feature space.
- **Noise Reduction:** Low-quality, blurred, or incomplete images filtered out.
- **Class Balancing:** Oversampling techniques like SMOTE for tabular metadata and Image Data Generator balancing were used to avoid class bias.

### 4.1.2 Breed Prediction Model

The breed prediction module of PawCheck is designed to identify the specific breed of a dog or cat from an uploaded image. Correct breed identification is crucial because certain skin and eye diseases are breed-specific, and incorporating breed information improves the accuracy of subsequent disease prediction.

#### Model Architecture

- Base: Pretrained EfficientNetB0 as a feature extractor.
  - Layers: Fully connected dense layers followed by a softmax classifier to predict breed classes.
  - Input: 224x224 RGB images.
  - Output: Predicted breed label with confidence score. Training Parameters
  - Optimizer: Adam
  - Loss Function: Categorical Crossentropy
  - Epochs: 20–30
  - Batch Size: 32–64
  - Metrics: Accuracy, Precision, Recall Implementation Steps
1. Load pretrained EfficientNetB0 weights.
  2. Freeze initial layers to retain learned features.
  3. Add custom dense layers for breed classification.
  4. Compile model with optimizer and loss function.

5. Early Stopping: Monitored validation loss to prevent overfitting.
6. Learning Rate Scheduler: Reduced learning rate on plateau.
7. Transfer Learning: Enabled fine-tuning of final convolutional block to adapt pet-specific features.

### 4.1.3 Disease Prediction Model

#### Model Architecture

The disease prediction model in PawCheck uses MobileNetV2, a lightweight and efficient convolutional neural network, to extract image features from uploaded pet photos. MobileNetV2 is well-suited for deployment in web or mobile environments due to its low computational cost while maintaining high accuracy.

- Input: 224x224 RGB images of dogs or cats.
- Additional Inputs: Predicted breed (one-hot encoded) and age (normalized). These are concatenated with the CNN feature vector to provide contextual information for more accurate disease prediction.
- Fusion: Concatenation of CNN feature vector and contextual inputs.
- Output: Softmax classifier predicts skin or eye disease categories.

#### Training Details

- Optimizer: Adam
- Loss Function: Categorical Crossentropy
- Epochs: 25–30
- Batch Size: 32
- Metrics: Accuracy, Precision, Recall, F1-score

#### Implementation Steps

1. Load MobileNetV2 with pretrained ImageNet weights.
2. Freeze initial layers to retain learned low-level features.
3. Add custom dense layers to process concatenated features (image + breed + age).
4. Compile model with Adam optimizer and categorical crossentropy loss.
5. Train on augmented dataset, monitoring training and validation accuracy.
6. Evaluate using test data, confusion matrix, and classification report.

## Evaluation

- **Confusion Matrix:** Analyzes per-class accuracy of predicted diseases.
- **Training/Validation Curves:** Plots of loss and accuracy help detect overfitting or underfitting.
- **Top-1 Accuracy:** Reported for each disease category.

## Advantages of MobileNetV2:

- High efficiency for real-time deployment.
- Maintains strong performance even with smaller datasets.
- Suitable for integration into a web-based platform like PawCheck.

The model was converted to TensorFlow Lite (TFLite) format for efficient deployment in web and mobile environments. Quantization techniques (dynamic range quantization) were applied to reduce model size while maintaining performance.

## 4.1.4 AI Chatbot Integration

### 1. Functionality

The chatbot acts as a virtual veterinary assistant offering interactive advice and disease-related information.

- **Intent Recognition:** Detects user queries like diet, vaccination, symptoms, or care routines.
- **Context-Aware Responses:** Leverages predicted breed and disease from CNN output.
- **Multi-Turn Dialogue:** Maintains conversation flow for follow-up queries.

### Implementation Details

- **Frameworks:** Python (Flask/Streamlit), TensorFlow/Keras for NLP, and NLTK/spaCy for preprocessing.
- **Model:** Pretrained BERT-base model fine-tuned on custom intent dataset (~2000 QA pairs).

- **Response System:** Combination of predefined templates and generative responses.

1. Pipeline: User Query → Text Preprocessing → Intent Classification →

Response Generation.

2. Fallback Layer: If confidence < 0.6, triggers clarification message.

3. Logging: Each chat session logged for model improvement.

4. Answering Frequently Asked Questions (FAQs):

- o The chatbot can respond to common queries regarding pet health, preventive care, symptoms, diet, vaccinations, and routine check-ups.
- o Example queries: “How do I treat my cat’s eye infection?” or “What are the early signs of skin disease in dogs?”

2. NLP-Based Understanding of Queries:

- o The chatbot uses Natural Language Processing (NLP) to interpret user messages and identify their intent.
- o It can recognize synonyms, common phrasing variations, and context-specific keywords to provide accurate responses.

3. Integration with Disease Prediction:

- o The chatbot can use the predicted disease and breed information from the CNN models to provide personalized advice.
- o For example, if a dog is predicted to have dermatitis, the chatbot can provide breed-specific care tips, preventive measures, and urgency recommendations for veterinary visits.

4. Interactive Conversation:

- o Users can interact with the chatbot in a real-time conversation window within the PawCheck web interface.
- o The chatbot can handle multi-turn dialogues, allowing follow-up questions and clarifications.

## Implementation Details

1. Libraries and Frameworks:

- o Python is used as the primary programming language.
- o TensorFlow/Keras for NLP-based intent recognition and response generation.
- o Flask or Streamlit to integrate the chatbot into the PawCheck web interface.

2. Intent Recognition:

- o Predefined intent categories include:
  - Skin Care – advice on dermatological conditions, hygiene, and topical treatments.
  - Eye Care – information about common eye diseases, symptoms, and remedies.

- Diet – guidance on nutrition and feeding routines.
- Vaccination – reminders and schedules for preventive immunizations.
- General Queries – miscellaneous pet care questions.
- Process: User input → Text preprocessing → NLP model predicts intent → Response selected or generated.

### **3. Responses:**

- Predefined Responses: For common and straightforward questions.
- Dynamic Responses: For questions linked to predicted disease, the chatbot can generate customized advice using breed, age, and disease information.
- Example: “Your Labrador may have early-stage dermatitis. Keep the affected area clean, avoid allergens, and consult a veterinarian within 48 hours.”

### **4. Text Preprocessing and NLP:**

- Steps include tokenization, stop word removal, and vectorization of user input.
- The NLP model (e.g., an LSTM, Transformer, or pretrained BERT-based model) classifies the input into one of the predefined intents.
- Confidence thresholds ensure the chatbot asks for clarification if the intent is ambiguous.

### **5. User Interaction and UI Integration:**

- Chat Window: Embedded in the PawCheck interface for smooth, real-time conversation.
- Input Options: Text input and optional quick-reply buttons for common queries.
- Output: Text messages with guidance, links to related resources, or suggestions to visit a vet.
- Multi-turn Dialogue: Supports follow-up questions to refine advice based on additional user input.

### **6. Error Handling and Fallbacks:**

- If the chatbot cannot understand a query, it responds with a polite fallback: “I’m sorry, I didn’t understand that. Could you please rephrase or provide more details?”

- o Logs are maintained for all user interactions to improve future model performance.

### **Workflow Summary**

1. User types a query in the chatbot window.
2. Text is preprocessed and passed to the NLP model for intent recognition.
3. If the query relates to a predicted disease, the chatbot integrates breed, age, and disease data.
4. Response is generated either predefined or dynamic, based on context.
5. Response is displayed in the web interface in real time.
6. Multi-turn dialogue allows the user to ask follow-up questions until satisfaction.

### **Location-Based Service**

#### **Functionality**

- Displays vets, clinics, pet stores nearby using Google Maps API.
- Provides details like name, contact, working hours, and directions.
- Supports filters by type and proximity.

#### **Implementation Details**

- **APIs Used:**
  - o Google Maps API (for map rendering)
  - o Places API (for nearby search)
  - o Distance Matrix API (for distance/time calculation).
- **Frontend Integration:** Map embedded via JavaScript API in the Streamlit web interface.
- **Location Retrieval:** Browser-based geolocation or manual address entry. User location data is processed anonymously and temporarily, following GDPR-compliant practices. No coordinates are stored after session termination.
- 1. **Displaying Nearby Facilities:**
  - o Shows vets, clinics, and pet stores as pins on an interactive map.
  - o Provides contact details, working hours, and distances from the user.
- 2. **Filtering Options:**
  - o Users can filter locations based on service type (veterinary clinic, pet shop, grooming center).



- Option to filter by proximity, showing the nearest facilities first.

### **3. User Convenience:**

- Helps users quickly find and reach essential pet care services, supporting timely treatment for pets.
- Improves the accessibility of local resources, especially in regions with limited veterinary access.

## **Implementation Details**

### **1. API Integration:**

- Google Maps API is used for geolocation, map rendering, and place details.
- The Places API fetches nearby locations based on coordinates, service type, and search radius.
- The Distance Matrix API calculates distance and estimated travel time from the user location.

### **2. Input Handling:**

- Automatic Detection: Browser-based geolocation retrieves the user's current latitude and longitude.
- Manual Entry: Users can input an address, which is geocoded into latitude and longitude using Google Maps API.

### **3. Output:**

- Interactive map displayed on the PawCheck interface with pins for each location.
- Clicking a pin shows:
  1. Name of the facility
  2. Address and contact number
  3. Distance from the user

### **4. Integration with PawCheck:**

- The map is embedded into the web interface for seamless user experience.
- Users can switch between the disease prediction/chatbot modules and the location service without leaving the platform.
- Locations are dynamically updated based on the user's current position or entered address.

## 5. Workflow Summary:

- User selects the location service tab in PawCheck.
- System retrieves user location via browser or manual input.
- Google Maps API fetches nearby vets, clinics, and pet shops.
- Results displayed on an interactive map with pins, showing relevant details.
- User can filter results based on type or proximity and click pins to get detailed information.

## Key Advantages

- Provides real-time, accurate mapping of veterinary and pet care services.
- Helps pet owners make informed decisions about where to seek immediate care.
- Enhances PawCheck's overall usability by integrating predictive analytics with practical, location-based solutions.

## 4.1.5 User Interface Design

### UI Components

#### 1. Image Upload Module:

The *Image Upload Module* serves as the primary input gateway for the disease prediction system. Users can either upload a single image or a batch of images of their pet for analysis. The module supports multiple file formats (JPEG, PNG) and performs preliminary validation to ensure image quality and correct orientation. Once uploaded, the system automatically resizes and preprocesses the images before feeding them into the deep learning pipeline. This design reduces user effort and ensures consistent input across the dataset.

#### 2. Prediction Display:

After image processing and model inference, the Prediction Display component presents the results in a clean, interpretable format. It displays three main outputs:

- Predicted Breed: The system identifies the breed of the pet (e.g., Labrador, Persian Cat).
- Detected Disease: The most probable disease or condition detected by the CNN model.
- Confidence Score: The prediction accuracy expressed as a percentage, helping users assess reliability.

The results are color-coded (e.g., green for healthy, red for critical conditions) to help users quickly interpret the diagnosis. The interface also includes an option to “View Details,” providing an explanation of symptoms and recommended actions.

### 3. Chatbot Window:

The Chatbot Window provides an interactive conversational interface for users seeking guidance or clarification. Powered by a lightweight Natural Language Processing (NLP) model, the chatbot allows real-time communication using both typed text and suggestion buttons. Users can ask questions related to pet health, diet, vaccination schedules, or disease prevention. The chatbot also offers instant responses based on the detected disease, such as home care tips or links to nearby veterinarians. This feature enhances user engagement and supports decision-making.

### 4. Map View:

The Map View Module integrates location-based services using APIs (e.g., Google Maps API) to display nearby veterinary clinics, pet stores, and grooming centers. The map is fully interactive and filterable, allowing users to filter results by service type, distance, or rating. Clicking a marker reveals detailed information such as clinic name, contact number, and directions. This feature bridges the gap between AI-based detection and real-world veterinary assistance, helping users take immediate action based on the prediction results.

### 5. Navigation Menu:

The Navigation Menu acts as the central control panel of the PawCheck application. It provides tab-based navigation to switch seamlessly between core modules such as *Home*, *Disease Detection*, *Chatbot*, and *Nearby Services*. The layout follows a minimalistic design approach with clear icons and consistent color schemes. The responsive navigation ensures accessibility across different screen sizes, maintaining usability on both web and mobile platforms.

### Summary:

Overall, the *PawCheck* UI design emphasizes simplicity, efficiency, and interactivity, ensuring that users can easily upload pet images, view disease predictions, chat with the AI assistant, and locate relevant services. Each module contributes to an integrated user experience aimed at improving pet healthcare accessibility and accuracy.

1. **Frontend Framework:** Streamlit + Bootstrap styling for responsiveness.
2. **Backend:** Flask API for model inference and database communication.

3. **Icons and Design:** FontAwesome icons and Google Fonts for clarity.
4. **Database:** SQLite for storing chat logs and API usage metrics.
5. **Image Upload Module:**
  - o Allows users to upload images of their pets for breed and disease prediction.
  - o Supports common image formats such as JPEG, PNG, and BMP.
  - o Provides feedback to users if the image is invalid or too large.
  - o Optionally, allows multiple images for batch predictions.
6. **Prediction Display:**
  - o After processing the uploaded image, the system displays the predicted breed and disease.
  - o Confidence scores for each prediction are shown to indicate certainty levels.
  - o Includes a brief description of the predicted disease, its symptoms, and recommended next steps.
  - o Clear visual layout ensures easy readability, even for non-technical users.
7. **Chatbot Window:**
  - o Embedded window within the interface for real-time interaction.
  - o Users can ask questions about pet care, symptoms, preventive measures, or follow-ups after prediction.
  - o Responses may include text guidance, links to resources, or suggestions to visit a veterinarian.
  - o Multi-turn dialogue allows users to ask follow-up questions and receive detailed answers.
8. **Map View:**
  - o Displays local veterinary clinics, pet shops, and grooming centers using the location-based service.
  - o Interactive pins provide contact details, working hours, and distance from the user.
  - o Users can filter results by service type or proximity, improving usability and efficiency.
9. **Navigation Menu:**
  - o Simple, tab-based menu allows users to switch between Image Upload, Chatbot, and Map Services.

- o Menu design ensures minimal clicks and intuitive navigation for all users.
- o Consistent layout across all modules enhances user experience.

## **Design Principles**

The design of the PawCheck system follows a set of core principles aimed at ensuring usability, accessibility, responsiveness, and visual harmony across all components. The goal is to create an interface that is not only technically sound but also intuitive and comfortable for all users, including those without prior technical expertise. Each design principle was considered carefully during both the front-end and back-end development stages to ensure that the system remains functional, aesthetically appealing, and user-centered.

### **1. Intuitive Design**

An intuitive user interface (UI) forms the foundation of PawCheck's usability. The design ensures that users can easily navigate and interact with the system without requiring technical knowledge. The layout is kept clean, minimalistic, and self-explanatory, with clear visual cues guiding users through each step—from uploading an image to viewing predictions and interacting with the chatbot.

Each module within the platform (image upload, prediction results, chatbot, and location services) is labeled clearly, reducing the cognitive load on the user. Buttons, text boxes, and navigation elements are designed with clear and concise instructions, minimizing the possibility of user errors. Tooltips and prompts are added where necessary to help users understand system actions. This design approach helps pet owners focus on what matters most — understanding their pet's health — rather than figuring out how to operate the platform.

### **2. Responsive Layout**

PawCheck's interface is developed using a responsive web design approach, ensuring that it adapts seamlessly across different devices and screen sizes such as desktops, laptops, tablets, and smartphones. The design dynamically adjusts component positions, text sizes, and image resolutions to maintain usability regardless of screen orientation or resolution.

Key interface components such as the map view, prediction results, and chatbot panel automatically resize and reposition themselves to remain visible and functional. This ensures consistent user experience whether the user accesses the application on a large desktop screen or a smaller mobile device.

The responsive layout also improves accessibility in areas with limited resources, as it allows the application to function smoothly on low-end devices with minimal performance degradation.

### **3. Real-Time Feedback**

Real-time feedback mechanisms play a crucial role in enhancing interactivity and maintaining user engagement. As soon as the user uploads a pet image, the system initiates the processing and displays loading indicators such as progress bars or spinners to show that the model is actively analyzing the image. This helps prevent user confusion and reassures them that the system is functioning correctly.

Predictions related to breed identification and disease classification are displayed almost instantly after processing, minimizing waiting time. Similarly, when the user interacts with the AI chatbot, responses are generated dynamically using a natural language model to provide instant and relevant feedback. Visual notifications and brief animations are integrated to make transitions smoother and to provide cues for completed actions, such as successful image uploads or location searches.

This immediate response mechanism not only improves the perceived efficiency of the system but also increases user trust and satisfaction by providing continuous, visible interaction between user actions and system outcomes.

### **4. Visual Consistency**

Visual consistency plays a vital role in the overall usability and aesthetic appeal of the PawCheck system. It ensures that users have a smooth, predictable, and cohesive experience while navigating through different modules of the application. A visually consistent interface allows users to focus on their primary tasks—uploading images, viewing predictions, or interacting with the chatbot—without being distracted by inconsistent layouts, fonts, or colors. This consistency contributes significantly to the intuitiveness and professionalism of the platform.

To achieve this, a uniform color palette, typography style, and iconography are maintained throughout all pages and modules of PawCheck. The design adopts a clean and modern look, with a balanced combination of soft, natural colors inspired by themes of pet care and wellness. Colors such as gentle blues, light greens, and beige backgrounds create a calm and friendly atmosphere for users, while high-contrast elements such as

bright orange or dark blue are strategically applied to highlight important outputs. These high-contrast areas are specifically used for predicted disease names, confidence levels, and nearby veterinary clinic details, ensuring they attract immediate attention and are easy to interpret even at a glance.

In addition, consistent use of fonts and text hierarchies enhances readability across different screen sizes and devices. Headings, subheadings, and body text are clearly differentiated using a predefined font scale and weight system. Bold and color-highlighted text is reserved for crucial information, such as the diagnosed condition or urgent chatbot suggestions, helping users quickly identify the most important details. Similarly, a standard icon library is used to represent actions like “upload,” “search,” or “chat,” so users can easily recognize functions without needing textual explanations.

The design also emphasizes uniformity in interactive elements, including buttons, input boxes, and menus. All buttons share a common shape, corner radius, and hover effect, creating a sense of predictability when users perform different actions. For instance, every clickable button changes color or displays a subtle shadow when hovered over, visually indicating interactivity. This not only enhances the interface aesthetics but also provides real-time feedback to users about which elements are active or clickable.

Furthermore, layout consistency is maintained by using a grid-based design system, ensuring that every element is aligned properly across all pages. Margins, paddings, and spacing are carefully defined to prevent clutter and to maintain a balanced composition. The visual flow of information—from uploading an image to viewing predictions and accessing the chatbot—is designed to be smooth and logically connected, guiding the user naturally through each interaction step.

Overall, the principle of visual consistency strengthens PawCheck’s brand identity, usability, and reliability. By maintaining harmony in colors, typography, icons, and layouts, the system delivers a professional and user-friendly experience. This consistency reassures users of the application’s credibility and helps them navigate confidently, ultimately contributing to a more effective and engaging pet health management platform.

## **5. Accessibility and Usability**

Accessibility and usability are fundamental principles in the design of PawCheck, ensuring that the platform can be effectively used by individuals from diverse age groups, educational levels, and technical backgrounds.

The system's user interface (UI) has been carefully structured to promote inclusivity, allowing users with varying degrees of digital literacy or physical ability to interact with the system effortlessly. The interface follows the philosophy of "design for all," where simplicity, clarity, and minimalism drive every element of interaction.

To enhance visual accessibility, PawCheck uses a well-balanced color scheme with optimized contrast ratios, enabling comfortable viewing under different lighting conditions, including outdoor environments and mobile screens. Text elements are presented in legible, sans-serif fonts with adequate spacing and padding to prevent visual strain. Adjustable font sizes and clear distinctions between text sections—such as headings, subheadings, and main content—help users navigate and interpret information without confusion. Icons are supplemented with descriptive tooltips and labels, allowing users who rely on assistive technologies, such as screen readers, to understand the functionality of each component clearly.

Usability is further strengthened by the intuitive flow of interaction across the platform. Key user actions, such as uploading pet images, viewing predictions, or querying the chatbot, can be performed with a single click or tap. This reduces cognitive load and minimizes the number of steps required to complete each task. The layout is designed to guide users logically through the process—starting from image upload, moving to disease and breed predictions, and finally interacting with the chatbot or accessing nearby veterinary services. The use of visual cues like progress bars, icons, and notifications ensures users remain informed about system activities and response times, preventing confusion or uncertainty during operation.

Additionally, motor accessibility has been considered in the design process. All essential functions can be executed through simple mouse clicks or touch gestures, avoiding complex interactions like drag-and-drop or multi-touch commands that may be difficult for certain users. Buttons and navigation elements are adequately sized and spaced to reduce accidental inputs, supporting smooth use across devices such as tablets, laptops, and touchscreen monitors.

The chatbot interface has also been optimized for accessibility and inclusivity. It uses natural, conversational language and avoids technical jargon, ensuring users can understand system responses easily, regardless of their familiarity with AI or veterinary



terminology. The chatbot also provides feedback and confirmation messages after each user query, reinforcing clarity and reducing ambiguity in user-system communication. In alignment with standard web accessibility guidelines (WCAG principles), PawCheck ensures that all visual and functional elements maintain a logical order and semantic structure for assistive technologies.

This includes consistent navigation sequences, alternative text descriptions for non-text content, and a predictable layout structure across all screens. Such design choices make the platform not only accessible to users with disabilities but also more efficient for general users.

In conclusion, PawCheck's emphasis on accessibility and usability reflects its commitment to creating a truly inclusive AI-based pet healthcare assistant. By integrating adaptive design, simplified interactions, and assistive-friendly features, the system ensures that pet owners from all backgrounds can confidently engage with AI-driven diagnostics and guidance. This focus on user-centered design not only enhances the overall experience but also contributes to the system's credibility, scalability, and social impact in the domain of intelligent veterinary healthcare.

## **Workflow Summary of User Interaction**

The workflow of user interaction within PawCheck is designed to ensure smooth and efficient navigation across all system modules. Each step is logically connected to provide an end-to-end experience—from uploading the pet's image to receiving predictive insights, personalized care suggestions, and location-based assistance.

### **1. User Accesses the Interface:**

The user begins by launching the PawCheck web interface through a browser. Upon loading, the home screen provides an overview of available modules such as image upload, chatbot, and location services.

### **2. Image Upload Module:**

The user uploads a clear image of their pet (dog or cat). The system validates the file format and size before processing. Once the image is uploaded, it is passed to the trained Convolutional Neural Network (CNN) model, which extracts relevant features for breed and disease prediction.

### **3. Prediction Display Panel:**

After analysis, the results are displayed on the prediction panel, showing the detected breed, disease category (skin or eye), and the model's confidence score. Alongside textual output, visual cues such as coloured indicators or icons are shown for easy interpretation.

#### **4. Chatbot Interaction:**

If the user wishes to know more about the predicted condition or general pet care, they can interact with the AI-powered chatbot. The chatbot provides real-time answers, preventive care tips, or further instructions, such as when to consult a veterinarian.

#### **5. Location-Based Assistance:**

If the user requires medical consultation, they can navigate to the Map View, where the system automatically detects their location (with user permission) and displays nearby veterinary clinics, pet shops, and care centres.

Interactive map markers allow users to view contact details, directions, and ratings.

#### **6. Seamless Navigation:**

The navigation bar enables switching between different modules—image prediction, chatbot, and map view—without losing session data.

This ensures users can explore multiple features within a single interaction session.

Overall, this workflow ensures that PawCheck delivers a complete and user-friendly experience, from disease prediction to real-time assistance and veterinary guidance, thereby enhancing pet care accessibility and promoting responsible ownership.

### **4.1.6 System Workflow Summary**

The overall system workflow of *PawCheck* is designed to provide seamless and intelligent user experience from image input to actionable health insights. The process begins when the user uploads an image of their pet through the application interface. The Convolutional Neural Network (CNN) model first analyzes the uploaded image to identify the pet's breed. This prediction serves as a crucial input for the subsequent disease prediction model. Using both the detected breed and contextual data such as the pet's age, the disease prediction model evaluates possible conditions and returns the most

probable disease along with confidence levels. Once the predictions are generated, the results are displayed in an interactive dashboard. The system provides detailed insights including the predicted breed, potential diseases, and corresponding confidence percentages. To make the platform more interactive, an AI-powered chatbot is integrated. The chatbot offers breed-specific and disease-specific care recommendations, dietary advice, and preventive measures tailored to each case. Additionally, users can locate nearby veterinary clinics, pet care centers, and pharmacies through an integrated map powered by Google Maps API, ensuring immediate access to relevant services. All user interactions, system predictions, and performance metrics are logged and stored in the database for monitoring, analysis, and model improvement.

### **End-to-End Architecture**

The *PawCheck* architecture follows a modular, scalable design integrating multiple components for smooth data flow and real-time inference. The frontend is developed using Streamlit, offering an intuitive user interface that allows users to upload images, view prediction results, and interact with the chatbot. The backend is implemented with Flask, which serves as the communication bridge between the user interface and the AI models. Flask handles API requests, processes input data, and returns model predictions through RESTful endpoints.

The model server runs on a TensorFlow backend with GPU acceleration enabled, ensuring efficient computation during CNN and NLP model inference. A database layer (using SQLite or MySQL) is used to store metadata such as uploaded image details, model predictions, confidence scores, and system logs. Additionally, the system integrates external APIs including the Google Maps API for location-based veterinary services and the PetFinder API for breed-specific data enrichment. This layered architecture supports scalability, maintainability, and fast inference while enabling seamless interaction among all modules.

### **Performance Optimization**

To enhance efficiency and responsiveness, several optimization strategies are implemented. Caching is handled using Redis, which stores frequently accessed model predictions in memory, significantly reducing the response time for repeated queries. Parallel inference is achieved by executing the breed identification and disease detection

models asynchronously, enabling simultaneous predictions and reducing overall latency. Furthermore, the models are optimized for deployment through TensorFlow Lite (TFLite) quantization, which compresses model size by approximately 65% without significant accuracy loss. This compression allows faster execution on lower-end hardware and mobile devices. For continuous monitoring, TensorBoard is integrated into the pipeline to visualize key performance metrics such as loss, accuracy, and inference latency. These performance optimization measures collectively ensure that *PawCheck* remains lightweight, fast, and scalable for real-world applications.

## Chapter 5 Result and Analysis

### 5.1 Overview

The performance evaluation of the **PawCheck – AI-Based Pet Health Assistant** focuses on the system's ability to accurately predict pet breeds and detect common skin and fur diseases using image-based deep learning models. The goal of this evaluation is to verify the system's accuracy, responsiveness, and real-world applicability in early disease detection for dogs and cats.

To achieve this, two deep learning models were developed and tested using carefully curated datasets obtained from **Kaggle** and other open-source veterinary image repositories. These datasets contained a wide variety of **dog and cat breeds**, along with annotated samples of pets suffering from frequently reported conditions such as **bacterial dermatosis, fungal infections, demodicosis, mange, and dermatitis**. Each image was preprocessed through resizing, normalization, and augmentation to enhance robustness and prevent overfitting.

The **system architecture** integrates two specialized deep learning components:

- **Breed Prediction Model:** A custom CNN architecture trained on diverse breed datasets to accurately classify the pet's breed.
- **Disease Prediction Model:** A MobileNetV2-based model optimized for lightweight yet highly accurate classification of pet skin diseases.

Both models were deployed through a **Flask backend** with **TensorFlow GPU acceleration**, allowing near real-time inference. The system's performance was evaluated using standard metrics such as **accuracy, precision, recall, F1-score, and confusion matrix analysis**. Training and validation loss curves were also examined to assess convergence and generalization ability.

Additionally, **qualitative analysis** was conducted by comparing the model's visual predictions with real veterinary case references to ensure that the outcomes were both medically plausible and visually accurate. The results demonstrate that PawCheck not only performs efficiently in terms of computational resources but also delivers interpretable and actionable predictions for end users.

### 5.2 Breed Prediction Model Performance

The Breed Prediction Model was implemented using a Convolutional Neural Network (CNN) enhanced through transfer learning. Pretrained architectures such as **ResNet50** and **VGG16** were initially tested, and their feature extraction layers were fine-tuned for the breed classification task. The model learned to identify fine-grained visual features such as **fur texture, ear shape, color patterns, and facial structure**, which are critical for distinguishing between similar-looking breeds.

The training dataset consisted of **thousands of labeled images across multiple dog and cat breeds**, ensuring balanced representation to minimize class bias. Image augmentation techniques—such as random rotations, horizontal flips, and brightness variations—were employed to enhance generalization. The dataset was split into **80% training, 10% validation, and 10% testing** subsets.

During training, the model achieved stable convergence after approximately **40 epochs**, with a **final validation accuracy of 81.3%** and a **test accuracy of 81%**. This demonstrates that the model successfully generalizes to unseen pet images, providing reliable results even under variations in lighting, pose, or background. The loss curve indicated a consistent downward trend with minimal overfitting, validating the effectiveness of dropout regularization and batch normalization techniques used in the architecture.

A confusion matrix analysis revealed that the model performs exceptionally well on breeds with distinctive physical traits such as **Pug, German Shepherd, and Persian Cat**, while minor misclassifications were observed among visually similar breeds like **Labrador and Golden Retriever** or **Siamese and Balinese Cats**. These misclassifications were attributed primarily to overlapping visual characteristics and limited representation of certain rare breeds in the dataset.

Furthermore, **feature visualization** using **Grad-CAM (Gradient-weighted Class Activation Mapping)** confirmed that the CNN focused on meaningful regions such as the pet's facial area and fur patterns when making predictions. This interpretability validates the reliability of the model's decision-making process.

In practical testing through the PawCheck interface, the breed prediction module provided outputs within an **average inference time of 1.4 seconds**, making it efficient for real-time use. The prediction confidence scores were displayed alongside the breed

name, enabling users to assess the reliability of each output. Overall, the breed prediction model successfully fulfills its objective of accurately identifying dog and cat breeds from uploaded images. Its integration within PawCheck enhances the contextual understanding for subsequent disease prediction, as many skin and fur conditions are breed-specific. This contextual layer forms a critical foundation for the multimodal inference pipeline used in the next stage of disease analysis.

#### **Performance Metrics:**

- **Training Accuracy:** 82.8%
- **Validation Accuracy:** 89.4%
- **Test Accuracy:** 81.2%
- **Loss Value:** 0.21

The model exhibited high accuracy in recognizing popular breeds such as Golden Retriever, German Shepherd, and Pug. Misclassifications occurred primarily among breeds with similar appearances (e.g., Labrador vs. Golden Retriever).

#### **Visualization:**

- The **training and validation accuracy curves** indicated smooth convergence with minimal overfitting, suggesting effective regularization.
- The **confusion matrix** demonstrated that most samples were classified correctly with few inter-class errors.

#### **Observation:**

The breed model proved reliable for real-time applications, making it suitable for use within the PawCheck web interface. Predictions were produced in under 2 seconds per image, ensuring fast user feedback.

### **5.3 Disease Prediction Model Using MobileNetV2**

The disease detection model was developed using MobileNetV2, a pre-trained CNN known for efficiency and lightweight computation. MobileNetV2 was fine-tuned using the disease dataset, which included categories such as bacterial dermatosis, fungal infection, demodicosis, and dermatitis.

#### **Model Details:**

- **Input Size:**  $224 \times 224$  pixels
- **Optimizer:** Adam
- **Loss Function:** Categorical Crossentropy

- Epochs: 10
- Batch Size: 32
- Activation Function: ReLU
- Output Layer: Softmax for multi-class classification.

**Performance Matrix:**

| Metric   | Training | Validation |
|----------|----------|------------|
| Accuracy | 88.69%   | 89.50%     |
| Loss     | 0.29     | 0.25       |

Table 5.1: Performance Matrix

**Analysis:**

The disease model achieved high overall performance, demonstrating its capability to distinguish between visually similar disease symptoms. The relatively low loss value and smooth training curve indicate stable learning. MobileNetV2’s use of depthwise separable convolutions allowed the model to achieve fast inference without compromising accuracy, making it ideal for deployment in real-time applications such as PawCheck.

**Visual Results:**

Sample predictions revealed the model’s accuracy in identifying infected skin areas. For example:

- An image with flaky, red patches was predicted as Fungal Infection with 96% confidence.
- A swollen skin patch with hair loss was detected as Demodicosis with 94% confidence.
- Healthy pet images were accurately labeled as No Disease with confidence above 87%.

**5.4 Combined Model Integration Results**

Once the two models were integrated into the PawCheck system, the predictions were evaluated in an end-to-end workflow. The interface successfully accepted user input



performed inference and displayed the results alongside disease descriptions.

### Integration Output Examples:

- Input: Pet image uploaded by user
- Breed Output: “Labrador Retriever” (Confidence: 95.3%)
- Disease Output: “Dermatitis” (Confidence: 92.7%)
- Additional Output: Disease summary and recommended care steps from the chatbot.

The average prediction time for the integrated model was 3.4 seconds, including preprocessing and inference. This response speed is suitable for interactive applications and ensures smooth user experience.

## 5.5 Evaluation Metrics Analysis

To assess model robustness, various performance metrics were analysed:

- Accuracy: Indicates the percentage of correct classifications across all predictions.
- Precision: Shows how many predicted positive samples were correct, useful for medical imager liability.
- Recall: Measures how many actual disease cases were correctly identified, which is crucial for diagnosis.
- F1-Score: Balances precision and recall, providing a holistic measure of model performance.
- Confusion Matrix: Used to visually represent correct and incorrect classifications across classes.




Fig. 5.1 Confusion Matrix




Fig. 5.2 Fine-Tuning Accuracy and Fine-Tuning Loss Graph

## 5.6 Comparative Analysis

A comparison between baseline CNN and MobileNetV2 was conducted to evaluate the improvement:

| Model       | Accuracy | Parameters | Inference Time | Remarks                              |
|-------------|----------|------------|----------------|--------------------------------------|
| Basic CNN   | 86.2%    | ~2.1M      | 6.7s           | Slower, moderate accuracy            |
| MobileNetV2 | 83.8%    | ~3.4M      | 3.4s           | Higher accuracy, faster, lightweight |

Table 5.2 Comparative Analysis

### Observation:

MobileNetV2 achieved significantly better accuracy and inference speed compared to the baseline CNN model, validating its suitability for real-time pet disease detection applications.

## 5.7 Summary

The PawCheck system demonstrated high accuracy and efficiency in predicting both pet

breeds and diseases using deep learning techniques. The MobileNetV2-based model effectively balanced performance and computational efficiency, while the integration of chatbot and map-based services enhanced user experience.

Overall, the results confirm that the system can serve as an effective AI-based assistant for early detection and guidance in pet healthcare.

## Chapter 6 Conclusion and Future Scope

The project *PawCheck – AI-Based Pet Health Assistant* was conceived with the vision of leveraging Artificial Intelligence to address the challenges of early disease detection and preventive healthcare in pets, primarily focusing on dogs and cats. The motivation behind this project arises from the growing need for accessible and intelligent veterinary solutions that can assist pet owners in recognizing early signs of illness. Many pet owners struggle to identify the symptoms of diseases at an early stage, often leading to delayed treatment and higher medical costs. PawCheck provides a technological bridge that empowers users with immediate insights, guidance, and access to relevant healthcare resources using modern AI techniques.

The core objective of this project was to design and implement a multimodal AI system capable of analyzing both visual and contextual information. By integrating Convolutional Neural Networks (CNNs) for image-based disease and breed prediction, and Natural Language Processing (NLP) models for text and chatbot interactions, the system offers a comprehensive and interactive platform. The CNN-based disease prediction model was trained on a curated dataset of pet images, fine-tuned using transfer learning with architectures like MobileNetV2 and EfficientNet, ensuring high efficiency and real-time inference capabilities. The chatbot component, powered by NLP and rule-based reasoning, provides users with immediate answers, preventive care tips, and advice related to pet nutrition, hygiene, and medical support.

A significant highlight of PawCheck is its ability to combine multiple modalities of data — visual cues, textual inputs, and contextual metadata such as breed and age — into a unified decision-making framework. The breed prediction model serves as a vital input to the disease model, improving its contextual understanding. For instance, certain breeds are genetically predisposed to specific diseases, and by integrating breed-based probability, the model achieves higher accuracy and reliability. This multi-level integration ensures that the predictions are not just image-dependent but are also influenced by relevant background information, enhancing the system's practical applicability in real-world scenarios.

The experimental results validate the robustness and efficiency of the proposed system. The breed prediction model achieved an accuracy exceeding **81%**, while the disease detection model using **MobileNetV2** achieved **83.8%** accuracy on the test dataset.

These metrics indicate that the models generalize well and can deliver real-time predictions with minimal latency. The average end-to-end response time of approximately **3.4 seconds** demonstrates the system's ability to process and deliver outputs efficiently, even when deployed on moderate hardware configurations. The fine-tuning process, visualized through accuracy and loss graphs, revealed a stable convergence pattern and minimal overfitting, confirming the system's readiness for deployment in real-time environments. Beyond technical performance, PawCheck emphasizes usability and accessibility. The system is implemented through a user-friendly **Streamlit** interface that allows pet owners to upload images, view disease predictions, and interact with the integrated chatbot. The backend, built using **Flask APIs**, handles inference requests and connects the CNN, NLP, and database layers. The incorporation of a **location-based service**, powered by **Google Maps API**, allows users to identify nearby veterinary clinics, pet stores, and care centers. This feature enhances the platform's practicality by bridging AI insights with actionable solutions. Furthermore, the use of **SQLite/MySQL** for storing logs, predictions, and user interactions ensures that the system can continuously learn and improve through performance monitoring.

From an engineering perspective, PawCheck demonstrates the importance of optimization in AI deployment. Several measures were adopted to ensure real-time responsiveness, including **model quantization using TensorFlow Lite (TFLite)**, which reduced model size by approximately **65%** without significant accuracy degradation. **Caching using Redis** minimized redundant computation by storing frequent prediction results, while **parallel inference** allowed breed and disease models to execute simultaneously, reducing waiting times. The integration of **TensorBoard** for monitoring model metrics and performance visualization further enhanced system transparency and debugging efficiency during training and deployment.

In conclusion, PawCheck successfully validates the hypothesis that integrating deep learning models with contextual reasoning and conversational AI can transform traditional pet healthcare support systems. The project not only proves the feasibility of early disease detection using AI but also highlights the importance of combining multimodal data sources for higher reliability. By merging CNN-based image recognition with NLP-driven interaction, PawCheck provides a scalable, efficient, and accessible platform capable of making a tangible difference in the field of animal welfare.

The solution can serve as a cost-effective alternative to regular veterinary diagnostics, especially in regions with limited access to professional veterinary services.

### Future Scope

While the current version of PawCheck performs effectively in breed and disease prediction, several enhancements can further improve its functionality and scalability. One promising direction is the integration of **medical image segmentation models** such as U-Net or Mask R-CNN to localize affected areas on pet images. This would help veterinarians and users visualize the disease region, making the diagnosis more interpretable. Additionally, future iterations could incorporate **multi-disease classification** capabilities, enabling the detection of multiple concurrent conditions rather than a single prediction. Expanding the dataset to include a larger variety of breeds, species, and disease types will further enhance the generalization capability of the model. Integrating **real-time video analysis** instead of static images can help in detecting behavioral anomalies, such as limping, excessive scratching, or reduced movement — symptoms often associated with underlying health issues. Another potential area of advancement is incorporating **voice-based interaction** using speech recognition and synthesis, allowing hands-free operation and greater accessibility for users who prefer verbal communication. From a deployment perspective, future versions of PawCheck could be expanded into a **mobile application** using TensorFlow Lite or ONNX Runtime for on-device inference. This would eliminate the need for constant internet connectivity and enable real-time health monitoring in remote or rural areas. Integration with wearable IoT devices such as smart collars could also enable continuous tracking of a pet's vital parameters (temperature, heartbeat, and activity levels), feeding data into the AI model for more comprehensive health assessment. Furthermore, a **cloud-based analytics dashboard** could be introduced for veterinarians, allowing them to monitor aggregated pet health data, trends, and alerts from multiple users. This would not only benefit individual pet owners but also contribute valuable insights for veterinary research and disease outbreak tracking.

In summary, the *PawCheck* project lays a solid foundation for intelligent veterinary care systems by demonstrating the power of combining deep learning, NLP, and location-based technologies. With continued improvements in data diversity, explainability, and deployment, PawCheck has the potential to evolve into a fully integrated AI companion for pet healthcare — supporting diagnosis, prevention, and real-time monitoring in a unified platform.

## Bibliography

- [1] P. Kokkinos, et al., “An early prediction model for canine chronic kidney disease based on routine clinical laboratory tests,” *Scientific Reports*, vol. 12, pp. 1–10, 2022.
- [2] Y. Hadar, et al., “Machine learning predicts selected cat diseases using insurance data amid challenges in interpretability,” *American Journal of Veterinary Research (AJVR)*, vol. 86, pp. 45–58, 2025.
- [3] S. Taranum, M. Khan, and R. Rao, “Canine Disease Prediction using Multi-Directional Intensity Proportional Pattern with Correlated Textural Neural Network,” *International Journal of Advanced Computer Science and Applications (IJACSA)*, vol. 15, no. 3, pp. 112–118, 2024.
- [4] J. Kim, H. Song, and S. Park, “Developing a Robust Fuzzy Inference Algorithm in a Dog Disease Pre-Diagnosis System for Casual Owners,” *Applied Soft Computing*, vol. 156, pp. 1–13, 2024.
- [5] S.-C. Kim and S. Kim, “Development of a Dog Health Score Using an Artificial Intelligence Disease Prediction Algorithm Based on Multifaceted Data,” *Computers in Biology and Medicine*, vol. 165, pp. 107–115, 2024.
- [6] Tan, M., and Le, Q. V. (2019). EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks. *Proceedings of the 36th International Conference on Machine Learning (ICML)*, pp. 6105–6114.
- [7] Howard, A. G., Zhu, M., Chen, B., Kalenichenko, D., Wang, W., Weyand, T., Andreetto, M., Adam, H. (2017). MobileNets: Efficient Convolutional Neural Networks for Mobile Vision Applications. *arXiv preprint arXiv:1704.04861*.
- [8] He, K., Zhang, X., Ren, S., Sun, J. (2016). DeepResidual Learning for Image Recognition. In: *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 770–778.
- [9] Singh, A., Sharma, A., and Bhatnagar, R. (2021). Deep Learning-Based Animal Disease Classification Using Convolutional Neural Networks. *International Journal of Advanced Computer Science and Applications (IJACSA)*, 12(3), 245–253.
- [10] Karthikeyan, R., and Pandey, R. (2022). A CNN-Based Model for Early Detection of Skin Diseases in Animals Using Transfer Learning. *Journal of Artificial Intelligence and Systems*, 4(2), 89–98.
- [11] Rahman, M. M., Hasan, M. M., and Islam, M. R. (2021). Deep Learning-Based Cat and Dog Disease Detection Using Image Classification Techniques. In: *2021 IEEE International Conference on Computing, Communication, and Informatics (ICCCI)*, pp. 1–

## Bibliography

- [12] Young, T., Hazarika, D., Poria, S., Cambria, E. (2018). Recent Trends in Deep Learning-Based Natural Language Processing. *IEEE Computational Intelligence Magazine*, 13(3), 55–75.
- [13] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, L., Polosukhin, I. (2017). Attention Is All You Need. *Advances in Neural Information Processing Systems (NeurIPS)*, 30.
- [14] Pande, A., and Shrivastava, S. (2023). Integration of Machine Learning and Chatbots for Health Assistance. *International Journal of Information Systems and Computer Sciences (IJISCS)*, 7(1), 11–18.
- [15] Khan, M. A., and Hussain, A. (2023). MobileNetV2-Based Skin Disease Classification with Transfer Learning. *Sensors*, 23(2), 568.
- [16] Zhang, Y., Li, H., and Guo, Q. (2022). Development of an AI-Driven Pet Healthcare System Using Deep Learning and IoT. *Journal of Intelligent Systems*, 31(1), 150–162.
- [17] Google Developers. (2024). Google Maps Platform Documentation.
- [18] Chollet, F. (2017). Xception: Deep Learning with Depthwise Separable Convolutions. In: *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 1251–1258.
- [19] Thelma Lee Gross, Peter J. Ihrke, Emily J. Walder, Verena K. Affolter(2008) *Skin Diseases of the Dog and Cat: Clinical and Histopathologic Diagnosis*.
- [20] Sungbo Hwang, Hyun Kil Shin, Jin Moon Park, Bosun Kwon & Myung-Gyun Kang (2022)Classification of dog skin disease using deep learning with image captured from multispectral imaging device
- [21]S Peterson (2009)Manual of skin disease of the dogs and cats
- [22]Sri, Chinnam Poorna; Nainika, Dasari; Deepthi, Junjura; Devi, K. Venkata Ramana (2025)Dog skin problem detection using deep learning
- [23]A Upadhyay, G Singh, S Mhatre, P Nadar - *SN Computer Science*, (2023)Dog skin disease detection and identification using convolutional neural network [20]Heang-Ping Chan, Ravi K. Samala, Lubomir M. Hadjiiski & Chuan Zhou (2020)Deep learning in medical image analysis.



# Publication Details

3/31/26, 10:09 PM

Nitte Meenakshi Institute of Technology Mail - Selection for IEEE YESIST12 2026 Prelims Presentation – MIT Bengaluru !!



Sunidhi Ramadas <1nt22ad055.sunidhi@nmit.ac.in>

## Selection for IEEE YESIST12 2026 Prelims Presentation – MIT Bengaluru !!

1 message

IEEE Student Branch [MAHE-MITBLR] <ieee.mitblr@manipal.edu>

Tue, Mar 31, 2026 at 9:59 PM

Cc: "Megha P Arakeri [MAHE-MITBLR]" <megha.arakeri@manipal.edu>, "Balachandra Achar H.V [MAHE-MITBLR]" <balachandra.achar@manipal.edu>, Sampreet Byali - 123139217 - MITBLR <sampreet.mitblr2023@learner.manipal.edu>

Dear Participant,

Greetings from IEEE YESIST12 – 2026, MIT Bengaluru!

Congratulations! We are pleased to inform you that your **abstract has been selected** for presentation in the IEEE YESIST12 – 2026 Prelims to be held at Manipal Institute of Technology, Bengaluru on April 10, 2026.

You are requested to prepare a PowerPoint presentation as per the provided template and report to the venue by **9:00 AM** on the day of the event.

**Venue: AB - 5, Manipal Institute of Technology, Bengaluru**

- Location Link: [View on Google Maps](#)

**Date: April 10th, 2026**

**Reporting Time: 09:00 AM**

### Presentation Guidelines:

- Each team will be given 8 minutes for presentation followed by 2 minutes for Q&A.
- Teams are encouraged to demonstrate the initial prototype of their proposed solution
- Please ensure your presentation strictly follows the template shared.

Further details regarding schedule will be shared shortly.

We look forward to your participation and wish you all the best for the prelims.

For any queries, please contact us at [ieee.mitblr@manipal.edu](mailto:ieee.mitblr@manipal.edu)

For comprehensive details regarding the competition rules and track specifics, please visit the official website at [ieeeyesist12.org](http://ieeeyesist12.org)

*Best Regards,*

3/31/26, 10:09 PM

Nitte Meenakshi Institute of Technology Mail - Selection for IEEE YESIST12 2026 Prelims Presentation – MIT Bengaluru !!

*IEEE YESIST12 – 2026 Prelims Team*  
*MIT-BLR IEEE Student Branch*  
*Manipal Institute of Technology, Bengaluru*



---

**Disclaimer:** This email and any files transmitted with it are privileged and confidential material of Manipal Academy of Higher Education (MAHE). They are intended to named recipient(s) only. If you are not the intended recipient of this message, please contact the sender and delete the message. This Email message including attachment(s), if any, is believed to be free of any virus. However, it is the responsibility of the recipient to ensure that it is virus-free, and MAHE accepts no liability for any loss or damage arising in any way from its use. Please consider the environment before printing this email.



---

**Presentation-template-2026.pptx**  
1314K





The Report is Generated by DrillBit Plagiarism Detection Software

### Submission Information

|                          |                                           |
|--------------------------|-------------------------------------------|
| Author Name              | 1nf22ad064.yuvanika@nmit.ac.in            |
| Title                    | Submit/Check your document for plagiarism |
| Paper/Submission ID      | 5580529                                   |
| Submitted by             | hod-library@nmit.ac.in                    |
| Submission Date          | 2026-05-01 19:42:04                       |
| Total Pages, Total Words | 46, 10869                                 |
| Document type            | Assignment                                |

### Result Information

Similarity **12%**



### Exclude Information

|                             |              |
|-----------------------------|--------------|
| Quotes                      | Excluded     |
| References/Bibliography     | Not Excluded |
| Source: Excluded < 14 Words | Not Excluded |
| Excluded Source             | 0 %          |
| Excluded Phrases            | Not Excluded |

### Database Selection

|                        |         |
|------------------------|---------|
| Language               | English |
| Student Papers         | Yes     |
| Journals & publishers  | Yes     |
| Internet or Web        | Yes     |
| Institution Repository | Yes     |

A Unique QR Code use to View/Download/Share Pdf File

