

India's leading design voice



BUILDING A CULTURE OF INNOVATION FOR GROWTH

Pre-Lam HDHMR Training Document

Live beautiful

Index

- What is Pre-laminated HDHMR?
- Pre-lam HDHMR vs Regular HDHMR
- Pre-lam - Panel types & their applications
- Shutter Laminate Finishes - 0.8mm Laminates
- Pre-lam - Applicability
- Pre-lam Restrictions
- Packages
- Smart/Select/Signature Package comparison
- Selection Process in ODP

What is Pre-lam HDHMR?

Pre-laminated HDHMR board is a factory-made engineered board where the laminate is already pressed and bonded during manufacturing. It is not pasted later at the factory or on-site.

Key Characteristics

- The laminate is permanently bonded using controlled pressure and temperature.
- The finish is smooth and consistent, and the board thickness is fixed and standardized.
- It is designed for faster production, consistency, and better cost control.

Why Pre-lam is Used

- Reduces errors from manual lamination & saves production time.
- Provides consistent quality, especially for budget-friendly projects.

⚠ Important:

Pre-lam boards cannot be customized like post-lam boards.

Cost
Optimized by **22%**

Time
Saved by **20%**

Quality
No Compromise

Live beautiful

Pre-Lam HDHMR vs Regular HDHMR

Feature	Pre-Lam HDHMR (Smart & Select Category)	Regular HDHMR (Standard Offering)
Surface Finish	Laminate already pressed on the HDHMR board at the factory	Raw HDHMR Board- laminate or finish applied later
Customization	Limited to available colours and finishes only	Highly customizable (any laminate, acrylic etc.)
Production Time	Faster because lamination step is eliminated (X- 2 Days)	Takes more time due to separate lamination process (X days)
Thickness	5.5mm, 16mm	6mm, 18mm ,24 mm
Cost	Economical (no additional lamination cost & labour)	Slightly high due to lamination labour and materials
Best Use	Budget projects, modular furniture, large-scale production	Premium interiors, custom furniture, designer finishes

Critical things to Remember - Pre-Lam HDHMR

- Board thickness already includes laminate thickness.
- 24mm thick Pre-Lam is not available.
- Pre-Lam material cannot be used in any customised design solutions.

Live beautiful

Pre Lam - Panel Types & their applications

1. OSR (One Side Raw) - For Carcass Exposed panels
2. BSL Pre-Lam – For Carcass
3. BSL Post-Lam – For Shutters

1. OSR Panels (Carcass Only)

One side pre-laminated + Other
(Raw) side post Laminated

Allowed Usage

- ✓ Side panels
- ✓ End panels
- ✓ External visible carcass surfaces

2. BSL Pre-Lam Panels (Carcass Only)

- Both sides factory pre-laminated
- Balanced panel construction

Usage

- ✓ All internal carcass panels

Why mandatory

Prevents sagging, Maintains alignment, Reduces service complaints.

Adding 1mm laminate to OSR is **strictly prohibited**. (To be selected from 22 offerings itself).

3. Post-Lam Panels (Shutter Only)

Construction

- External laminate: **0.8 mm**
- Internal laminate: **0.7 mm**

Usage








- ✓ All shutters without exception

This ensures:

- Flat shutters
- Proper hinge performance
- Long-term durability

Shutter Laminate Finishes - 0.8mm Laminates


Internal Finishes

 Arctic White SUD	 Frosty White SUD	 Beige SUD	 Dust SNT	 Dark Grey SUD	 Hazel Cambric 46P
 Frosty White PGL	 Dust PGL	 Dark Grey PGL	 Beige PGL	 Frosty White SNT	 Lam SL SD 0.72mm 5149

For - Shutters and Exposed/Visible Panels - Must select finishes only from 22 standardized pre-lam laminate options : [Link](#)

Note:- All the images are only for reference purposes.

Shutter Laminate Finishes - 0.8mm Laminates




- For - Shutters and Exposed/Visible Panels - Must select finishes only from 22 standardized pre-lam laminate options : [Link](#)
- For carcass internal finish - only **Hazel Cambric 46P** is applicable & Edge banding (E3 Prima): Almond Fabric 404
- Internal Shutter Backing (Stylam) will be only : Lam SL SD 0.72mm 5149 (ERP Code : **BD-LAM-2026-0024**)


Note:- All the images are only for reference purposes.

CONFIDENTIAL


Pre-Lam HDHMR – Usage reference:



Visible Side panels - Internal
Pre-Lam - External 0.8mm Laminate



Shutter Internal (Post Lam) -
0.7mm Laminate



Shutter External (Post Lam) -
0.8mm Laminate

Pre-Lam Applicability

Allowed Applications

- ✓ Wardrobes
- ✓ Storage Units
- ✓ TV Units
- ✓ Non-Kitchen base & wall units
- ✓ Fast turnaround projects

Strictly Not Allowed

- ✗ Kitchens (all types)
- ✗ Semi-modular kitchens
- ✗ Sink / hob cut-outs
- ✗ Wet or high-moisture areas

Pre-lam Restrictions

- Kitchens, Semi-modular kitchens & Utility/ Vanity cabinets
 - Moisture, heat, and chemicals cause failure
- Any module attached to the kitchen or in the wet area
 - Sink cut-outs damage laminate sealing & Moisture, heat, and chemicals cause failure
- Shutters must always be post-lam, OSR or BSL Pre-lam Shutter is not possible
 - Long-term durability risk

Shutter Finishes not allowed for Pre-lam Cabinets

- ✗ Acrylic & Crystal Acrylic
- ✗ PU & Membrane
- ✗ Royal Touch laminates
- ✗ Regular 1mm & 1.25mm laminates.

Packages

SIGNATURE

KITCHEN
Carcass & Shutters **No Changes (Standard)**
Hardware **No Changes (Standard)**

OTHER MODULES *Wardrobes · TV Units · Storage*

Carcass **Post lam**

Shutter **Post Lam**
1mm–1.25mm External
0.7mm Internal

Hardware **No change (Standard)**

No Change(Standard)

SELECT

KITCHEN
Carcass & Shutters **No Changes (Standard)**
Hardware **No Changes (Standard)**

OTHER MODULES *Wardrobes · TV Units · Storage*

Carcass **Pre-lam**

Shutter **Post Lam**
0.8mm External
0.7mm Internal

Hardware **Optimized Hardware –
Indaux & Hepo**

SMART

KITCHEN
Carcass & Shutters **No Changes (Standard)**
Hardware **Optimized Hardware –
Indaux & Hepo**

OTHER MODULES *Wardrobes · TV Units · Storage*

Carcass **Pre-lam**

Shutter **Post Lam**
0.8mm External
0.7mm Internal

Hardware **Optimized Hardware –
Indaux & Hepo**

Smart vs Select vs Signature

Material & Hardware Comparison

	"Smart" Package	"Select" Package	"Signature" Package
Budget Range (As per RGM)	₹0 – ₹10 Lakh	₹10 – ₹15 Lakh	Standard (No Change)
Optimization Type	Aggressive Optimization	Balanced Optimization	Standard (No Change)

Kitchen Units

	"Smart" Package	"Select" Package	"Signature" Package
Panels / Carcass	Full Post-lam (Standard Process)	Full Post-lam (Standard Process)	Full Post-lam (Standard Process)
Shutters	Full Post-lam	Full Post-lam	Full Post-lam
Hardware	Optimized (Value-engineered)	Standard / Premium	Standard / Premium

Non-Kitchen Units (Wardrobes, TV Units, Storage)

	"Smart" Package	"Select" Package	"Signature" Package
Carcass	Pre-lam HDHMR	Pre-lam HDHMR	Full Post-lam
Visible Carcass Sides	Inside Pre-lam + Visible side 0.8mm laminate	Inside Pre-lam + Visible side 0.8mm laminate	Post-lam
Shutters	Post-lam (0.7mm internal + 0.8mm external)	Post-lam (0.7mm internal + 0.8mm external)	Full Post-lam
Hardware	Optimized hardware	Optimized hardware	Standard / Premium

Selection Process in ODP

Step 1 – Select Project (PID)

Open **ODP** and select the correct Project ID (PID) from the project details window.

Step 2 – Package Details (Can be Upgraded but can not be downgraded)

Go to Project Settings → Package Will be as per RGM Budget selection.

Step 3 – Open Product Library

Click the Library icon from the top toolbar to open the product catalog.

Step 4 – Identify Prelam Products


In the product list, check the **product names and look for (PL)** mentioned in brackets.

Step 5 – Select Required Product

Choose and insert the required **(PL) product** into the design.

Note:

Products with (PL) in the name indicate Prelam modules and must be used for Prelam designs.



The screenshot illustrates the five-step selection process in the ODP software:

- 1 Select Project (PID)**: The 'Project Details' window shows 'Project Number : 9971' with a green checkmark and 'Project Name : Amit Nagalkar'. A red arrow points to the project number.
- 2 Choose Package**: The 'Project Settings' window shows a dropdown menu for 'Packages' with 'Smart' selected. A red arrow points to the 'Smart' option.
- 3 Open Library**: The top toolbar shows various icons. A red arrow points to the 'Library' icon, with the text 'Click the Library Icon' below it.
- 4 Identify Prelam (PL) Products**: The product list shows two items: 'Slider Topline L Wardrobe Two Door Without Loft (PL)' and 'Blind Corner Bottom Cabinet (PL)'. Red boxes highlight the '(PL)' in both names, with a red arrow pointing from the first to the second.
- 5 Select Required Product**: The 'Blind Corner Bottom Cabinet (PL)' is selected. A red arrow points to the 'Insert into Design' button.

Note: Always choose products with **(PL)** for Prelam designs.

Frequently Asked Questions

- **What is Pre-Lam HDHMR?**

Pre-laminated HDHMR is an engineered board where the laminate is bonded to the board during factory manufacturing.

- **Does Pre-Lam affect the quality of the product?**

No. There is no change in the quality of the product as the core remains HDHMR itself & the quality remains the same.

- **Is there any change in warranty from Pre-Lam to Post-Lam?**

No. The warranty remain the same at **10 years**.

- **Where can Pre-Lam HDHMR be used?**

Wardrobes, storage, TV units, and non-kitchen base & wall units.

- **Where is Pre-Lam HDHMR not allowed?**

Kitchens, semi-modular kitchens, sink cut-outs, hob cut-outs, and wet or high-moisture areas and **Shutters are not allowed in Pre-Lam HDHMR.**

- **Which furniture parts use Pre-Lam HDHMR?**

Carcass of wardrobes, storage, TV units & other non-kitchen modules.

- **What finish is used for internal carcass surfaces (Pre lam)?**

Internal Carcass finish for Pre-Lam Cabinets is - Fabric Finish - Hazel Cambric 46P.

- **What finish is used for internal carcass surfaces (Post lam)?**

Internal carcass finish for post-Lam cabinets -

- * Fabric Finish for 1mm Laminate/Acrylic

Shutter Cabinets- Fabric Laminate - SUD(Gold)

- *Frosty White for Membrane/PU/Royal Touch Laminates/Crystal Acrylic

shutter cabinets - Lam SL SD 0.72mm 104 Essentials (Gold)

- **What is the Shutter backing for Pre-lam Cabinets**

Fabric Laminate - SUD(Gold)

- **What is the Shutter backing for Post-lam Cabinets**

Lam SL SD 0.72mm 5149

- **What laminate (post-lam) specification is used for shutters in each package?**

Smart → 0.8mm external / 0.7mm internal

Select → 0.8mm external / 0.7mm internal

Signature → 1mm – 1.25mm external / 0.7mm internal

- **What package will be applicable(auto-selected) based on the budget (at RGM stage)?**

Smart → Up to ₹10L, Select → ₹10L – ₹15L,

Signature → ₹15L and above

What happens in the Smart package?

Kitchen

- ☐ Carcass & Shutters → No change / Post-lam
- ☐ Hardware → Optimized

Other Modules (Wardrobes, TV Units, Storage)

- ☐ Carcass → Pre-lam HDHMR
- ☐ Shutters → Post-lam (0.8mm External; 0.7mm Internal)
- ☐ Hardware → Optimized

What happens in the Select package?

Kitchen

- ☐ Carcass & Shutters → No change / Post-lam
- ☐ Hardware → Standard / Premium

Other Modules (Wardrobes, TV Units, Storage)

- ☐ Carcass → Pre-lam HDHMR
- ☐ Shutters → Post-lam (0.8mm External Laminate; 0.7mm Internal Laminate)
- ☐ Hardware → Optimized

What happens in the Signature package?

- ☐ Carcass → Post-lam
- ☐ Shutters → Post-lam (1mm–1.25mm External Laminate; 0.7mm Internal Laminate)
- ☐ Hardware → Standard / Premium

Can packages be changed?

Upgrades are allowed: Smart → Select → Signature
Downgrades are not allowed.

Example:

If a project is under the **Smart Package**, products from the **Select or Signature packages** can be added (i.e., premium products can be upgraded).

However, if a project is under the **Signature Package**, products from lower packages - such as **Pre-lam cabinets from the Smart Package** - cannot be added.

Can projects whose NETTING(stage) is already done shift to another category?

No. The option for selecting packages is only there for new projects.

Can projects where the RGM is already completed or where the CDP is lost be shifted to another category?

Need an Strategy approval. Although, designers will need to rework on the project

What finishes are available for shutters and visible panels?

Selection must be from the 22 standardized laminate finishes. [Link](#)

What finish is used for internal carcass surfaces?

Carcass - Hazel Cambric 46P and Shutter backing -Lam SL SD 0.72mm 5149.

Muchas Gracias

 **BONITO**
DESIGNS

 **BONITO.IN**