

India's leading design voice



BUILDING A CULTURE OF INNOVATION FOR GROWTH

Bonito Wardrobe Membrane Profiles Training Document

Live beautiful

India's leading design voice

Index

- What is Membrane?
- Introduction
- Membrane Finish Options
- Edge & Handle Profile Finish Options
- Bonito Wardrobe Profile Specifications
- Tony Handle Finish Options
- Selection Process for Designer

Live beautiful

India's leading design voice



What is Membrane?

Membrane is **Polyvinyl chloride (PVC)** foil. These are foils which are wrapped around medium/high density fiberboard under high pressure.


Membrane is durable, heat resistant and perfect for Wardrobes.

Bonito Wardrobe Profiles

Bonito Wardrobe Profiles are thoughtfully designed to suit a wide range of interior styles, from classic and transitional to modern and contemporary. Made with **MDF / HMR MDF as the base material** and finished with a **membrane finish**, these profiles offer a smooth, seamless surface with refined detailing. With **10 distinctive design options**, including fluted, flat, and decorative patterns, they provide flexibility to complement different design aesthetics. **Ideal exclusively for wardrobe units**, Bonito Wardrobe Profiles combine visual appeal with durability, making them a versatile choice for diverse interior spaces.

What have we onboarded?

Wardrobe Profiles (Only for hinged wardrobe shutters)




CL-70FC



CLA-70FC



CT Tony Fluted & Flat



Club Design: A




Club Design: B




FWR 10/T18



FWR 30/T18









FWR 40/T18








Wedge Fluted & Flat

Membrane Finish Options- **SM-1**


						
ESM Artic White SM-1 Matt	ESM Corn SM-1 Matt	ESM Sand Satin SM-1 Matt	ESM Sahara Beige SM-1 Matt	ESM Beau Blue SM-1 Matt	MEM Snow White SM-1 Matt	ESM Marine SM-1 Matt
						
ESM Highland Green SM-1 Matt	ESM River Stone SM-1 Matt	MEM SM Slate SM-1 Matt	MEM River Stone (WP) SM-1 Matt	MEM ESM Blue SM-1 Matt	MEM ESM Pumic Grey SM-1 Matt	

Membrane Finish Options- **SM-2**



		
MEM PT Marine SM-2 Matt	PT Alpine White SM-2 Matt	MEM Oak Endgrain Delight SM-2 Matt

			
MEM PT Stone Dust SM-2 Matt	MEM PT Daisy SM-2 Matt	MEM PT Graphite SM-2 Matt	MEM Latte Cashmere SM-2 Matt

Membrane Finish Options- **SM-3**

 Oria Blue Premier Matt SM-3 Matt	 Indigo Blue Paint flow Premier SM-3 Matt	 Tuscan Red Premier Matt SM-3 Matt	 MEM Highland Green Premier SM-3 Matt
 Light Grey Premier Matt SM-3 Matt	 Cubanit Grey Premier Matt SM-3 Matt	 Reed Green Paint flow SM-3 Matt	 Dust Grey Premier Matt SM-3 Matt

Membrane Finish Options- **RM-1**

						
Natural Teak RM-1 Matt	Walnut Regato (WP) RM-1 Matt	Sheesham RM-1 Matt	Marble Dark (Brown) RM-1 Matt	New Ivory-1 RM-1 Matt	Pure White RM-1 Matt	MEM Stone Grey Modern Ash RM-1 Matt

Membrane Finish Options- **RM-2**

		
Fumed Oak RM-2 Matt	MEM Denim Suedette RM-2 Matt	MEM Sand Satin RM-2 Matt

Membrane Finish Options- **RM-3**

				
MEM Sonoma Ash RM-3 Matt	MEM Amatic PD RM-3 Matt	MEM Artisan Oak RM-3 Matt	Elmo Verlinga Bleached RM-3 Matt	Woody Tan RM-3 Matt

Edge & Handle Profile Finish Options



Black



Champagne



Gold Rust

Important Note:

Edge Profile Handle is used for **CLUB Design A, CLUB Design B, FWR 10/18, FWR 30/18 & FWR 40/18**

Wardrobe Membrane Shutter ERP Codes

TONY HANDLES

- Finish Options



Dark Okasha



Bronze Walnut



Aluminium Anodized
Champagne



Aluminium Anodized
Dark Brown



Natural Teak



Aluminium Anodized



Shadow Oak



Aluminium Anodized
Stone Grey(RAL7048)




Urban Walnut

Note:- All the images are only for reference purposes.

CL- 70 FC

- Shutter Parameters:



Specification	Details
Thickness	22 mm thick. HMR MDF
Shutter Finish	Membrane with Cane
Proportion	As per 3 external drawer
Handle	Surface Mounted Handle(To be selected from Bonito Handle range) & Handle position is 1100 mm from the floor fixed to the tip of the handle.
Outer Frame Size	70 mm
Height Proportion	For 2400 mm height – 780 mm (bottom) + 1620 mm (above)
Drawer Height	260 mm (fixed)
External Drawers	Possible

Profile Code	Variants	Width in mm		Height in mm			Thickness
		Min.	Max.	Min.	Max.	Fixed	
Cane CL-70FC	Cane - solid + Cane Shutter (single)	400	600	1950	2400		22 mm
Cane CL-70FC	Cane shutter with 3 external Drawers	400	600	1170	1620		22 mm
Cane CL-70FC	Drawers	400	1000			260	22 mm
Cane CL-70FC	Fully Caned with one partition shutter (single)	400	600	1950	2400		22 mm
Cane CL-70FC	Loft (single)	400	600	450	600		22 mm

Note:- All the images are only for reference purposes.

**Only Clear Glass is possible -
Glass will be supplied by the vendor – No need to consider additional glass**

CL- 70 FC

- Profile Selector



Profile Code	Membrane Finish Category	Cane Color
Cane CL -70FC	SM1	Light Brown
Cane CL -70FC	SM2	Light Brown
Cane CL -70FC	SM3	Light Brown
Cane CL -70FC	RM1	Light Brown
Cane CL -70FC	RM2	Light Brown
Cane CL -70FC	RM3	Light Brown

- CL-70 FC & CLA-70 FC- Surface Mounted Handles** available in our **Bonito Handles** offering should be used.

Link- [Bonito Surface Mounted Handles](#)

Note:- All the images are only for reference purposes.

**Only Clear Glass is possible -
Glass will be supplied by the vendor – No need to consider additional glass**

CL- 70 FC

- Design Variants



Cane with 780 mm Solid (fixed)




Cane with 3 Externals Drawers
 Single Drawer ht- 260 mm(fixed)



Fully Cane with One Partition



Loft in Solid Profile






Loft in Fully Caned Profile

Note:- All the images are only for reference purposes.

CL-70 FC

- Construction details



Note:- All the images are only for reference purposes.

CLA- 70 FC

- Shutter Parameters:



Note:- All the images are only for reference purposes.

Profile Code	Variants	Width in mm		Height in mm		Fixed	Thickness
		Min.	Max.	Min.	Max.		
Cane CLA -70FC	LH Cane with 520 mm solid shutter	400	600	1950	2400		22 mm
Cane CLA -70FC	RH Cane with 520 mm solid shutter	400	600	1950	2400		22 mm
Cane CLA -70FC	Cane shutter with 2 external drawers	400	600	1430	1880		22 mm
Cane CLA -70FC	Drawers	400	1000			260	22 mm
Cane CLA -70FC	Loft	400	600	450	600		22 mm
Cane CLA -70FC	LH Cane shutter with 780 mm solid	400	600	1950	2400		22 mm
Cane CLA -70FC	RH Cane shutter 780 mm solid	400	600	1950	2400		22 mm
Cane CLA -70FC	LH Cane shutter with 3 external drawers	400	600	1170	1620		22 mm
Cane CLA -70FC	RH Cane shutter with 3 external drawers	400	600	1170	1620		22 mm
Cane CLA -70FC	LH Fully caned with one partition shutter	400	600	1950	2400		22 mm
Cane CLA -70FC	RH Fully caned with one partition shutter	400	600	1950	2400		22 mm

- CL-70 FC & CLA-70 FC- Surface Mounted Handles** available in our Bonito Handles offering should be used.

Link- [Bonito Surface Mounted Handles](#)

Only Clear Glass is possible -

Glass will be supplied by the vendor – No need to consider additional glass

CLA- 70 FC

- Shutter Parameters & Profile Selector



Specification	Details
Thickness	22 mm thick. HMR MDF
Shutter Finish	Membrane with Cane
Proportion	As per 3 external drawer
Handle	Surface Mounted Handle(To be selected from Bonito Handle range) & Handle position is 1100 mm from the floor fixed to the tip of the handle.
Outer Frame Size	70 mm
Height Proportion	For 2400 mm height – 780 mm(bottom) + 1620 mm (above)
Drawer Height	260 mm (fixed)
External Drawers	Possible

Profile Code	Membrane Finish Category	Cane Color
Cane CLA - 70FC	SM1	Light Brown
Cane CLA - 70FC	SM2	Light Brown
Cane CLA - 70FC	SM3	Light Brown
Cane CLA - 70FC	RM1	Light Brown
Cane CLA - 70FC	RM2	Light Brown
Cane CLA - 70FC	RM3	Light Brown

**Only Clear Glass is possible -
Glass will be supplied by the vendor – No need to consider additional glass**

Note:- All the images are only for reference purposes.

CLA- 70 FC


- Design Variants



Cane with 520 mm Solid (fixed)



Cane with 2 Externals Drawers
Single Drawer height - 260 mm(fixed)



Loft in Solid Profile

Note:- All the images are only for reference purposes.

CLA- 70 FC

- Design Variants



Cane with 780 mm Solid (fixed)



Cane with 3 Externals Drawers
 Single Drawer height - 260 mm(fixed)



Fully Cane with One Partition



Loft in Solid Profile






Loft in Fully Caned Profile

Note:- All the images are only for reference purposes.

CLA-70 FC

- Construction details



Note:- All the images are only for reference purposes.

CT TONY FLAT/FLUTED

- Shutter Parameters:



Specification	Details
Shutter Thickness & Material	22 mm HMR MDF
Shutter Finish	Membrane
Drawer Provision	No external drawer possible in this design
Corner Module	Possible
Handle Height	Height of Tony handle will be constant irrespective of different wardrobe heights
Maximum Carcass Height	2550 mm
Maximum Shutter Height	2535 mm
Handle Finish	Refer sheet No. 12 for Finish Options
Handle	Built in Tony Handle
Bottom Panel	1100 mm (fixed)
External Drawers	Not possible

Profile Code	Variants	Width in mm		Height in mm			Thickness
		Min.	Max.	Min.	Max.	Fixed	
CT Tony Fluted	Fluted shutter	400	600	1960	2400		22 mm
CT Tony Fluted	Loft (Fluted)	400	600	300	1200		22 mm
CT Tony Flat	Flat shutter	400	600	1960	2400		22 mm
CT Tony Flat	Loft (Flat)	400	600	300	1200		22 mm

Note:- All the images are only for reference purposes.

CT TONY FLAT/FLUTED

- Profile Selector:

Profile Code	Membrane Finish Category	Profile Handle Color Category
CT Tony Fluted	SM1	Tony Handle
CT Tony Fluted	SM2	Tony Handle
CT Tony Fluted	SM3	Tony Handle
CT Tony Flat	SM1	Tony Handle
CT Tony Flat	SM2	Tony Handle
CT Tony Flat	SM3	Tony Handle


Note:- All the images are only for reference purposes.

CT TONY FLAT/ FLUTED

- Design Variants




CT TONY FLAT



CT TONY FLAT WITH LOFT



CT TONY FLUTED




CT TONY FLUTED WITH LOFT

Note:- All the images are only for reference purposes.

CT TONY- FLAT


- Construction details



Note:- All the images are only for reference purposes.

CT TONY - FLUTED

- Construction details



Note:- All the images are only for reference purposes.

Club Design: A & B

- Finishes & Designs:



Club Design: A

Club Design: B

Shutter Specification	Details
Design Name	Club Design A , Club Design B
Wardrobe Type	Hinged wardrobe only
Base Material	MDF
Shutter Finish	Matt Membrane
Shutter Thickness	18 mm
Groove Design	Club-shaped grooved pattern
Groove Dimension	6 mm width × 3 mm depth
Fluted Portion	750 mm (Fixed)
Flat Portion	As per design
Drawer Provision	Not possible
Lock Provision	Not available
Loft Operation	Push-to-open
Loft Design	Fluted profile on one shutter only
Balancer	Prelam
Hinges	Narrow aluminium hinges
Corner Module	Possible only with handle on right-hand shutter

NOTE:

- EP handle is edge profile handle and shutter with this handle will always come with slot on edge to house it stiffener as per design and height
- All the images are only for reference purposes.

Club Design: A & B

- Shutter Parameters :



Club Design: A

Club Design: B

Handle Specification	Details
Handle Type	EP (Edge Profile) handle
Handle Height	350 mm
Handle Position	1100 mm from bottom fixed.
Handle Finish Options	Champagne / Gold Rust / Black
EP Handle Height Behaviour	Constant irrespective of wardrobe height



Profile Code	Variants	Width in mm		Height in mm			Thickness
		Min.	Max.	Min.	Max.	Fixed	
CLUB	LH Club A shutter	400	600	1960	2400		18 mm
CLUB	RH Club A shutter	400	600	1960	2400		18 mm
CLUB	LH Club B shutter	400	600	1960	2400		18 mm
CLUB	RH Club B Shutter	400	600	1960	2400		18 mm
CLUB	LH Club A Loft	400	600	300	1200		18 mm
CLUB	RH Club A Loft	400	600	300	1200		18 mm
CLUB	LH Club B Loft	400	600	300	1200		18 mm
CLUB	RH Club B Loft	400	600	300	1200		18 mm

- Profile Selector:

Profile Code	Membrane Finish Category	Profile Handle Color Category
CLUB	SM1	Black
CLUB	SM2	Black
CLUB	SM3	Black
CLUB	RM1	Black
CLUB	RM2	Black
CLUB	RM3	Black
CLUB	SM1	Champagne
CLUB	SM2	Champagne
CLUB	SM3	Champagne
CLUB	RM1	Champagne
CLUB	RM2	Champagne
CLUB	RM3	Champagne
CLUB	SM1	Gold Rust
CLUB	SM2	Gold Rust
CLUB	SM3	Gold Rust
CLUB	RM1	Gold Rust
CLUB	RM2	Gold Rust
CLUB	RM3	Gold Rust

CLUB Design A



- Construction details
- LH & RH Shutter



Note:- All the images are only for reference purposes.

CLUB Design B

- Construction details
- LH & RH Shutter



Note:- All the images are only for reference purposes.

• Shutter Parameters:



Specifications	Details
Fluted Surface Proportion	Will vary as per shutter size
Shutter Finish	Matt Membrane
Shutter Thickness	18 mm
Handle Height	1050 mm and 50 mm up from bottom of shutter
Loft Unit	Will be with push-to-open
EP Handle Height	Will vary as per number of external drawers
Handle Finish	Champagne / Black / Gold Rust
Wardrobe Type	This design is possible only in hinged wardrobe
Grooves	Straight V Grooves

- NOTE:**
- EP HANDLE IS EDGE PROFILE HANDLE AND SHUTTER WITH THIS HANDLE WILL ALWAYS COME WITH SLOT ON EDGE TO HOUSE IT STIFFENER AS PER DESIGN AND HGT
 - All the images are only for reference purposes.

FWR 10/18

Shutter parameters:



Profile Code	Variants	Width in mm		Height in mm			Thickness
		Min.	Max.	Min.	Max.	Fixed	
FWR 10/T18	LH Fluted Shutter	400	600	1960	2400		18 mm
FWR 10/T18	RH Fluted Shutter	400	600	1960	2400		18 mm
FWR 10/T18	LH Fluted Loft	400	600	300	1200		18 mm
FWR 10/T18	RH Fluted Loft	400	600	300	1200		18 mm


- NOTE:**
- EP HANDLE IS EDGE PROFILE HANDLE AND SHUTTER WITH THIS HANDLE WILL ALWAYS COME WITH SLOT ON EDGE TO HOUSE IT STIFFENER AS PER DESIGN AND HGT
 - All the images are only for reference purposes.

FWR 10/18


- Profile Selector:

Profile Code	Membrane Finish Category	Profile Handle Color Category
FWR 10/T18	SM1	Black
FWR 10/T18	SM2	Black
FWR 10/T18	SM3	Black
FWR 10/T18	RM1	Black
FWR 10/T18	RM2	Black
FWR 10/T18	RM3	Black
FWR 10/T18	SM1	Champagne
FWR 10/T18	SM2	Champagne
FWR 10/T18	SM3	Champagne
FWR 10/T18	RM1	Champagne
FWR 10/T18	RM2	Champagne
FWR 10/T18	RM3	Champagne
FWR 10/T18	SM1	Gold Rust
FWR 10/T18	SM2	Gold Rust
FWR 10/T18	SM3	Gold Rust
FWR 10/T18	RM1	Gold Rust
FWR 10/T18	RM2	Gold Rust
FWR 10/T18	RM3	Gold Rust

- Design Variants



- Fluted wardrobe with EP 40 Handle
- Above 2175 mm height Stiffener will be provided at back




- Fluted wardrobe with LOFT & EP Handle
- Above 2175 mm height Stiffener will be provided at back

NOTE:


- EP HANDLE IS EDGE PROFILE HANDLE AND SHUTTER WITH THIS HANDLE WILL ALWAYS COME WITH SLOT ON EDGE TO HOUSE IT STIFFENER AS PER DESIGN AND HGT
- All the images are only for reference purposes.

- Construction details

LH SHUTTER



RH SHUTTER



Note:- All the images are only for reference purposes.

FWR 30/18

- Shutter Parameters:



Specifications	Details
Fluted Portion	1100 mm (Fixed)
Shutter Finish	Matt Membrane
Shutter Thickness	18 mm
Handle Height	1050 mm and 50 mm up from bottom of shutter
Drawers	No drawers are possible in this design
Loft Unit	Will be with push-to-open and fluted profile
EP Handle Height	Will be constant irrespective of different height of wardrobe
Handle Finish	Champagne / Black/ Gold rust
Wardrobe Type	This design is possible only in hinged wardrobe
External Drawers	Not possible
Grooves	Straight V Grooves till 1100 mm height

Profile Code	Variants	Width in mm		Height in mm		Fixed	Thickness
		Min.	Max.	Min.	Max.		
FWR 30/T18	Shutter	400	600	1960	2400		18 mm
FWR 30/T18	Loft	400	600	300	1200		18 mm

- NOTE:**
- EP HANDLE IS EDGE PROFILE HANDLE AND SHUTTER WITH THIS HANDLE WILL ALWAYS COME WITH SLOT ON EDGE TO HOUSE IT STIFFENER AS PER DESIGN AND HGT
 - All the images are only for reference purposes.


Profile Selector:

Profile Code	Membrane Finish Category	Profile Handle Color Category
FWR 30/T18	SM1	Black
FWR 30/T18	SM2	Black
FWR 30/T18	SM3	Black
FWR 30/T18	RM1	Black
FWR 30/T18	RM2	Black
FWR 30/T18	RM3	Black
FWR 30/T18	SM1	Champagne
FWR 30/T18	SM2	Champagne
FWR 30/T18	SM3	Champagne
FWR 30/T18	RM1	Champagne
FWR 30/T18	RM2	Champagne
FWR 30/T18	RM3	Champagne
FWR 30/T18	SM1	Gold Rust
FWR 30/T18	SM2	Gold Rust
FWR 30/T18	SM3	Gold Rust
FWR 30/T18	RM1	Gold Rust
FWR 30/T18	RM2	Gold Rust
FWR 30/T18	RM3	Gold Rust

- Design Variants



- Fluted wardrobe with EP 40 Handle
- Above 2175 mm height Stiffener will be provided at back




- Fluted wardrobe with LOFT & EP Handle
- Above 2175 mm height Stiffener will be provided at back

NOTE:


- EP HANDLE IS EDGE PROFILE HANDLE AND SHUTTER WITH THIS HANDLE WILL ALWAYS COME WITH SLOT ON EDGE TO HOUSE IT STIFFENER AS PER DESIGN AND HGT
- All the images are only for reference purposes.

- Construction details

LH SHUTTER




RH SHUTTER



Note:- All the images are only for reference purposes.

FWR 40/18

- Shutter Parameters:



Specifications	Details
Flat Surface Proportion	Will vary as per shutter size
Shutter Finish	Matt Membrane
Shutter Thickness	18 mm
Handle Height	580 mm and 560 mm up from bottom of shutter
External Drawers	Only 2 external drawers are possible in this design with EP handle
Loft Unit	Will be with push-to-open
EP Handle Height	Will be constant irrespective of different height of wardrobe
Handle Finish	Champagne / Black / Gold Rust
Wardrobe Type	This design is possible only in hinged wardrobe
External Drawers Height	260mm (fixed)
Grooves	Straight Grooves at 560 mm from bottom

Profile Code	Variants	Width in mm		Height in mm		Fixed	Thickness
		Min.	Max.	Min.	Max.		
FWR 40/T18	Shutter	400	600	1960	2400		18 mm
FWR 40/T18	Loft	400	600	300	1200		18 mm
FWR 40/T18	Shutter with 2 External Drawers	400	600	1560	1740		
FWR 40/T18	Drawers	400	1000	200	330		18 mm


FWR 40/18

- Profile Selector

Profile Code	Membrane Finish Category	Profile Handle Color Category
FWR 40/T18	SM1	Black
FWR 40/T18	SM2	Black
FWR 40/T18	SM3	Black
FWR 40/T18	RM1	Black
FWR 40/T18	RM2	Black
FWR 40/T18	RM3	Black
FWR 40/T18	SM1	Champagne
FWR 40/T18	SM2	Champagne
FWR 40/T18	SM3	Champagne
FWR 40/T18	RM1	Champagne
FWR 40/T18	RM2	Champagne
FWR 40/T18	RM3	Champagne
FWR 40/T18	SM1	Gold Rust
FWR 40/T18	SM2	Gold Rust
FWR 40/T18	SM3	Gold Rust
FWR 40/T18	RM1	Gold Rust
FWR 40/T18	RM2	Gold Rust
FWR 40/T18	RM3	Gold Rust

- NOTE:**
- EP HANDLE IS EDGE PROFILE HANDLE AND SHUTTER WITH THIS HANDLE WILL ALWAYS COME WITH SLOT ON EDGE TO HOUSE IT STIFFENER AS PER DESIGN AND HGT
 - All the images are only for reference purposes.

- Design Variants



- Fluted wardrobe with EP 40 Handle
- Above 2175 mm height Stiffener will be provided at back



- Fluted wardrobe with Two External Drawers & EP Handle
- No stiffener will be provided for this design (with 2 External Drawers)

NOTE:

- EP HANDLE IS EDGE PROFILE HANDLE AND SHUTTER WITH THIS HANDLE WILL ALWAYS COME WITH SLOT ON EDGE TO HOUSE IT STIFFENER AS PER DESIGN AND HGT
- All the images are only for reference purposes.
- DRAWER WIDTH: Not Possible for 300mm Width (Min. Width 400mm & Max. 1000mm);
- EXTERNAL DRAWER HEIGHT: 260mm is Standard Height

- Design Variants



- Fluted wardrobe with LOFT & EP Handle
- No Stiffener will be provided for this design (with 2 External Drawers)


NOTE:

- EP HANDLE IS EDGE PROFILE HANDLE AND SHUTTER WITH THIS HANDLE WILL ALWAYS COME WITH SLOT ON EDGE TO HOUSE IT STIFFENER AS PER DESIGN AND HGT
- All the images are only for reference purposes.
- DRAWER WIDTH: Not Possible for 300mm Width(Min. Width 400mm & Max. 1000mm);
- EXTERNAL DRAWER HEIGHT: 260mm is Standard Height

FWR 40/18

- Construction details


LH SHUTTER



'V' GROOVE
6mmx3mm @90° 'V' GROOVE
6mmx3mm @90°

HANDLE


RH SHUTTER



Note:- All the images are only for reference purposes.

WEDGE F

- Shutter Parameters:



Specifications	Details
Fluted Surface Proportion	Will vary as per shutter size
Shutter Finish	Matt Membrane
Shutter Thickness	22 mm
Loft Unit	Will be with wedge handle
Handle Type	Full length concealed wedge handle
Handle Finish	Champagne / Black
Wardrobe Type	This design is possible only in hinged wardrobe (WR)
External Drawers	No external drawers are possible in this design

Profile Code	Variants	Width in mm		Height in mm		Fixed	Thickness
		Min.	Max.	Min.	Max.		
Wedge F	LH Fluted Shutter	400	600	1960	2400		22 mm
Wedge F	RH Fluted Shutter	400	600	1960	2400		22 mm
Wedge F	LH Loft	400	600	300	1200		22 mm
Wedge F	RH Loft	400	600	300	1200		22 mm


WEDGE F

- Profile Selector:

Profile Code	Membrane Finish Category	Profile Handle Color Category
Wedge F	SM1	Black
Wedge F	SM2	Black
Wedge F	SM3	Black
Wedge F	RM1	Black
Wedge F	RM2	Black
Wedge F	RM3	Black
Wedge F	SM1	Champagne
Wedge F	SM2	Champagne
Wedge F	SM3	Champagne
Wedge F	RM1	Champagne
Wedge F	RM2	Champagne
Wedge F	RM3	Champagne

WEDGE F


- Shutter Design Parameters



- WEDGE F
- Full length wedge handle with partial Fluted profile.
- Above 2400 mm height Stiffener will be provided at back

NOTE:

- EP HANDLE IS EDGE PROFILE HANDLE AND SHUTTER WITH THIS HANDLE WILL ALWAYS COME WITH SLOT ON EDGE TO HOUSE IT STIFFENER AS PER DESIGN AND HGT
- All the images are only for reference purposes.




- WEDGE F with Loft
- Full length wedge handle with partial Fluted profile.
- Above 2400 mm height Stiffener will be provided at back

WEDGE F


- Construction details

LH SHUTTER




WEDGE-F SHUTTER LH (FINISHED VIEW)

HANDLE




DETAIL 'P'



DETAIL 'Y'

HANDLE



WEDGE-F SHUTTER RH (FINISHED VIEW)

RH SHUTTER

Note:- All the images are only for reference purposes.

WEDGE P

- Shutter Parameters:



Specifications	Details
Profile Type	Flat profile with wedge handle
Shutter Finish	Matt Membrane
External Drawers	No external drawers are possible in this design
Shutter Thickness	22 mm
Loft Unit	Will be with wedge handle
Handle Type	Full length concealed wedge handle
Handle Finish	Champagne / Black
Wardrobe Type	This design is possible only in hinged wardrobe (WR)

Profile Code	Variants	Width in mm		Height in mm		Thickness	
		Min.	Max	Min.	Max.	Fixed	
Wedge P	LH Fluted Shutter	400	600	1960	2400		22 mm
Wedge P	RH Fluted Shutter	400	600	1960	2400		22 mm
Wedge P	LH Loft	400	600	300	1200		22 mm
Wedge P	RH Loft	400	600	300	1200		22 mm

Note:- All the images are only for reference purposes.


WEDGE P

- Profile Selector:

Profile Code	Membrane Finish Category	Profile Handle Color Category
Wedge P	SM1	Black
Wedge P	SM2	Black
Wedge P	SM3	Black
Wedge P	RM1	Black
Wedge P	RM2	Black
Wedge P	RM3	Black
Wedge P	SM1	Champagne
Wedge P	SM2	Champagne
Wedge P	SM3	Champagne
Wedge P	RM1	Champagne
Wedge P	RM2	Champagne
Wedge P	RM3	Champagne

WEDGE P

- Shutter Design Parameters



- WEDGE P
- Full length wedge handle with partial Fluted profile.
- Above 2400 mm hgt Stiffner will be provided at back



- WEDGE P with Loft
- Full length wedge handle with partial Fluted profile.
- Above 2400 mm hgt Stiffner will be provided at back




Note:- All the images are only for reference purposes.

WEDGE P

- Construction details

LH SHUTTER

RH SHUTTER



WEDGE-P SHUTTER LH (FINISHED VIEW)


WEDGE-P SHUTTER RH (FINISHED VIEW)

Note:- All the images are only for reference purposes.


Important Note:

1. Built in Tony Handle is used only for Mem WP3 & Mem WP4 (CT TONY FLAT/ FLUTED)
2. For CT Tony Flat & CT Tony Fluted – RM1, RM2 & RM3 finish category is not applicable.
3. Edge Profile Handle is used for CLUB Design A, CLUB Design B, FWR 10/18, FWR 30/18 & FWR 40/18
4. Wedge F & P- Full length concealed wedge handle is used.
5. CL-70 FC & CLA-70 FC- Surface Mounted Handles available in our Bonito Handles offering should be used.
6. Tony Handle, EP Handle, Built in Handle & Full-length Concealed Wedge Handle is provided by Vendor and Handle cost is added with Shutter cost.
7. Refer the link for manual order of the membrane shutters : **Spacewood Membrane Wardrobe template for manual orders**
8. Only plain profile should be used for **fillers and skirtings**.


Selection Process for Designer



Installation Process



Membrane Shutter Selection Designers in ODP



Live beautiful

Muchas Gracias