



Jobs

Generated by Talend Big Data Platform

Project Name	GitTestProj	GENERATION DATE	7 Sep, 2017 7:05:08 PM
AUTHOR		Talend Big Data Platform VERSION	6.2.1.20160704_1411

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)


Project Description

Properties	Values
Name	GitTestProj
Language	java
Description	

Description

Properties	Values
Name	parentJob
Author	
Version	0.1
Purpose	
Status	
Description	
Creation	4 Sep, 2017 1:59:50 PM
Modification	7 Sep, 2017 3:40:56 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	true
Print operations	true
Disable warnings	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false

Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault


Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------

Component List

Component Name	Component Type
tJava_1	tJava
tLogRow_1	tLogRow
tMysqlConnection_1	tMysqlConnection
tMysqlInput_1	tMysqlInput
tRunJob_1	tRunJob
tRunJob_2	tRunJob
tRunJob_3	tRunJob

Components Description

Component tJava

	UNIQUE NAME	tJava_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tRunJob_1

Component Parameters:

Properties	Values
Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava


Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\BigData6.2.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Code	String foo = "bar"; System.out.println("Parent Job ");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tMysqlInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\BigData6.2.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true


Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[LENGTH=10, SCHEMA_COLUMN=id], {LENGTH=10, SCHEMA_COLUMN=name}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tLogRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
id	false	String			true	
name	false	String			true	

Original Function Parameters:
Component tMysqlConnection

	UNIQUE NAME	tMysqlConnection_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlInput_1

Component Parameters:


Properties	Values
Unique Name	tMysqlConnection_1
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/MySQL ELT/Connections
Start	true
Startable	true
SUBTREE_START	true

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\BigData6.2.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Host	"localhost"
Database Driver	MySQL

Port	"3306"
Database	"world"
Additional JDBC Parameters	"noDatetimeStringSync=true"
Username	"root"
Password	*****
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	true
Shared DB Connection Name	MySQL_SharedConn
Specify a data source alias	false
Data source alias	""
Auto Commit	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tMysqlInput

	UNIQUE NAME	tMysqlInput_1	INPUT(S)	tMysqlConnection_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_1

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_1
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\BigData6.2.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	true
Component List	tMysqlConnection_1
Host	""
Port	"3306"


Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	Built-In
Table Name	"city"
Query Type	Built-In
Guess Schema	""
Query	"select id, name from city"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false

Trim column	[[TRIM=false, SCHEMA_COLUMN=id], {TRIM=false, SCHEMA_COLUMN=name}]
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlInput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
id	false	String			true	
name	false	String			true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_1	INPUT(S)	tJava_1
	LABEL	__PROCESS__	OUTPUT(S)	tRunJob_2

Component Parameters:

Properties	Values
------------	--------

Unique Name	tRunJob_1
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\BigData6.2.1\studio\configuration\lib\java
Subjob color	
Title color	


Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	Built-In
Use dynamic job	false
Context job	
Job	childJob
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true

Label format	__PROCESS__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_2	INPUT(S)	tRunJob_1
	LABEL	__PROCESS__	OUTPUT(S)	tRunJob_3

Component Parameters:

Properties	Values
Unique Name	tRunJob_2
Component Name	tRunJob
Version	0.101 (ALPHA)

Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\BigData6.2.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false


REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	Built-In
Use dynamic job	false
Context job	
Job	childJob1
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	__PROCESS__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_3	INPUT(S)	tRunJob_2
	LABEL	__PROCESS__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRunJob_3
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\BigData6.2.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	Built-In
Use dynamic job	false

Context job	
Job	childJob2
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	__PROCESS__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tRunJob_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters: