




# OPTIMIZING AIR FREIGHT EMISSIONS

EXAMPLE CUSTOMER

S. SREEDHAR | MIAMI | XX MAY 20XX


# TOP AIRFREIGHT LANES OF CUSTOMER

~80% of customers total airfreight tonnage are transported on 10 routes



# CUSTOMERS POTENTIAL CARBON EMISSIONS (CO2E) TOTAL ~ 5000 TONNES

Airfreight





# OPTIMIZING GHG EMISSIONS ON ROCKHILL – KELSTERBACH LANE

Use environment friendly freighter aircraft, and different airports

**607 CO<sub>2</sub>e Tonnes**


Rockhill – Kelsterbach  
via Huntsville/ Luxembourg on XXX  
Charter Network Boeing 747-8

**1160 CO<sub>2</sub>e Tonnes**

Rockhill – Kelsterbach  
via Atlanta / Frankfurt as belly freight on a  
passenger 767-400 flight


**550 CO<sub>2</sub>e Tonnes**

Almost ½ the emissions on the largest  
lane saved..



# REDUCTION IN CUSTOMERS FUTURE EMISSIONS (CO2E) VIA OPTIMIZED TRANSPORT

Carbon emissions (CO2e) reduced to ~ 4000 Tonnes



**THANK YOU!**

