

CloudFront & Route 53

1. Configure VPC peering in cross regions.

☒ Lab-VPC-1 created

☒ Region = us-east-1

☒ CIDR = 10.0.0.0/16

☒ Lab-VPC-2 created

☒ Region = us-east-2

☒ CIDR = 10.1.0.0/16

☒ Cross-region peering created

☒ Peering accepted

☒ Status = Active

☒ Route in VPC 1:

10.1.0.0/16 → pcx-xxxxxxx

☒ Route in VPC 2:

10.0.0.0/16 → pcx-xxxxxxx

VPC > Peering connections > Create peering connection

Create a tag with a key of 'Name' and a value that you specify.

Lab-Cross-Region-Peering

Select a local VPC to peer with

VPC ID (Requester)

vpc-090adce4eb7f4d2ae (Lab-VPC-1)

VPC CIDRs for vpc-090adce4eb7f4d2ae (Lab-VPC-1)

CIDR	Status	Status reason
10.0.0.0/16	✔ Associated	-

Select another VPC to peer with

Account

☒ My account

☐ Another account

Region

☐ This Region (us-east-1)

☒ Another Region

United States (Ohio) (us-east-2)

VPC ID (Acceptor)

vpc-0d1de0721d142b7a4

CloudFront & Route 53

Info

Actions

Create pe...

Peering connection ID

Status

Requester VPC

Acceptor VPC

Requ...

pcx-01e0704ea90384abf

Pending acceptance

vpc-090adce4eb7f4d2ae

vpc-0d1de0721d142b7a4 / Lab...

10.0...

Accept VPC peering connection request

Info

X

Are you sure you want to accept this VPC peering connection request? (pcx-01e0704ea90384abf)

Requester VPC

vpc-090adce4eb7f4d2ae

Acceptor CIDRs

—

Requester owner ID

567487919764(This account)

Acceptor VPC

vpc-0d1de0721d142b7a4 / Lab-VPC-2

Requester Region

N. Virginia (us-east-1)

Acceptor owner ID

567487919764(This account)

Requester CIDRs

10.0.0.0/16

Acceptor Region

Ohio (us-east-2)

Cancel

Accept request

VPC

Route tables

rtb-06cdfbd5ed1e61f30

Edit routes

Edit routes: rtb-06cdfbd5ed1e61f30 / Lab-RT-1

Destination

10.0.0.0/16

Target

local

Status

Active

Propagated

No

Route Origin

CreateRouteTable

10.1.0.0/16

X

local

X

Peering Connection

pcx-01e0704ea90384abf

X

Use "pcx-01e0704ea90384abf"

pcx-01e0704ea90384abf (Lab-Cross-Region-Peering)

Add route

Remove

Cancel

Preview

Save changes

Updated routes for rtb-0db108b18594eface / Lab-RT-2 successfully

Details

rtb-0db108b18594eface / Lab-RT-2

Actions

Details

Info

Route table ID

rtb-0db108b18594eface

VPC

vpc-0d1de0721d142b7a4 / Lab-VPC-2

Main

Yes

Owner ID

567487919764

Explicit subnet associations

subnet-06304f42506674c12 / lab sub

Edge associations

—

Routes

Subnet associations

Edge associations

Route propagation

Tags

Related resources

Routes (2)

Both

Edit routes

Filter routes

Destination

Target

Status

Propagated

Route Origin

10.0.0.0/16

pcx-01e0704ea90384abf

Active

No

Create Route

10.1.0.0/16

local

Active

No

Create Route Table

CloudFront & Route 53

2. Purchase one domain from GoDaddy.

Login to GoDaddy.com


search for Domain name.xyz

add to cart

proceed to checkout

proceed to pay

checkout in my Products



3. Deploy static website in S3.

login to Aws Comsole


go to → S3 → create a bucket → with unique name

enable → Acls → Block public access

upload → index.html → to bucket → make a public

in properties → scroll down → Static website hosting →

copy link → <http://deploy-website12345.s3-website-us-east-1.amazonaws.com> → you'll access



CloudFront & Route 53

The image shows two parts of a web application. The top part is a screenshot of the AWS S3 console for a bucket named 'deploy-website12345.s3-website-us-east-1.amazonaws.com'. It displays settings for 'Requester pays' (disabled), 'Static website hosting' (enabled), and the 'Bucket website endpoint' (http://deploy-website12345.s3-website-us-east-1.amazonaws.com). The bottom part is a screenshot of a web browser showing the website hosted on this endpoint. The website has a dark theme with a navigation bar containing links like 'DevOps', 'Stack', 'Curriculum', 'Projects', and 'FAQ'. The main content area features the heading 'Watch the pipeline come alive.' and a diagram of a production-style delivery pipeline with steps: PLAN (DESIGN), CODE (GIT), BUILD (JENKINS), TEST (QUALITY), PACKAGE (DOCKER), DEPLOY (K8S), and OBSERVE (FEEDBACK).

4. Create a CDN and attach one SSL certificate.

Request the SSL certificate

Open Certificate Manager

Search ↓ Certificate Manager ↓ AWS Certificate Manager

Select: → Request a public certificate

Enter your domain – xxxxxxxx

Validate the certificate

Create the CloudFront distribution

AWS Console ↓ CloudFront

Origin access: Choose: → Origin access control settings

Default root object → index.html

Viewer protocol policy → Choose: → Redirect HTTP to HTTPS

Alternate domain name → Alternate domain name

CloudFront & Route 53

SSL certificateUnder: → Custom SSL certificate

Create distribution

AWS Certificate Manager (ACM)

List certificates

Request certificate

Import certificate

AWS Private CA

▼ ACME

ACME certificates

Endpoints

Certificates

f2b6e035-f081-4491-9cf6-f5a09de4bb68

Successfully requested certificate with ID f2b6e035-f081-4491-9cf6-f5a09de4bb68

A certificate request with a status of pending validation has been created. Further action is needed to complete the validation and approval of the certificate.

View certificate

f2b6e035-f081-4491-9cf6-f5a09de4bb68

Delete

Certificate status

Identifier

f2b6e035-f081-4491-9cf6-f5a09de4bb68

ARN

arn:aws:acm:us-east-1:567487919764:certificate/f2b6e035-f081-4491-9cf6-f5a09de4bb68

Type

Amazon Issued

Status

Pending validation

Key source

AWS managed

Domains (0)

< 1 >

Domain

Status

Loading

Edit nameservers

Choose nameservers for **sunith.online**

☐ GoDaddy Nameservers (recommended)

☒ I'll use my own nameservers


ns-262.awsdns-32.com

ns-1755.awsdns-27.co.uk

ns-916.awsdns-50.net

ns-1132.awsdns-13.org

CloudFront & Route 53



5. Create a Route 53 hosted zone and map the domain with the CDN.

Objective

The objective of this task is to configure a complete static website delivery architecture using **Amazon S3, Amazon CloudFront, Amazon Route 53, and AWS Certificate Manager**, while using the domain `sunith.online` registered with GoDaddy.

The website files will be stored in a private Amazon S3 bucket, CloudFront will distribute the content globally, ACM will provide the HTTPS certificate, and Route 53 will manage DNS routing for the custom domain.

Purpose

The purpose of this configuration is to understand how a custom domain registered with an external registrar such as GoDaddy can be integrated with AWS services.

Step 1 — Create S3 bucket

Step 2 — Create Route 53 Hosted Zone

Step 3 — Configure GoDaddy

Step 4 — Request ACM certificate

Step 5 — Create CloudFront distribution

Step 6 — Configure custom domains

Added:

`sunith.online`

`www.sunith.online`

Step 7 — Configure Route 53

Step 8 — Verify the website

CloudFront & Route 53

Implementation:

TECHIE HORIZON

DevOpsStackCurriculumProjectsFAQ

START JOURNEY →

// 03 - AUTOMATION

Watch the pipeline come alive.

A production-style delivery pipeline connects developers, automation and infrastructure into one repeatable flow.

PLAN
DESIGN

CODE
GIT

BUILD
JENKINS

TEST
QUALITY

PACKAGE
DOCKERS

DEPLOY
K8S

OBSERVE
FEEDBACK

sunith.online.sunith.online was successfully created.
Route 53 propagates your changes to all of the Route 53 authoritative DNS servers within 60 seconds. Use "View status" button to check propagation status.

View status

Publicsunith.onlineInfo

Delete zoneTest recordConfigure query logging

Hosted zone details

Edit hosted zone

Records (4)

Accelerated recoveryDNSSEC signingHosted zone tags (0)

Records (4) Info

Automatic mode is the current search behavior optimized for best filter results. To change modes go to settings.

Filter records by property or value

TypeRouting p...Alias

<1>

Record name	Type	Routin...	Differ...	Alias	Value/Route traffic to	TTL (s...	H
☐ sunith.online	A	Simple	-	Yes	ddwb420q5fyt.cloudfront.net.	-	-
☐ sunith.online	NS	Simple	-	No	ns-1221.awsdns-24.org, ns-1651.awsdns-14.co.uk, ns-681.awsdns-21.net, ns-304.awsdns-38.com.	172,800	-
☐ sunith.online	SOA	Simple	-	No	ns-1221.awsdns-24.org. awsdns-hostmaster.amazon.com. 1 7200 900 1209600 86...	900	-
☐ _4a291b2e5606e3ce6e0d4b00cb75d2a.sunith.online	CNAME	Simple	-	No	_ce840345595804bbd1bad9211f15a60wzccmgtwzk.acm-validations.aws.	300	-

CloudFront & Route 53

☑ Successfully updated distribution settings.

sunith.online

Standard

View metrics

Details

Distribution domain name

ddwb420q5fyta.cloudfront.net

Billing

☐

ARN

arn:aws:cloudfront::331116047691:distribution/E114PNLTX02JGX

Last modified

September 17, 2026 at 11:53:16 AM UTC

General

Security

Origins

Behaviors

Error pages

Invalidations

Logging

Tags

Settings

Edit

Name

sunith.online

Description

-

Price class

Use all edge locations (best performance)

Supported HTTP versions

HTTP/2, HTTP/1.1, HTTP/1.0

Alternate domain names

sunith.online

*.sunith.online

Route domains to CloudFront

Custom SSL certificate

☑ sunith.online

Security policy

TLSv1.2_2021

Standard logging

Off

Cookie logging

Off

Default root object

index.html

Cache tag header

-

Continuous deployment

info

Create staging distribution

☑ Successfully edited Block Public Access settings for this bucket.

Block all public access

☑ On

► Individual Block Public Access settings for this bucket

Bucket policy

Edit

Delete

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

Public access is blocked because Block Public Access settings are turned on for this bucket

To determine which settings are turned on, check your Block Public Access settings for this bucket. [Learn more about using Amazon S3 Block Public Access](#)

{

"Version": "2012-10-17",

"Statement": [

{

"Sid": "PublicReadForTesting",

"Effect": "Allow",

"Principal": "*",

"Action": "s3:GetObject",

"Resource": "arn:aws:s3:::sunith-online-2026-0917-4821/*"

}

]

}

}

Copy

CloudFront & Route 53

sunith.online

Ready to add email? Pick the right plan for your growing business.

View Plans →

Overview

DNS

Registration Settings

Products

Activity Log

DNS Records

Forwarding

Nameservers

Hostnames

DS Records

Nameservers determine where your DNS is hosted and where you add, edit or delete your DNS records.

☆ Domain configuration changes underway

You've just completed an update to your domain. Based on its protection level, here's a quick way to boost security.

Add Protection

Using custom nameservers

Change Nameservers

Nameservers ⓘ

ns-1221.awsdns-24.org

ns-1651.awsdns-14.co.uk

ns-681.awsdns-21.net

ns-304.awsdns-38.com

Search [Alt+S]

United States (N. Virginia)

Shank Aul

Manager

Certificates

2fa8e5df-acde-42f6-a170-6fa1c0d5cc9d

Successfully created DNS records

Successfully created DNS records in Amazon Route 53 for certificate with ID 2fa8e5df-acde-42f6-a170-6fa1c0d5cc9d.

2fa8e5df-acde-42f6-a170-6fa1c0d5cc9d

Delete

Certificate status

Identifier 2fa8e5df-acde-42f6-a170-6fa1c0d5cc9d

ARN arn:aws:acm-us-east-1:331116047691:certificate/2fa8e5df-acde-42f6-a170-6fa1c0d5cc9d

Type Amazon Issued

Status Issued

Key source AWS managed

Domains (2)

Create records in Route 53

Export to CSV

Domain	Status	Renewal status	Type	CNAME name	CNAME value
sunith.online	Success	-	CNAME	_4a291b2e5606e3ce6e0d4b000cb75d2a.sunith.online.	_ce840345595804bbd1bad9211f15a60.wzccmg-validations.aws.
*.sunith.online	Success	-	CNAME	_4a291b2e5606e3ce6e0d4b000cb75d2a.sunith.online.	_ce840345595804bbd1bad9211f15a60.wzccmg-validations.aws.

Details

In use No

Serial number 0dafcc:18:7cd7:38:45a2:58:37:93:74:93:c9:18

Requested at September 17, 2026, 16:02:43 (UTC+5:30)

Validation method DNS

Domain name sunith.online

Public key info RSA 2048

Issued at September 17, 2026, 16:03:15 (UTC+5:30)

Renewal eligibility Ineligible

Conclusion

The complete AWS static website architecture was successfully configured using:


GoDaddy ↓ Route 53 ↓ CloudFront ↓ S3

The domain sunith.online registered with GoDaddy was delegated to Route 53 for DNS management.

An ACM certificate was configured for HTTPS, and CloudFront was configured with the custom domain names.

CloudFront & Route 53

- Update the index.html in the S3 bucket and ensure the updated file is accessible using the domain name.



CloudFront & Route 53

7. Share the domain name in Slack to test the connectivity.

