

Statistical Analysis Report

Study: Not specified

Date: 28 May 2026

Dataset: Final masterchart.xlsx

Patients: 116

Variables: 26

Generated by: MedRAS

Data Summary

Variable	Type	Missing n	Missing %
Acc No	exclude	0	0.0%
Hospital Id	Identifier	0	0.0%
Age	Scale (continuous)	0	0.0%
Laterality	Nominal	0	0.0%
Tumour Site / Quadrant	exclude	0	0.0%
Tumour Size (cm)	Nominal	0	0.0%
Histological Type	Ordinal	0	0.0%
Pt	Ordinal	0	0.0%
Nodal Status	Ordinal	4	3.4%
No Of Nodes Involved	exclude	0	0.0%
Ene	Nominal	0	0.0%
Er	Nominal	0	0.0%
Pr	Nominal	0	0.0%
Her2neu	Nominal	0	0.0%
Ar	Nominal	0	0.0%
Egfr	Nominal	0	0.0%
Ki67	Nominal	0	0.0%
Molecular Subtype	Nominal	0	0.0%
Dcis	Nominal	1	0.9%
Lvi	Nominal	1	0.9%
Necrosis	Nominal	1	0.9%
Upfront / Post Chemo	Nominal	1	0.9%
Tx Infiltrating L	Nominal	1	0.9%
Interpretation Site	Nominal	0	0.0%
Staining Result	Nominal	0	0.0%
Positive/ Negative	Nominal	0	0.0%

Table 1. Baseline Characteristics

	Summary	Overall
	Mean ± SD	56.69 ± 12.57 (n=116)
	n (count)	Left: 60; Right: 50; Right : 5; Left : 1
Size (cm)	n (count)	>2 but ≤5: 62; >5: 18; >1 but ≤ 2: 17; >2 but ≤5 : 11; Ulceration and / or ipsilateral satellite nodules and / or edema (including peau d'orange) and / or skin which do not meet the criteria for inflammatory carcinoma: 5; >0.5 but ≤1: 3
Stage	n (count)	2.0: 86; 3.0: 25; 1.0: 5
	n (count)	2.0: 72; 1.0: 20; 3.0: 19; 4.0: 5
HER2	n (count)	0.0: 58; 1.0: 28; 3.0: 13; 2.0: 13; nan: 4
	n (count)	Absent : 93; Absent: 14; Present : 8; Present: 1
	n (count)	Positive : 69; Negative : 42; Positive: 3; Postive: 2
	n (count)	Positive : 67; Negative : 44; Positive: 4; Postive: 1
	n (count)	Negative : 53; 3+: 28; 2+: 15; 1+: 10; Positive : 8; 1: 1
	n (count)	Positive : 83; Negative : 27; Positive: 4; Negative: 1; Postive: 1
	n (count)	Negative : 72; Positive : 38; Negative : 2; Negative: 2; Neg: 1; Patchy positive : 1
	n (count)	≥14%: 94; <14%: 18; ≥14: 3; ≥ 14%: 1
Subtype	n (count)	Luminal B: 43; Triple negative : 22; Her2neu : 20; Luminal A: 14; Her2neu: 14; Triple Negative : 1
	n (count)	Present : 54; Absent : 52; Absent: 4; Present: 2; nan: 1; High grade: 1
	n (count)	Absent : 82; Present : 23; Absent: 8; nan: 1; Abse: 1; Present: 1
	n (count)	Present : 54; Absent : 52; Present: 5; Absent: 4; nan: 1
Post Chemo	n (count)	Absent : 90; Present : 19; Absent: 5; nan: 1; Present: 1
Ang L	n (count)	Absent : 65; Present : 37; Absent: 7; Present: 6; nan: 1
Stain Site	n (count)	Nuclear : 54; Cytoplasmic : 23; Nuclear with cytoplasmic : 14; No stain : 10; No stain: 6; Nuclear: 5
Result	n (count)	4+2: 28; 0: 16; 3+1: 11; 3+2: 11; 5+2: 11; 5+1: 11
Immunohistochemistry	n (count)	Positive : 94; Negative : 20; Negative: 1; Positive: 1

Normality Assessment

Variable	Test	Statistic	p-value	Decision
Age	Kolmogorov-Smirnov	0.078	0.463	Normal

Primary Analysis

No primary inferential test ran successfully.

Results Section

Copy the text below directly into your paper's Results section.

A total of 116 participants were included in the analysis.

Statistical Analysis

Copy the text below directly into your paper's Methods section.

All statistical analyses were performed using Python with the scipy (v1.17.1), statsmodels (v0.14.6), pingouin (v0.6.1), lifelines (v0.30.3) libraries. A two-tailed p-value < 0.05 was considered statistically significant. Continuous variables were assessed for normality using the Kolmogorov-Smirnov test. Normally distributed variables were expressed as mean $\pm$ standard deviation. Categorical variables were expressed as frequencies and percentages. Statistical tests used included: Descriptive summary.

Limitations and Notes

No major assumption violations or warnings detected.