EXPERIMENT 13: DEMONSTRATE NETWORK FORENSICS USING XPLICO / PACKETXRAY TOOL

AIM:

To study network forensics by importing a permitted packet capture and examining reconstructed network sessions using an available forensic tool.

PROCEDURE:

1. Prepare a PCAP file captured from a lab network with permission.

2. Install or open the network-forensics tool available in the lab, such as Xplico, or the assigned PacketXray tool.

3. Create a new case/session and import the PCAP file.

4. Run the analysis and wait for protocol dissection to complete.

5. Review the reconstructed sessions and protocol metadata, such as DNS, HTTP and email metadata when present.

6. Record findings while avoiding disclosure of private credentials or personal data.

7. Preserve the original PCAP file and perform analysis on a separate working copy when possible.
8. Confirm that the capture file is readable and contains packets before starting analysis.
9. Compare the tool's reconstructed sessions with packet details from a trusted packet analyzer if available.
10. Record timestamps, protocol types and relevant session metadata while protecting private information.

CODE:


```
# Capture a small, authorized sample using tcpdump:
sudo tcpdump -i any -c 100 -w lab_capture.pcap


# Confirm the capture file exists:
```

```
ls -lh lab_capture.pcap

# Open/import lab_capture.pcap through the forensic
tool's
# graphical interface, then start analysis.
```

OUTPUT:





RESULT:

Thus, a permitted packet capture was prepared for analysis and the basic network-forensics workflow was studied.