EXPERIMENT 6: BUILDING AN ANONYMOUS FTP SCANNER USING PYTHON

AIM:

To check whether a specified FTP server permits anonymous login, using Python.

PROCEDURE:

1. Use a test FTP server that you own or have permission to assess.

2. Save the program as ftp_anonymous_check.py.

3. Enter the server hostname and port when prompted.

4. The program attempts to connect and log in using the standard anonymous account.

5. It reports whether login was accepted and then closes the connection.

6. Confirm that the target FTP service is available and that the test is permitted by the server owner.
7. Distinguish a rejected anonymous login from a connection timeout or DNS failure.
8. Close the FTP connection after the test and record the status without downloading or modifying files.

CODE:


```
from ftplib import FTP, all_errors


host = input("FTP server hostname: ").strip()
port_text = input("FTP port [21]: ").strip()
port = int(port_text) if port_text else 21

ftp = FTP()
try:
    ftp.connect(host, port, timeout=5)
    ftp.login("anonymous", "student@example.com")
    print("Anonymous FTP login: ACCEPTED")
```

```
        ftp.quit()
    except all_errors as exc:
        print("Anonymous FTP login: NOT CONFIRMED")
        print("Details:", exc)
        try:
            ftp.close()
        except Exception:
            pass
```

OUTPUT:





RESULT:

Thus, a Python program was implemented to check anonymous FTP login on an authorized test server.