1. 前后端均可正常运行：

```
PS D:\develop\APP> cd app
PS D:\develop\APP\app> npm run dev

  > my-project@0.1.0 dev
  > next dev

  ▲ Next.js 16.2.4 (Turbopack)
  - Local:         http://localhost:3000
  - Network:       http://192.168.119.1:3000
  - Environments: .env.local
  ✓ Ready in 816ms

   GET / 200 in 852ms (next.js: 305ms, application-code: 547ms)
   GET / 200 in 157ms (next.js: 22ms, application-code: 135ms)
```

```
PS D:\develop\APP\backend> .\venv\Scripts\activate
(venv) PS D:\develop\APP\backend> uvicorn main:app --host 0.0.0.0 --por
t 8000 --reload
INFO:     Will watch for changes in these directories: ['D:\\develop\\A
PP\\backend']
INFO:     Uvicorn running on http://0.0.0.0:8000 (Press CTRL+C to quit)
INFO:     Started reloader process [28336] using WatchFiles
INFO:     Started server process [20648]
INFO:     Waiting for application startup.
INFO:     Application startup complete.
INFO:     127.0.0.1:54788 - "OPTIONS /api/extract HTTP/1.1" 200 OK
INFO:     127.0.0.1:54788 - "POST /api/extract HTTP/1.1" 200 OK
```

2. 本系统利用千问模型进行纯文本信息提取。操作流程：用户输入待提取的文本→点击“开始生成”→进入提取界面（后台调用千问模型处理）→提取成功→自动跳转至核心编辑界面。可见该模型具备自动提取与智能补全能力：当输入模糊的时间描述如“中午”时，可自动给出参考时间；对于简称“赛格”，能依据上下文补全为“赛格国际

购物中心”；还能根据地点名称自动标注类型，例如将“大雁塔”识别为景点。



3. 支持通过点击“Day1”、“Day2”等标签切换不同日期的行程；同时，点击“+添加节点”按钮即可将新地点插入当前行程列表。



4. 行程添加成功后，用户可点击“地图模式”中的“AI 一键优化路线”按钮，系统将按照“顺路不绕路”的原则自动安排行程顺序。优化完成后返回编辑页面，即可看到行程顺序已相应调整。



5. 左滑行程卡片可执行删除、编辑或添加备注等操作；开启“出行模式”后，支持一键导航。此外，用户还可将行程分享给好友进行协同编辑，或将其分享为笔记等。