

## AI ASSISTED CODING-LAB ASSIGNMENT

### ASSIGNMENT – 3.4

Name: K.SUNNY

Batch:13

Task 1: Zero-shot Prompt – Fibonacci Series Generator ask

Description #1

- Without giving an example, write a single comment prompt asking

GitHub Copilot to generate a Python function to print the first N

Fibonacci numbers.

Prompt : "# Write a Python function that takes an integer N and prints the first N

Fibonacci numbers in order" Code and output :

The screenshot shows a Microsoft Visual Studio Code (VS Code) interface. On the left is the Explorer sidebar with 'LAB ASS' selected. In the center is the code editor with a file named 'ASS3.4.py'. The code is as follows:

```
ASS3.4.py
# This function generates the first n Fibonacci numbers.
def print_fibonacci(n):
    """
    Print the first n Fibonacci numbers in order (on one line).
    """
    if n < 0:
        print("Please enter a positive number!")
        return
    fib_numbers = []
    if n >= 1:
        fib_numbers.append(0)
    if n >= 2:
        fib_numbers.append(1)
    for i in range(2, n):
        fib_numbers.append(fib_numbers[i-1] + fib_numbers[i-2])
    print(" ".join(map(str, fib_numbers)))
# Get user input and execute
if __name__ == "__main__":
    try:
        num = int(input("N:"))
        print_fibonacci(num)
    except ValueError:
        print("Invalid input! Please enter a valid integer.")
```

To the right of the code editor is a large callout box from GitHub Copilot. It says:

Write a Python function that takes an integer N and prints the first N Fibonacci numbers in order

Done! I've created a Python function `print_fibonacci()` that:

- Takes an integer N as parameter
- Prints the first N Fibonacci numbers in order (one per line)
- Validates input for positive numbers
- Includes user input with error handling

Run it and enter a number to see the Fibonacci sequence printed.

At the bottom of the interface, the terminal shows the command PS C:\Users\chunc\_yh\td63\OneDrive\Documents\AI ASS CODILAB ASS & C:\Users\chunc\_yh\td63\codegeex\meta\envs\codegeex-agent\python.exe "c:/users/chunc\_yh/td63/OneDrive/Documents/AI ASS CODILAB ASS\ASS3.4.py" N: 7 0 1 1 2 3 5 8 PS C:\Users\chunc\_yh\td63\OneDrive\Documents\AI ASS CODILAB ASS []

Task 2: One-shot Prompt – List Reversal Function

Task Description #2

- Write a comment prompt to reverse a list and provide one example below the comment to guide Copilot.

Prompt: # Write a Python function that takes a list as input and returns the list in reverse order

Code and output :

```

File Edit Selection View ... < > Q LAB ASS
EXPLORER > LAB ASS > OUTLINE > TIMELINE
ASS3.4.py
# Explain | Add Comment | ...
1 def reverse_list(lst):
2     """Reverse a list using the reverse() method."""
3     lst.reverse()
4     return lst
5
6     # Take user input
7     try:
8         user_input = input("Enter list elements separated by spaces: ")
9         lst = list(map(int, user_input.split()))
10
11     # Reverse and print
12     reversed_lst = reverse_list(lst)
13     print(reversed_lst)
14 except ValueError:
15     print("Error: Please enter valid numbers separated by spaces")
16

```

CHAT

i will provide once sample input and output for reverse list order the input is [1,2,3] and output is [3,2,1]

Updated reverse list function for numeric input

Edited → ASS3.4.py + 0 · 0

Updated Now the function accepts list input like [1,2,3] and outputs the reversed list [3,2,1]. Run the script and enter [1,2,3] to see it work.

Write a Python function that reverses a list

Example:

Input: [1, 2, 3]

Output: [3, 2, 1]

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

netDrive/Documents/AI ASS COD/LAB ASS/ASS.3.4.py"
Enter list elements separated by spaces: 1 2 3
Original list: [1, 2, 3]
Reversed list: [3, 2, 1]
PS C:\Users\chunc\_yhjtd63\OneDrive\Documents\AI ASS COD\LAB ASS & C:/Users/chunc\_yhjtd63/.codegeex/mamba/envs/codegeex-agent/python.exe "c:/Users/chunc\_yhjtd63/OneDrive/Documents/AI ASS COD/LAB ASS/ASS.3.4.py"
Enter list elements separated by spaces: 1 2 3
[3, 2, 1]
PS C:\Users\chunc\_yhjtd63\OneDrive\Documents\AI ASS COD\LAB ASS>

Python + v 🗑 ... | ⌂

✓ Read Python file
The file already has the reverse list function implemented correctly! It:

Describe what to build next
Agent Auto ⚡

### Task 3: Few-shot Prompt – String Pattern Matching

#### Task Description #3

- Write a comment with 2–3 examples to help Copilot understand how to check if a string starts with a capital letter and ends with a period (.)

Prompt: # Write a Python function `is_valid()` that checks whether a string starts with a capital letter and ends with a period (.)

Code and output :

```

File Edit Selection View ... LAB ASS
ASS3App X ASS3App ...
1 def is_valid(s):
2     """
3         Check whether a string starts with a capital letter and ends with a period.
4
5     Args:
6         s (str): The string to validate
7
8     Returns:
9         bool: True if starts with capital letter and ends with period, False otherwise
10
11    if len(s) < 2:
12        return False
13
14    return s[0].isupper() and s[-1] == '.'
15
16
17 # Test cases
18 if __name__ == "__main__":
19     tests = [
20         "Hello.",
21         "Hello",
22         "Hello",
23         "Hello",
24         "python",
25         "python.",
26         ".",
27         "a."
28     ]
29
30     print("Testing is_valid() function!")
31     for test in tests:
32         result = is_valid(test)
33         print(f"Input: {test} - Output: {result}")
34

```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```

PS C:\Users\chunc\OneDrive\Documents\AT ASS CODILAB ASS> & C:/Users/chunc_jh/t063/.codegen/main/envs/codegen-agent/python.exe "c:/users/chunc_jh/t063/func-validation/int_001_email_validator.py"
Input: "Hello." -> Output: False
Input: "Hello" -> Output: False
Input: "Hello" -> Output: False
Input: "python." -> Output: True
Input: "python" -> Output: False
Input: "python" -> Output: False
Input: ". -> Output: False
Input: "a." -> Output: False

```

## Task 4: Zero-shot vs Few-shot – Email Validator

### Task Description #4

- First, prompt Copilot to write an email validation function using zero-shot (just the task in comment).
- Then, rewrite the prompt using few-shot examples.

Prompt: # Write a Python function that validates whether a given string is a valid email address

# Write a Python function that validates whether a given string is a valid email address #

Examples:

```

# Input: "user@example.com" -> Output: True
# Input: "userexample.com" -> Output: False
# Input: "user@com"      -> Output: False

```

Code and output :

```

File Edit Selection View ... < > Q LAB ASS
ASS3Assy X
ASS3Assy.py ->
def is_valid_email(email):
    # Check if domain part has at least one dot and parts are not empty
    if '.' not in email:
        return False
    domain_parts = email.split('.')
    if len(domain_parts) < 2:
        return False
    # Check that all parts are non-empty
    for part in domain_parts:
        if not part:
            return False
    return True

# Test cases
if __name__ == "__main__":
    test_cases = [
        "user@example.com",
        "user@example.co.uk",
        "user@com",
        "user@domain.co.uk",
        "john.doe@company.org",
        "john.doe@",
        "user@",
        "user..name@example.com",
        "user@example.",
        "valid_email@test.com"
    ]
    print("Testing is_valid_email() function:")
    for test in test_cases:
        result = is_valid_email(test)
        print(f"Input: '{test}' Output: {result}")

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\chunc_yh\1083\OneDrive\Documents\AT ASS\CODE\LAB ASS> & C:\Users\chunc_yh\1083\codegen\agents\envs\college-agent\python.exe "c:/Users/chunc_yh\1083\OneDrive\Documents\AT ASS\CODE\LAB ASS\ASS3Assy.py"
is_valid_email()
Input: "user@example.co.uk" -> Output: True
Input: "john.doe@company.org" -> Output: True
Input: "john.doe@company.org#" -> Output: False
Input: "user@" -> Output: False
Input: "user..name@example.com" -> Output: True
Input: "user@example." -> Output: True
Input: "valid_email@test.com" -> Output: True
PS C:\Users\chunc_yh\1083\OneDrive\Documents\AT ASS\CODE\LAB ASS> []

```

## Task 5: Prompt Tuning – Summing Digits of a Number

### Task Description #5

- Experiment with 2 different prompt styles to generate a function that returns the sum of digits of a number.

Style 1: Generic task prompt

Style 2: Task + Input/Output example

Prompt:

- # Write a Python function that returns the sum of digits of a given number
- # Write a Python function that returns the sum of digits of a number #

Example:

# Input: 123 → Output: 6

Code and output :



