



Select a definition

JwtAuthenticationDemo v1

JWT Authentication Demo ^{v1} OAS 3.0

<https://localhost:7189/swagger/v1/swagger.json>

Authorize



Auth



POST /api/Auth



Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "userName": "admin",
  "password": "pwd"
}
```



Execute

Clear

Responses

```
curl -X 'POST' \
  'https://localhost:7189/api/Auth' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "userName": "admin",
    "password": "pwd"
  }'
```

https://localhost:7189/api/Auth

Code	Details
200	Response body <pre>{ "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1bm1xdWVfbmFtZSI6ImFkbWluIiwibmJmIjoxNzg0Nzg0NDQ3OTIyODEsIm1hdCI6MTc4NDc4ODY4MCwiaXB0eXAiOiJKV1QiLCJkaWQ0IjteVVzZXJzIn0.de0wg_H1x1JHJlMJ2KBwwktF3p3JGXVmnl.vK</pre> Download Response headers <pre>content-type: application/json; charset=utf-8 date: Thu, 23 Jul 2026 06:38:01 GMT server: Kestrel</pre>

Code	Description	Links
200	OK	<i>No links</i>

 $\wedge$ 

Cancel

Execute	Clear
---------	-------

Curl

```
curl -X 'GET' \
  'https://localhost:7189/api/Employee' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1bm1xdWVfbmFtZSI6ImFkbWluIiw
```



Request URL

https://localhost:7189/api/Employee

Server response

Code	Details
200	Response body <pre>["John", "David", "Alice", "Robert"]</pre> Download Response headers <pre>content-type: application/json; charset=utf-8 date: Thu,23 Jul 2026 06:39:38 GMT server: Kestrel</pre>

Responses

Code	Description	Links
200	OK	No links

Schemas



User