


Kurlovics2021 - Metformin partitioning between plasma and RBC with independent Kin and Kout coefficients





Curator's comment:

Curation

(added: 10 Aug 2021, 12:37:47, updated: 10 Aug 2021, 12:37:47)

Figure 2 reproduced from the literature. Model created and simulated in COPASI 4.33(Build246) and plot generated suing COPASI.

Build: 7ec758c (//bitbucket.org/biomodels/jummp-

biomodels/commits/all?search=7ec758c) | Mon, 4 Mar 2024

14:14:38 +0000

This service is part of the ELIXIR infrastructure

BioModels is an ELIXIR Deposition Database Learn more >
This website requires cookies and the limited processing of your personal data in (//www.elixir-europe.org/platformis/data/elixir-deposition-databases) order to function. By using the site you are agreeing to this as outlined in our <a href="https://example.com/processing-p

<u>I agree, dismiss this</u> banner

Notice (https://www.ebi.ac.uk/data-protection/privacy-notice/embl-ebi-public-website)

More about this page

This website requires cookies, and the limited processing of your personal data in order to function. By using the site you are agreeing to this as outlined in our Privacy Notice (https://www.ebi.ac.uk/data-protection/privacy-notice/embl-ebi-public-website) and Terms of Use (https://www.ebi.ac.uk/about/terms-of-use).

<u>I agree, dismiss this</u> <u>banner</u>

More about this page