

## Задание 6

PHP 8.1.2-1ubuntu2.17 - php x

New Tab

×

+

← → ↻

localhost/info.php

Screenshot captured  
You can paste the image from the clipboard.

PHP Version 8.1.2-1ubuntu2.17



System	Linux Penguin 6.5.0-35-generic #35~22.04.1-Ubuntu SMP PREEMPT_DYNAMIC Tue May 7 09:00:52 UTC 2 x86_64
Build Date	May 1 2024 10:10:07
Build System	Linux
Server API	FPM/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php/8.1/fpm
Loaded Configuration File	/etc/php/8.1/fpm/php.ini
Scan this dir for additional .ini files	/etc/php/8.1/fpm/conf.d
Additional .ini files parsed	/etc/php/8.1/fpm/conf.d/10-opcache.ini, /etc/php/8.1/fpm/conf.d/10-pdo.ini, /etc/php/8.1/fpm/conf.d/20-calendar.ini, /etc/php/8.1/fpm/conf.d/20-ctype.ini, /etc/php/8.1/fpm/conf.d/20-exif.ini, /etc/php/8.1/fpm/conf.d/20-ffi.ini, /etc/php/8.1/fpm/conf.d/20-fileinfo.ini, /etc/php/8.1/fpm/conf.d/20-ftp.ini, /etc/php/8.1/fpm/conf.d/20-gettext.ini, /etc/php/8.1/fpm/conf.d/20-iconv.ini, /etc/php/8.1/fpm/conf.d/20-phar.ini, /etc/php/8.1/fpm/conf.d/20-posix.ini, /etc/php/8.1/fpm/conf.d/20-readline.ini, /etc/php/8.1/fpm/conf.d/20-shmop.ini, /etc/php/8.1/fpm/conf.d/20-sockets.ini, /etc/php/8.1/fpm/conf.d/20-sysvmsg.ini, /etc/php/8.1/fpm/conf.d/20-sysvsem.ini, /etc/php/8.1/fpm/conf.d/20-sysvshm.ini, /etc/php/8.1/fpm/conf.d/20-tokenizer.ini
PHP API	20210902
PHP Extension	20210902
Zend Extension	420210902
Zend Extension Build	API420210902.NTS
PHP Extension Build	API20210902.NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	enabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
DTrace Support	available, disabled
Registered PHP Streams	https, ftps, compress.zlib, php, file, glob, data, http, ftp, phar
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2, tlsv1.3
Registered Stream Filters	zlib.*, string.rot13, string.toupper, string.tolower, convert.*, consumed, dechunk, convert.iconv.*

This program makes use of the Zend Scripting Language Engine:  
Zend Engine v4.1.2, Copyright (c) Zend Technologies  
with Zend OPcache v8.1.2-1ubuntu2.17, Copyright (c), by Zend Technologies

zendengine

### Configuration

Apache2 Ubuntu Default Page x

localhost



Apache2 Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/  
|-- apache2.conf  
|   |-- ports.conf  
|-- mods-enabled  
|   |-- *.load  
|   |-- *.conf  
|-- conf-enabled  
|   |-- *.conf  
|-- sites-enabled  
|   |-- *.conf
```

```
vboxuser@Penguin: ~  
vboxuser@Penguin:~$ sudo ss -ntlp  
State      Recv-Q    Send-Q    Local Address:Port    Peer Address:Port    Process  
LISTEN     0          128       0.0.0.0:22             0.0.0.0:*             users:((("sshd",pid=817,fd=3))  
LISTEN     0          511       0.0.0.0:80             0.0.0.0:*             users:((("nginx",pid=12264,fd=6),("nginx",pid=12263,fd=6),("n  
ginx",pid=12262,fd=6),("nginx",pid=12261,fd=6),("nginx",pid=12260,fd=6),("nginx",pid=12259,fd=6),("nginx",pid=12258,fd=6))  
LISTEN     0          4096      127.0.0.53%lo:53       0.0.0.0:*             users:((("systemd-resolve",pid=493,fd=14))  
LISTEN     0          151       127.0.0.1:3306         0.0.0.0:*             users:((("mysqld",pid=1009,fd=33))  
LISTEN     0          511       127.0.0.1:110         0.0.0.0:*             users:((("nginx",pid=12264,fd=8),("nginx",pid=12263,fd=8),("n  
ginx",pid=12262,fd=8),("nginx",pid=12261,fd=8),("nginx",pid=12260,fd=8),("nginx",pid=12259,fd=8),("nginx",pid=12258,fd=8))  
LISTEN     0          511       127.0.0.1:143         0.0.0.0:*             users:((("nginx",pid=12264,fd=9),("nginx",pid=12263,fd=9),("n  
ginx",pid=12262,fd=9),("nginx",pid=12261,fd=9),("nginx",pid=12260,fd=9),("nginx",pid=12259,fd=9),("nginx",pid=12258,fd=9))  
LISTEN     0          70        127.0.0.1:33060       0.0.0.0:*             users:((("mysqld",pid=1009,fd=21))  
LISTEN     0          128       127.0.0.1:631         0.0.0.0:*             users:((("cupsd",pid=779,fd=7))  
LISTEN     0          128       [::]:22               [::]:*             users:((("sshd",pid=817,fd=4))  
LISTEN     0          511       [::]:80               [::]:*             users:((("nginx",pid=12264,fd=7),("nginx",pid=12263,fd=7),("n  
ginx",pid=12262,fd=7),("nginx",pid=12261,fd=7),("nginx",pid=12260,fd=7),("nginx",pid=12259,fd=7),("nginx",pid=12258,fd=7))  
LISTEN     0          511       *:9000                *:*             users:((("apache2",pid=12276,fd=4),("apache2",pid=12250,fd=4)  
,"apache2",pid=12249,fd=4),("apache2",pid=12248,fd=4),("apache2",pid=12247,fd=4),("apache2",pid=12246,fd=4),("apache2",pid=12245,fd=4))  
LISTEN     0          128       [::]:631              [::]:*             users:((("cupsd",pid=779,fd=6))  
vboxuser@Penguin:~$ █
```

