

Exercises: Inheritance

Problem 1. Person

You are asked to model an **application** for storing data about people. You should be able to have a person and a child. The child is derived of the person. Your task is to model the application. The only constraints are:

- People should **not** be able to have **negative age**
 - Children should **not** be able to have age **more than 15**.
- **Person** – represents the base class by which all others are implemented
 - **Child** - represents a class which is derived by the **Person**.

Note

Your class's names **MUST** be the same as the names shown above!!!

Sample Main()

```
static void Main()
{
    string name = Console.ReadLine();
    int age = int.Parse(Console.ReadLine());

    try
    {
        Child child = new Child(name, age);
        Console.WriteLine(child);
    }
    catch (ArgumentException ae)
    {
        Console.WriteLine(ae.Message);
    }
}
```

Create a new empty class and name it **Person**. Set its access modifier to **public** so it can be instantiated from any project. Every person has a name, and age.

Sample Code

```
public class Person
{
    // 1. Add Fields

    // 2. Add Constructor

    // 3. Add Properties

    // 4. Add Methods
}
```

Step 2 – Define the fields

Define a **field** for each property the class should have (e.g. **Name**, **Age**)

Step 3 - Define the Properties of a Person

Define the **Name** and **Age** properties of a Person. Ensure that they can only be **changed by the class itself or its descendants** (pick the most appropriate access modifier).

Sample Code

```
public virtual string Name
{
    get
    {
        //TODO
    }
    set
    {
        //TODO
    }
}

public virtual int Age
{
    get
    {
        //TODO
    }
    set
    {
        //TODO
    }
}
```

Step 4 - Define a Constructor

Define a constructor that accepts **name and age**.

Sample Code

```
public Person(string name, int age)
{
    this.Name = name;
    this.Age = age;
}
```

Step 5 - Perform Validations

After you have created a **field** for each property (e.g. **Name** and **Age**). Next step is to **perform validations** for each one. The **getter should return the corresponding field's value** and the **setter should validate** the input data before setting it. Do this for each property.

Sample Code

```

public virtual int Age
{
    get
    {
        return this.age;
    }
    set
    {
        if (value < 0)
        {
            throw new ArgumentException("Age must be positive!");
        }

        //TODO set field age with value
    }
}

```

Constraints

- If the age of a person is negative – exception's message is: "Age must be positive!"
- If the age of a child is bigger than 15 – exception's message is: "Child's age must be less than 15!"
- If the name of a child or a person is no longer than 3 symbols – exception's message is: "Name's length should not be less than 3 symbols!"

Step 6 - Override ToString()

As you probably already know, all classes in C# inherit the **Object** class and therefore have all its **public** members (**ToString()**, **Equals()** and **GetHashCode()** methods). **ToString()** serves to return information about an instance as string. Let's **override** (change) its behavior for our **Person** class.

Sample Code

```

public override string ToString()
{
    StringBuilder stringBuilder = new StringBuilder();
    stringBuilder.Append(String.Format("Name: {0}, Age: {1}",
        this.Name,
        this.Age));

    return stringBuilder.ToString();
}

```

And voila! If everything is correct, we can now create **Person objects** and display information about them.

Step 7 – Create a Child

Create a **Child** class that inherits **Person** and has the same constructor definition. However, do not copy the code from the **Person** class - **reuse the Person class's constructor**.

Sample Code

```
public Child(string name, int age)
    : base(name, age)
{
}
```

There is **no need** to rewrite the Name and Age properties since **Child** inherits **Person** and by default has them.

Step 8 – Validate the Child's setter

Sample Code

```
public override int Age
{
    get
    {
        return base.Age;
    }

    set
    {
        //TODO validate childs age
        base.Age = value;
    }
}
```

Problem 2. Book Shop

You are working in a library. And you are pissed of writing descriptions for books by hand, so you wish to use the computer to speed up the process. The task is simple - your program should have two classes – one for the ordinary books – **Book**, and another for the special ones – **GoldenEditionBook**. So let's get started! We need two classes:

- **Book** - represents a book that holds **title**, **author** and **price**. A book should offer **information** about itself in the format shown in the output below.
- **GoldenEditionBook** - represents a special book holds the same properties as any **Book**, but its **price** is always **30% higher**.

Constraints

- If the author's second name is starting with a digit– exception's message is: **"Author not valid!"**
- If the title's length is less than 3 symbols – exception's message is: **"Title not valid!"**
- If the price is zero or it is negative – exception's message is: **"Price not valid!"**
- Price must be formatted to **two** symbols after the decimal separator

Sample Main()

```

static void Main()
{
    try
    {
        string author = Console.ReadLine();
        string title = Console.ReadLine();
        decimal price = decimal.Parse(Console.ReadLine());

        Book book = new Book(author, title, price);
        GoldenEditionBook goldenEditionBook = new GoldenEditionBook(author, title, price);

        Console.WriteLine(book + Environment.NewLine);
        Console.WriteLine(goldenEditionBook);
    }
    catch (ArgumentException ae)
    {
        Console.WriteLine(ae.Message);
    }
}

```

Examples

Input	Output
Max 4ever Under Cover 99999999999999999999	Author not valid!
Peter Carlsson Life of Bill 20	Type: Book Title: Life of Bill Author: Peter Carlsson Price: 20.00 Type: GoldenEditionBook Title: Life of Bill Author: Peter Carlsson Price: 26.00

Step 1 - Create a Book Class

Create a new empty class and name it **Book**. Set its access modifier to **public** so it can be instantiated from any project.

Sample Code

```

public class Book
{
    //1. Add Fields

    //2. Add Constructors

    //3. Add Properties

    //4. Add Methods
}

```

Step 2 - Define the Properties of a Book

Define the **Title**, **Author** and **Price** properties of a Book. Ensure that they can only be **changed by the class itself or its descendants** (pick the most appropriate access modifier).

Step 3 - Define a Constructor

Define a constructor that accepts **author**, **title** and **price** arguments.

Sample Code

```

public Book(string author, string title, decimal price)
{
    this.Author = author;
    this.Title = title;
    this.Price = price;
}

```

Step 4 - Perform Validations

Create a **field** for each property (**Price**, **Title** and **Author**) and **perform validations** for each one. The **getter should return the corresponding field** and the **setter should validate** the input data before setting it. Do this for every property.

Sample Code

```

public string Author
{
    get
    {
        return this.author;
    }
    set
    {
        //TODO validate value
        this.author = value;
    }
}

public string Title

```

```

{
    get
    {
        return this.title;
    }
    set
    {
        //TODO validate value
        this.title = value;
    }
}

public virtual decimal Price
{
    get
    {
        return this.price;
    }
    set
    {
        //TODO validate value
        this.price = value;
    }
}

```

Step 5 - Override ToString()

We already mentioned that all classes in C# inherit the **System.Object** class and therefore have all its **public** members. Let's **override** (change) the **ToString()** method's behavior again accordingly our **Book** class's data.

Sample Code

```

public override string ToString()
{
    var resultBuilder = new StringBuilder();
    resultBuilder.AppendLine($"Type: {this.GetType().Name}")
        .AppendLine($"Title: {this.Title}")
        .AppendLine($"Author: {this.Author}")
        .AppendLine($"Price: {this.Price:f2}");

    string result = resultBuilder.ToString().TrimEnd();
    return result;
}

```

And voila! If everything is correct, we can now create **Book objects** and display information about them.

Step 6 – Create a GoldenEditionBook

Create a **GoldenEditionBook** class that inherits **Book** and has the same constructor definition. However, do not copy the code from the **Book** class - **reuse the Book class constructor**.

Sample Code

```
public GoldenEditionBook(string author, string title, decimal price)
    : base(author, title, price)
{
}
}
```

There is **no need** to rewrite the Price, Title and Author properties since **GoldenEditionBook** inherits **Book** and by default has them.

Step 7 - Override the Price Property

Golden edition books should return a **30%** higher **price** than the original price. In order for the getter to return a different value, we need to override the Price property.

Back to the **GoldenEditionBook** class, let's override the Price property and change the getter body

Sample Code

```
public override decimal Price
{
    get
    {
        return base.Price * 1.3;
    }
}
```

Problem 3. Mankind

Your task is to model an application. It is very simple. The mandatory models of our application are 3: **Human**, **Worker** and **Student**.

The parent class – Human should have **first name** and **last name**. Every student has a **faculty number**. Every worker has a **week salary** and **work hours per day**. It should be able to calculate the money he earns by hour. You can see the constraints below.

Input

On the first input line you will be given info about a single student - a name and faculty number.

On the second input line you will be given info about a single worker - first name, last name, salary and working hours.

Output

You should first print the info about the student following a single blank line and the info about the worker in the given formats:

- Print the student info in the following format:

First Name: {student's first name}

Last Name: {student's last name}

Faculty number: {student's faculty number}

- Print the worker info in the following format:

First Name: {worker's first name}

Last Name: {worker's second name}

Week Salary: {worker's salary}

Hours per day: {worker's working hours}

Salary per hour: {worker's salary per hour}

Print exactly two digits after every double value's decimal separator (e.g. 10.00). Consider the workweek from Monday to Friday. A faculty number should be consisted only of digits and letters.

Constraints

Parameter	Constraint	Exception Message
Human first name	Should start with a capital letter	"Expected upper case letter! Argument: firstName"
Human first name	Should be more than 3 symbols	"Expected length at least 4 symbols! Argument: firstName"
Human last name	Should start with a capital letter	"Expected upper case letter! Argument: lastName"
Human last name	Should be more than 2 symbols	"Expected length at least 3 symbols! Argument: lastName "
Faculty number	Should be in range [5..10] symbols	"Invalid faculty number!"
Week salary	Should be more than 10	"Expected value mismatch! Argument: weekSalary"
Working hours	Should be in the range [1..12]	"Expected value mismatch! Argument: workHoursPerDay"

Example

Input	Output
Peter Svensson 08 Bill Williams 1590 10	Invalid faculty number!
Stefan Mk321 0812111 Peter Svensson 1590 10	First Name: Stefan Last Name: Mk321 Faculty number: 0812111 First Name: Peter Last Name: Svensson Week Salary: 1590.00 Hours per day: 10.00 Salary per hour: 31.80

Problem 4. Online Radio Database

Create an online radio station database. It should keep information about all added songs. On the first line you are going to get the number of songs you are going to try to add. On the next lines you will get the songs to be added in the format <artist name>;<song name>;<minutes:seconds>. To be valid, every song should have an artist name, a song name and length.

Design a custom exception hierarchy for invalid songs:

- InvalidSongException
 - InvalidArtistNameException
 - InvalidSongNameException
 - InvalidSongLengthException
 - InvalidSongMinutesException
 - InvalidSongSecondsException

Validation

- Artist name should be between 3 and 20 symbols.
- Song name should be between 3 and 30 symbols.
- Song length should be between 0 second and 14 minutes and 59 seconds.
- Song minutes should be between 0 and 14.
- Song seconds should be between 0 and 59.

Exception Messages

Exception	Message
InvalidSongException	"Invalid song."
InvalidArtistNameException	"Artist name should be between 3 and 20 symbols."
InvalidSongNameException	"Song name should be between 3 and 30 symbols."
InvalidSongLengthException	"Invalid song length."
InvalidSongMinutesException	"Song minutes should be between 0 and 14."
InvalidSongSecondsException	"Song seconds should be between 0 and 59."

Note: Check validity in the order **artist name** -> **song name** -> **song length**

Output

If the song is added, print "**Song added.**". If you **can't add a song**, print an **appropriate exception message**. On the last two lines print the **number of songs added** and the **total length of the playlist** in format **{Playlist length: 0h 7m 47s}**.

Examples

Exception	Message
3 ABBA;Mamma Mia;3:35 Spice girls;Wannabe;4:123 Spice girls;Wannabe;4:12	Song added. Song seconds should be between 0 and 59. Song added. Songs added: 2 Playlist length: 0h 7m 47s
5 Spice girls;Wannabe;14:59	Song added. Song added.

Spice girls;Wannabe;14:59	Song added.
Spice girls;Wannabe;14:59	Song added.
Spice girls;Wannabe;14:59	Song added.
Spice girls;Wannabe;0:5	Songs added: 5
	Playlist length: 1h 0m 1s