Q6.1

Select s1.sid, s2.sid

From catalog s1, catalog s2

Where s1.sid <> s2.sid and s1.price > s2.price

Q6.2

Select s.sid

From supplier s, catalog c, part p

Where s.address = "Ruston City" or (s.sid = c.sid and c.pid = p.pid and p.color = "red"

Q9.1

- a. 10156731 john Comp Net ruston 96
- b. 10145221 john DBMS ruston 100

STU_{SUB1}(CWID,Name,Subject) and STU_{SUB2}(CWID,Location,Score)

10159731	john	Compute	Ruston	96
		networks		
10145221	John	DBMS	Ruston	100

STU_{SUB1}(CWID,Name,Location,Score) and STU_{SUB2}(Location,Score)

10159731	john	Compute	Ruston	96
		networks		
10159731	john	Compute	Ruston	100
		networks		
10145221	John	DBMS	Ruston	96
10145221	John	DBMS	Ruston	100

(b) 1 is lossless but 2 is lossy

Q9.2

Report(RID, Title, AID, Author, Subject)

 $\{RID \rightarrow Title, Title \rightarrow Subject, AID \rightarrow Author\}$

Report(RID, Title, Subject)

Fd: $\{RID \rightarrow Title, RID \rightarrow Subject\}$

Author(AID, Author)

FD{AID→Author}

Q8.1

 $FD=\{$ HScode \rightarrow (HSname, HScity), $GPA \rightarrow Priority$, SSN \rightarrow (SName, Saddress, GPA) $\}$ HighSchool(HScode, HSname, HScity)

FD: $\{$ HScode \rightarrow (HSname, HScity) $\}$ Student(SSN, SName, Saddress, GPA, Priority)

FD: $\{$ SSN \rightarrow (SName, Saddress, GPA, Priority) $\}$

Q8.2