

ABCDE- IDT2 part 2/2 (2026)

	Generic name	Trade name	Action	Benefits	Cautions	Dosage	Execution
1	Paracetamol	Tylenol	Central analgesic / antipyretic (minimal anti-inflammatory effect)	Mild-moderate pain, fever	Hepatotoxicity in overdose or chronic use	325–1000 mg q4–6h PRN (max 4 g/day; 5 days/course)	
2	Ibuprofen	/	Traditional NSAID	Mild-moderate pain, inflammation, fever	Dyspepsia, GI bleed, fluid retention, renal injury, ↑CV risk, bronchospasm	200–800 mg q6–8h (max 3,200 mg/day)	
3	Diclofenac	Voltaren, Cataflam, Vofast	Traditional NSAID	Mild-moderate pain, inflammation	Dyspepsia, GI bleed, fluid retention, renal injury, ↑CV risk, bronchospasm	25–50 mg BID–TID (max 150 mg/day)	
4	Naproxen	Synflex, Naprosyn LE	Traditional NSAID	Mild-moderate pain, inflammation	Dyspepsia, GI bleed, fluid retention, renal injury, ↑CV risk, bronchospasm	250–500 mg BID (max 1,500 mg/day)	
5	Indomethacin	/	Traditional NSAID	Mild-moderate pain, inflammation	Dyspepsia, GI bleed, fluid retention, renal injury, ↑CV risk, bronchospasm	25–50 mg BID–TID (max 200 mg/day)	
6	Mefenamic acid	Ponstan	Traditional NSAID	Mild-moderate pain, inflammation	Dyspepsia, GI bleed, fluid retention, renal injury, ↑CV risk, bronchospasm	500 mg then 250 mg q6h (max 1,500 mg/day)	
7	Meloxicam	Mobic	Traditional NSAID	Mild-moderate pain, inflammation	Dyspepsia, GI bleed, fluid retention, renal injury, ↑CV risk, bronchospasm	7.5-15 mg OD (max 15 mg/day)	
8	Celecoxib	Celebrex	COX-2 specific NSAID	Mild-moderate pain, inflammation	Dyspepsia, GI bleed, fluid retention, renal injury, ↑CV risk	200 mg OD- BID (max 400 mg/day)	
9	Etoricoxib	Arcoxia	COX-2 specific NSAID	Mild-moderate pain, inflammation	Dyspepsia, GI bleed, fluid retention, renal injury, ↑CV risk	60–120 mg OD (max 120 mg/day)	
10	Baclofen	Lioresal	GABA-B agonist	Spasticity	Sedation, weakness, dizziness	5-10 mg TID (max 80 mg/day)	
11	Tizanidine	Sirdalud	Central α2-agonist	Spasticity	Sedation, hypotension, dry mouth, liver injury	2–4 mg TID (max 36 mg/day)	
12	Orphenadrine / paracetamol	Norgesic	Anticholinergic & NMDA antagonist + analgesic	Muscle spasm with pain	Sedation, anticholinergic effects	1–2 tablets 2–3x/day (max 6 tabs/day)	
13	Eperisone	Myonal	Voltage-gate sodium & calcium channel blocker	Muscle spasm	Sedation, dizziness, weakness, GI upset	50 mg 1-3x/day (max 150 mg/day)	
14	Tolperisone	Mydocalm	Voltage-gate sodium & calcium channel blocker	Muscle spasm	Sedation, dizziness, weakness, GI upset	150 mg 1-3x/day (max 450 mg/day)	
15	Colchicine	/	Inhibits microtubules and neutrophil-mediated inflammation	Acute gout flare; gout flare prophylaxis	Diarrhea, nausea, myopathy, bone marrow suppression	Flare: 1.2 mg then 0.6 mg 1 h later; prophylaxis 0.6 mg OD–BID	

ABCDE- IDT2 part 2/2 (2026)

	Generic name	Trade name	Action	Benefits	Cautions	Dosage	Execution
16	Allopurinol	Zyloric	Xanthine oxidase inhibitor	Chronic gout / urate-lowering therapy	Rash, GI upset, SCARs	50-800 mg OD	
17	Febuxostat	Feburic	Xanthine oxidase inhibitor	Chronic gout / urate-lowering therapy	LFT elevation, rash; ↑CV risk	40–80 mg OD	
18	Prednisolone	/	Systemic corticosteroid	Acute inflammatory/allergic disorders	Hyperglycemia, mood change, infection risk, dyspepsia	Short course 5–60 mg/day; ~3-7 days	
19	Glucosamine	Viartil-S	Cartilage matrix precursor	Osteoarthritis	GI upset, headache	1500 mg/day	
20	Diacerein	Artrodar	IL-1 modulator	Osteoarthritis	Diarrhea, urine discoloration, hepatotoxicity	50 mg OD-BID	
21	Omeprazole	/	Proton pump inhibitor	GERD, peptic ulcer disease, NSAID ulcer prophylaxis	Headache, diarrhea; low Mg/B12, fractures, C. difficile	20-40 mg OD	
22	Esomeprazole	Nexium	Proton pump inhibitor	GERD, peptic ulcer disease, NSAID ulcer prophylaxis	Headache, diarrhea; low Mg/B12, fractures, C. difficile	20–40 mg OD	
23	Rabeprozole	Pariet	Proton pump inhibitor	GERD, peptic ulcer disease, NSAID ulcer prophylaxis	Headache, diarrhea; low Mg/B12, fractures, C. difficile	20 mg OD	
24	Lansoprazole	Prevacid	Proton pump inhibitor	GERD, peptic ulcer disease, NSAID ulcer prophylaxis	Headache, diarrhea; low Mg/B12, fractures, C. difficile	15–30 mg OD	
25	Famotidine	Pepfamin	H2-receptor antagonist	GERD, peptic ulcer disease, NSAID ulcer prophylaxis	Headache, dizziness; confusion in frail/renal impairment	20 mg BID or 40 mg hs	
26	Cimetidine	Siamdine	H2-receptor antagonist	GERD, peptic ulcer disease, NSAID ulcer prophylaxis	Gynecomastia, confusion, drug interactions	400 mg BID or 800 mg hs	
27	Vonoprazan	Vocinti	Potassium-competitive acid blocker	GERD, peptic ulcer disease, NSAID ulcer prophylaxis	Diarrhea, constipation	20 mg OD	
28	Sodium bicarbonate	Sodamint	Neutralizes gastric acid	Short-term relief of heartburn / dyspepsia	Belching, bloating, hypernatremia, metabolic alkalosis	325–2000 mg after meals/hs PRN	
29	Aluminum hydroxide	Alum-milk	Neutralizes gastric acid	Short-term relief of heartburn / dyspepsia	Constipation, hypophosphatemia	500–1500 mg after meals and at bedtime PRN	
30	Magnesium hydroxide	Milk of magnesia	Neutralizes gastric acid/ osmotic laxative	Short-term relief of heartburn / dyspepsia; constipation at higher doses	Diarrhea, hypermagnesemia in renal impairment	Antacid: 400–1200 mg q 6 hr PRN Laxative: 2.4-4.8 g OD hs	
31	Alginate/ Sodium bicarbonate/ Calcium carbonate	Gaviscon	Alginate raft barrier + antacids	GERD	Bloating, nausea; hypernatremia	10–20 mL or 1–2 tablets QID	
32	Sucralfate	Ulsanic	Protective barrier	Peptic ulcer disease; gastritis	Constipation, aluminum accumulation in renal failure	1 g QID	
33	Metoclopramide	Plasil	D2 antagonist	Antiemetic, prokinetic	Drowsiness, diarrhea, extrapyramidal symptoms, hyperprolactinemia	10 mg TID–QID	
34	Domperidone	Motilium-M	D2 antagonist	Antiemetic, prokinetic	QT prolongation, arrhythmia, dry mouth	10 mg TID	

ABCDE- IDT2 part 2/2 (2026)

	Generic name	Trade name	Action	Benefits	Cautions	Dosage	Execution
35	Itopride	Ganaton	D2 antagonist + acetylcholinesterase inhibitor	Functional dyspepsia/ IBS	Diarrhea, abdominal pain, hyperprolactinemia	50 mg TID	
36	Simethicone	Air-X	Antiflatulent	Bloating / gas discomfort	Belching	80-160 mg 1-4x/day PRN	
37	Dicyclomine/ Simethicone	Berdomin	Antimuscarinic antispasmodic + antiflatulent	Abdominal cramp / IBS	Dry mouth, blurred vision, constipation, dizziness	1-2 tablet 3-4x/day PRN	
38	Hyoscine butyl bromide	Buscopan	Antimuscarinic antispasmodic	Abdominal cramp / IBS	Dry mouth, blurred vision, tachycardia, constipation	10–20 mg 3-4x/day PRN	
39	Mebeverine	Colofac	Musculotropic antispasmodic	Abdominal cramp / IBS	Dizziness	135 mg TID or MR 200 mg BID	
40	Ondansetron	Onsia	5-HT3 antagonist antiemetic	Nausea and vomiting	Constipation, headache, QT prolongation	4–8 mg 2-3x/day PRN	
41	Lactulose	Duphalac	Osmotic laxative	Constipation; hepatic encephalopathy (HE)	Bloating, flatulence, diarrhea	Constipation: 15–30 mL OD HE: 15-45 mL 2-3x/day	
42	Polyethylene glycol 4000/ macrogol 4000	Forlax	Osmotic laxative	Constipation; bowel prep at higher doses	Bloating, nausea, diarrhea	10-20 g in water OD	
43	Bisacodyl	Dulcolax	Stimulant laxative	Constipation; bowel prep	Cramp, diarrhea, hypokalemia if overused	5–10 mg OD hs PRN	
44	Senna	Senokot	Stimulant laxative	Constipation	Cramp, diarrhea; melanosis coli with chronic use	7.5-15 mg OD hs PRN	
45	Ispaghula husk	Fybogel, Mucilin	Bulk-forming fiber laxative	Constipation; stool normalization in IBS	Bloating, obstruction if taken without enough water	1-2 sachets or 2-4 tsp in water 1–3x/day	
46	Loperamide	Imodium	Peripheral μ -opioid agonist	Diarrhea, IBS-D	Constipation, abdominal pain; serious arrhythmia in overdose	4 mg initially, then 2 mg after each loose stool (max 16 mg/day)	
47	Hydrocortisone cream	/	Low-potency topical corticosteroid	Steroid-responsive skin inflammation	Skin atrophy, striae, acneiform eruption, telangiectasia, HPA suppression if extensive	Apply thinly 1–2x/day	
48	Triamcinolone acetonide cream	Aristocort, Aristocort-A	Moderate-potency topical corticosteroid	Steroid-responsive skin inflammation	Skin atrophy, striae, acneiform eruption, telangiectasia, HPA suppression if extensive	Apply thinly 1–2x/day	
49	Mometasone cream	Elomet	Moderate-potency topical corticosteroid	Steroid-responsive skin inflammation	Skin atrophy, striae, acneiform eruption, telangiectasia, HPA suppression if extensive	Apply thinly once daily	
50	Betamethasone valerate cream	Betnovate	Moderate-potency topical corticosteroid	Steroid-responsive skin inflammation	Skin atrophy, striae, acneiform eruption, telangiectasia, HPA suppression if extensive	Apply thinly 1–2x/day	
51	Desoximetasone lotion	Topicort	High-potency topical corticosteroid	Steroid-responsive skin inflammation	Skin atrophy, striae, acneiform eruption, telangiectasia, HPA suppression if extensive	Apply thinly 1–2x/day	

ABCDE- IDT2 part 2/2 (2026)

	Generic name	Trade name	Action	Benefits	Cautions	Dosage	Execution
52	Clobetasol cream	Dermovate	Very high-potency topical corticosteroid	Steroid-responsive skin inflammation	Skin atrophy, striae, acneiform eruption, telangiectasia, HPA suppression if extensive	Apply thinly 1–2x/day for short course only	
53	Crisaborole ointment	Staquis	Topical PDE4 inhibitor	Mild–moderate atopic dermatitis	Application-site burning/stinging	Apply BID	
54	Benzoyl peroxide gel	Benzac	Antimicrobials, comedolytics	Acne vulgaris	Dryness, peeling, irritation	Apply thinly 1–2x/day, 15-30 mins then wash	
55	Tretinoin cream	Retacnyl	Topical retinoid	Acne vulgaris; photoaging	Dryness, erythema, peeling, photosensitivity	Apply nightly	
56	Adapalene gel	Differin	Topical retinoid	Acne vulgaris	Dryness, irritation, photosensitivity	Apply nightly	
57	Trifarotene cream	Aklief	Topical retinoid (RAR- γ selective)	Acne vulgaris	Dryness, burning, peeling	Apply nightly	
58	Clindamycin solution	Dalacin-T	Topical lincosamide antibiotic	Inflammatory acne	Dryness, irritation; resistance if used alone	Apply BID	
59	Azelaic acid cream	Skinoren	Keratolytic / anti-inflammatory / antimicrobial	Acne, rosacea, post-inflammatory hyperpigmentation	Burning, stinging, dryness	Apply BID	
60	Benzoyl peroxide/ Adapalene gel	EpiDuo	Comedolytic retinoid + antibacterial/comedolytic BPO	Acne vulgaris	Dryness, irritation, photosensitivity	Apply once nightly	
61	Isotretinoin	Roaccutane, Acnotin	Oral retinoid; reduces sebum and normalizes keratinization	Severe / refractory acne	Cheilitis, dry skin, $\uparrow$ LFT/TG, mood changes; teratogenic	0.5 - 1 mg/kg/day	
62	Calcipotriol cream	Daivonex	Vitamin D analog; reduces keratinocyte proliferation	Plaque psoriasis	Local irritation, rare hypercalcemia if excessive	Apply BID	
63	Calcipotriol/ Betamethasone dipropionate	Daivobet, Xamiol	Vitamin D analog + potent corticosteroid	Plaque psoriasis	Irritation, atrophy, rare hypercalcemia	Apply once daily	
64	Tacrolimus ointment	Protopic	Topical calcineurin inhibitor	Atopic dermatitis	Burning, stinging, flushing	Apply BID	
65	Pimecrolimus ointment	Elidel	Topical calcineurin inhibitor	Atopic dermatitis	Burning, irritation	Apply BID	