

Specimen ID: 2208-7144-4742-75

樣本編號

Client Name: JIA, Shuyue

姓名

Date of Birth: 21/05/1997

出生日期

Identification No.: F0555343

證件號碼

Ordered By: Prenetics Limited

轉介單位

7/F, Prosperity Millennia Plaza 663
King's Road, Quarry Bay
(852) 2210 9588

Specimen Type: Combined Nasal and Throat Swab

樣本類型

合併鼻腔及咽喉拭子

Specimen 22/10/2021 16:10:24

Collection Date:

樣本採集日期

Report Date: 23/10/2021 10:23:51

報告日期

SARS-CoV-2 (COVID-19) RT-PCR Nucleic Acids Test Report

新型冠狀病毒（新冠肺炎）RT-PCR核酸測試報告

Description: SARS-CoV-2 (COVID-19) Test is a RT-PCR nucleic acids test that detects SARS-CoV-2 virus RNA. 新型冠狀病毒測試是以即時逆轉錄-聚合酶鏈式反應 (RT-PCR)方法檢測病毒的核糖核酸(RNA)。

Methodology: The submitted specimen was tested by Reverse Transcription Polymerase Chain Reaction (RT-PCR) technology. The qualitative nucleic acid assays used have been approved by NMPA (CFDA), FDA EUA and/or US CDC for the use of detecting SARS-CoV-2 (COVID-19) virus. Virus N gene, ORF1ab gene regions, and/or human RNaseP gene internal control were detected. 樣本以「即時逆轉錄-聚合酶鏈式反應」(RT-PCR)方法檢測。所使用的新冠狀病毒核酸檢測方法已獲得NMPA (CFDA), FDA EUA和/或US CDC的認可。測試會檢測病毒N基因區域、ORF1ab基因區域及/或人類RNaseP基因內部對照。

Result: **SARS-CoV-2 (COVID-19) Not Detected**
結果 新型冠狀病毒(新冠肺炎) 陰性

Remark: A negative result means that the SARS-CoV-2 (COVID-19) virus was not detected in the provided sample at the point of time of the laboratory test. A negative result does not rule out the possibility that the patient/ client may have been infected by SARS-CoV-2 (COVID-19) virus. It could be because it is still too early in the infection stage, whereas the viral load may be too low that it is below the detection limit. A negative result could also be due to sample not being collected properly. It could also be that the patient/ client was exposed later after sample submission for testing and develop the symptoms subsequently. The specimen collection date indicates the date and the time at which the laboratory received the specimen. 陰性新型冠狀病毒核酸檢測結果表示我們並未在提供的樣本中檢測到新型冠狀病毒。儘管如此，陰性結果並不能完全排除該病人/客戶沒有受感染。這可能是由於患者處於感染初期，病毒載量較低，低於檢測極限，亦可能是由於採樣錯誤而導致的。病人/客戶在收集樣本進行檢測後才受感染也有可能導致此檢測結果。樣本採集日期為實驗室接收到樣本的日期和時間。

Approved Signatory:



Tzang Chi Hung Lawrence, Lab Director
Registered Medical Laboratory Technologist (Part I)
Registration Number: MT102598

If you would like to use this negative test result for travel purposes, please print out BOTH (2) pages of this report and present to the immigration authorities at the relevant borders. 如欲使用此檢測結果作外遊健康證明，請列印整份報告(共兩頁)，並出示給相關的入境部門。

Specimen ID: 2208-7144-4742-75
樣本編號

Client Name: JIA, Shuyue
姓名

Date of Birth: 21/05/1997
出生日期

Identification No.: F0555343
證件號碼

Ordered By: Prenetics Limited
轉介單位
7/F, Prosperity Millennia Plaza 663
King's Road, Quarry Bay
(852) 2210 9588

Specimen Type: Combined Nasal and Throat Swab
樣本類型 合併鼻腔及咽喉拭子

Specimen Collection Date: 22/10/2021 16:10:24
樣本採集日期

Report Date: 23/10/2021 10:23:51
報告日期

敬啟者:

To whom it may concern:

特此證明，以下人士的呼吸道樣本的新型冠狀病毒核酸檢測結果為陰性。

This is to certify that the nucleic acid test result for SARS-CoV-2 on the respiratory specimen of the below-named person is **NOT DETECTED**.

姓名: Name:	JIA, Shuyue
香港身份證號碼: Hong Kong Identity Card No.:	F0555343
樣本: Specimen:	Combined Nasal and Throat Swab 合併鼻腔及咽喉拭子
樣本採集日期及時間: Date and Time of Specimen Collection:	22/10/2021 16:10:24
化驗所樣本號碼: Laboratory/Specimen No.:	2208-7144-4742-75
檢測平台: Testing Platform:	反轉錄聚合酶連鎖反應 RT-PCR
化驗報告發出日期及時間: Laboratory Report Issue Date and Time:	23/10/2021 10:23:51

打印於23/10/2021

Printed on

Approved Signatory:



Tzang Chi Hung Lawrence, Lab Director
Registered Medical Laboratory Technologist (Part I)
Registration Number: MT102598

If you would like to use this negative test result for travel purposes, please print out BOTH (2) pages of this report and present to the immigration authorities at the relevant borders. 如欲使用此檢測結果作外遊健康證明，請列印整份報告(共兩頁)，並出示給相關的入境部門。