

1. Executive Summary

		Traffic Summary		Count	
Metric	Value	Total Flows Observed		14825	
Total Threats Mitigated	17	Total Packets Analyzed		7126383447	
High Priority	1	Malicious Packets		7093515404	
Low Priority	16	True Negatives Passed		10036	
Manual Releases	0				
Manual Blocks	0	Attack Vector		Count	
		ICMP Flood		0	
ML Metrics	Value	SYN Flood		12	
False Positives	80	UDP Flood		0	
FP Rate	0.48%	Uncertain		5	
IF Precision	99.01%				
IF Recall	93.68%	Action		Count	
IF F1-Score	96.27%	Quarantined		4	
IF Accuracy	97.53%	Time Ban		4	
		Blackhole		0	
		Released		1	

2. Performance Benchmark

2a. Isolation Forest: Anomaly Detection

Metric	Value	Description
Precision	99.01%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	93.68%	Share of actual attacks successfully flagged
F1-Score	96.27%	Balanced measure combining Precision and Recall
Accuracy	97.53%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.48%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	6.32%	Actual attacks that went undetected
True Positive Rate (TPR)	93.68%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	99.52%	Normal traffic correctly identified as safe

	Predicted: Attack	Predicted: Normal
Actual: Attack	TP 4712	FN 318
Actual: Normal	FP 47	TN 9718

2b. Random Forest: Attack Classification

Metric	Value	Description
Precision	100.00%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	100.00%	Share of actual attacks successfully flagged
F1-Score	100.00%	Balanced measure combining Precision and Recall
Accuracy	100.00%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.00%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	0.00%	Actual attacks that went undetected
True Positive Rate (TPR)	100.00%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	100.00%	Normal traffic correctly identified as safe

	Predicted: SYN	Predicted: ICMP	Predicted: UDP
Act: SYN	4712	0	0
Act: ICMP	0	0	0
Act: UDP	0	0	0

2c. Hybrid Cascaded

Metric	Value	Description
Precision	99.01%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	93.68%	Share of actual attacks successfully flagged
F1-Score	96.27%	Balanced measure combining Precision and Recall
Accuracy	97.53%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.48%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	6.32%	Actual attacks that went undetected
True Positive Rate (TPR)	93.68%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	99.52%	Normal traffic correctly identified as safe

	Predicted: Attack	Predicted: Normal
Actual: Attack	TP 4712	FN 318
Actual: Normal	FP 47	TN 9718

2d. Response Latency

Metric	Value	Description
Detection Time	346.9 ms	Average time taken to detect an attack
Mitigation Response Time	5.3 ms	Interval between the anomaly flag and the FlowMod blocking rule install

2e. Controller Resource Overhead

Metric	Value	Description
Controller CPU (Baseline)	0.84%	Ryu controller CPU usage under normal traffic
Controller CPU (Active Attack)	3.63%	Ryu controller average CPU usage during a DDoS simulation
Controller CPU (Mitigation)	8.99%	Ryu controller CPU usage during simultaneous detection and mitigation

3. Offences Summary

Source IP	Sessions	Max Offences	First Seen	Last Seen
10.0.0.16	2	2	2026-09-15 10:22:47	2026-09-15 10:23:58
10.0.0.17	2	2	2026-09-15 10:22:47	2026-09-15 10:23:58
10.0.0.18	2	2	2026-09-15 10:22:48	2026-09-15 10:23:59
10.0.0.19	2	2	2026-09-15 10:22:49	2026-09-15 10:24:00
10.0.0.2	2	1	2026-09-15 10:23:29	2026-09-15 10:23:51

4. Chronological Mitigation Log

Timestamp	Source IP	Class	Vector	Confidence	Priority	Action
2026-09-15 10:22:47	10.0.0.16	DDoS	Uncertain	-	Low	Quarantined
2026-09-15 10:22:47	10.0.0.17	DDoS	Uncertain	-	Low	Quarantined
2026-09-15 10:22:48	10.0.0.18	DDoS	Uncertain	-	Low	Quarantined
2026-09-15 10:22:49	10.0.0.19	DDoS	Uncertain	-	Low	Quarantined
2026-09-15 10:22:58	10.0.0.16	DDoS	SYN Flood	93.4%	Critical	Time Ban (1m)
2026-09-15 10:22:58	10.0.0.17	DDoS	SYN Flood	93.2%	Critical	Time Ban (1m)
2026-09-15 10:22:58	10.0.0.17	DDoS	SYN Flood	93.2%	Critical	Time Ban
2026-09-15 10:22:58	10.0.0.16	DDoS	SYN Flood	93.4%	Critical	Time Ban
2026-09-15 10:22:59	10.0.0.18	DDoS	SYN Flood	90.9%	Critical	Time Ban (1m)
2026-09-15 10:23:00	10.0.0.18	DDoS	SYN Flood	90.9%	Critical	Time Ban
2026-09-15 10:23:00	10.0.0.19	DDoS	SYN Flood	91.1%	Critical	Time Ban (1m)
2026-09-15 10:23:00	10.0.0.19	DDoS	SYN Flood	91.1%	Critical	Time Ban
2026-09-15 10:23:40	10.0.0.2	DDoS	Uncertain	58.9%	Low	Released
2026-09-15 10:23:58	10.0.0.16	DDoS	SYN Flood	93.4%	Critical	Time Ban (2m)
2026-09-15 10:23:58	10.0.0.17	DDoS	SYN Flood	93.2%	Critical	Time Ban (2m)
2026-09-15 10:23:59	10.0.0.18	DDoS	SYN Flood	90.9%	High	Time Ban (2m)
2026-09-15 10:24:00	10.0.0.19	DDoS	SYN Flood	93.6%	Critical	Time Ban (2m)

5. IP Attack History (Completed Sessions)

Source IP	Vector	IF Score	Conf	Priority	Phase	Offences	Duration	Unblocked At	Reason
10.0.0.19	SYN Flood	0.6072	93.6%	Critical	Phase 2	2	1m 11s	2026-09-15 10:24:00	Attack persisted - escalating to time ban
10.0.0.18	SYN Flood	0.6083	90.9%	High	Phase 2	2	1m 11s	2026-09-15 10:23:59	Attack persisted - escalating to time ban
10.0.0.17	SYN Flood	0.6322	93.2%	Critical	Phase 2	2	1m 11s	2026-09-15 10:23:58	Attack persisted - escalating to time ban
10.0.0.16	SYN Flood	0.6366	93.4%	Critical	Phase 2	2	1m 11s	2026-09-15 10:23:58	Attack persisted - escalating to time ban
10.0.0.2	Uncertain	0.6088	58.9%	Low	Phase 1	1	11s	2026-09-15 10:23:51	Attack Stopped
10.0.0.2	Uncertain	0.6049	58.9%	Low	Phase 1	1	11s	2026-09-15 10:23:40	Attack Stopped
10.0.0.19	SYN Flood	0.6463	91.1%	Critical	Phase 2	1	11s	2026-09-15 10:23:00	Attack persisted - escalating to time ban
10.0.0.18	SYN Flood	0.6373	90.9%	Critical	Phase 2	1	11s	2026-09-15 10:22:59	Attack persisted - escalating to time ban

Source IP	Vector	IF Score	Conf	Priority	Phase	Offences	Duration	Unblocked At	Reason
10.0.0.17	SYN Flood	0.6419	93.2%	Critical	Phase 2	1	11s	2026-09-15 10:22:58	Attack persisted - escalating to time ban
10.0.0.16	SYN Flood	0.6343	93.4%	Critical	Phase 2	1	11s	2026-09-15 10:22:58	Attack persisted - escalating to time ban

Verification and Approval

I hereby verify that the findings in this incident report are accurate and that the listed mitigation actions were carried out under my supervision.

SIGNATURE OVER PRINTED NAME

Network Administrator

DATE