

1. Executive Summary

		Traffic Summary		Count	
Metric	Value	Total Flows Observed		15200	
Total Threats Mitigated	15	Total Packets Analyzed		2446575044	
High Priority	8	Malicious Packets		2442317620	
Low Priority	7	True Negatives Passed		11304	
Manual Releases	0				
Manual Blocks	0	Attack Vector		Count	
		ICMP Flood		0	
ML Metrics	Value	SYN Flood		0	
False Positives	85	UDP Flood		10	
FP Rate	0.64%	Uncertain		5	
IF Precision	98.18%				
IF Recall	92.64%	Action		Count	
IF F1-Score	95.33%	Quarantined		3	
IF Accuracy	97.53%	Time Ban		3	
		Blackhole		0	
		Released		3	

2. Performance Benchmark

2a. Isolation Forest: Anomaly Detection

Metric	Value	Description
Precision	98.18%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	92.64%	Share of actual attacks successfully flagged
F1-Score	95.33%	Balanced measure combining Precision and Recall
Accuracy	97.53%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.64%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	7.36%	Actual attacks that went undetected
True Positive Rate (TPR)	92.64%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	99.36%	Normal traffic correctly identified as safe

	Predicted: Attack	Predicted: Normal
Actual: Attack	TP 3825	FN 304
Actual: Normal	FP 71	TN 11000

2b. Random Forest: Attack Classification

Metric	Value	Description
Precision	100.00%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	100.00%	Share of actual attacks successfully flagged
F1-Score	100.00%	Balanced measure combining Precision and Recall
Accuracy	100.00%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.00%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	0.00%	Actual attacks that went undetected
True Positive Rate (TPR)	100.00%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	100.00%	Normal traffic correctly identified as safe

	Predicted: SYN	Predicted: ICMP	Predicted: UDP
Act: SYN	0	0	0
Act: ICMP	0	0	0
Act: UDP	0	0	3825

2c. Hybrid Cascaded

Metric	Value	Description
Precision	98.18%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	92.64%	Share of actual attacks successfully flagged
F1-Score	95.33%	Balanced measure combining Precision and Recall
Accuracy	97.53%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.64%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	7.36%	Actual attacks that went undetected
True Positive Rate (TPR)	92.64%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	99.36%	Normal traffic correctly identified as safe

	Predicted: Attack	Predicted: Normal
Actual: Attack	TP 3825	FN 304
Actual: Normal	FP 71	TN 11000

2d. Response Latency

Metric	Value	Description
Detection Time	537.8 ms	Average time taken to detect an attack
Mitigation Response Time	5.0 ms	Interval between the anomaly flag and the FlowMod blocking rule install

2e. Controller Resource Overhead

Metric	Value	Description
Controller CPU (Baseline)	1.28%	Ryu controller CPU usage under normal traffic
Controller CPU (Active Attack)	1.84%	Ryu controller average CPU usage during a DDoS simulation
Controller CPU (Mitigation)	3.41%	Ryu controller CPU usage during simultaneous detection and mitigation

3. Offences Summary

Source IP	Sessions	Max Offences	First Seen	Last Seen
10.0.0.21	3	3	2026-09-16 12:25:35	2026-09-16 12:26:56
10.0.0.20	2	2	2026-09-16 12:25:34	2026-09-16 12:26:44
10.0.0.22	2	2	2026-09-16 12:25:35	2026-09-16 12:26:45
10.0.0.1	2	1	2026-09-16 12:26:27	2026-09-16 12:26:48
10.0.0.2	1	1	2026-09-16 12:26:41	2026-09-16 12:26:52

4. Chronological Mitigation Log

Timestamp	Source IP	Class	Vector	Confidence	Priority	Action
2026-09-16 12:25:34	10.0.0.20	DDoS	Uncertain	-	Low	Quarantined
2026-09-16 12:25:35	10.0.0.22	DDoS	Uncertain	-	Low	Quarantined
2026-09-16 12:25:35	10.0.0.21	DDoS	Uncertain	-	Low	Quarantined
2026-09-16 12:25:44	10.0.0.20	DDoS	UDP Flood	75.7%	High	Time Ban (1m)
2026-09-16 12:25:45	10.0.0.20	DDoS	UDP Flood	75.7%	High	Time Ban
2026-09-16 12:25:45	10.0.0.22	DDoS	UDP Flood	77.4%	High	Time Ban (1m)
2026-09-16 12:25:45	10.0.0.21	DDoS	UDP Flood	86.9%	High	Time Ban (1m)
2026-09-16 12:25:45	10.0.0.22	DDoS	UDP Flood	77.4%	High	Time Ban
2026-09-16 12:25:45	10.0.0.21	DDoS	UDP Flood	86.9%	Critical	Time Ban
2026-09-16 12:26:37	10.0.0.1	DDoS	Uncertain	58.9%	Low	Released
2026-09-16 12:26:44	10.0.0.20	DDoS	UDP Flood	83.7%	High	Time Ban (2m)
2026-09-16 12:26:45	10.0.0.22	DDoS	UDP Flood	77.4%	High	Time Ban (2m)
2026-09-16 12:26:45	10.0.0.21	DDoS	UDP Flood	86.9%	High	Released
2026-09-16 12:26:52	10.0.0.2	DDoS	Uncertain	60.1%	Low	Released
2026-09-16 12:26:56	10.0.0.21	DDoS	UDP Flood	86.9%	Critical	Time Ban (2m)

5. IP Attack History (Completed Sessions)

Source IP	Vector	IF Score	Conf	Priority	Phase	Offences	Duration	Unblocked At	Reason
10.0.0.21	UDP Flood	0.6454	86.9%	Critical	Phase 2	3	10s	2026-09-16 12:26:56	Attack persisted - escalating to time ban
10.0.0.2	Uncertain	0.5904	60.1%	Low	Phase 1	1	11s	2026-09-16 12:26:52	Attack Stopped
10.0.0.1	Uncertain	0.6090	58.9%	Low	Phase 1	1	11s	2026-09-16 12:26:48	Attack Stopped
10.0.0.21	UDP Flood	0.5944	86.9%	High	Phase 2	1	1m 10s	2026-09-16 12:26:45	Ban Expired
10.0.0.22	UDP Flood	0.6199	77.4%	High	Phase 2	2	1m 10s	2026-09-16 12:26:45	Attack persisted - escalating to time ban
10.0.0.20	UDP Flood	0.6389	83.7%	High	Phase 2	2	1m 10s	2026-09-16 12:26:44	Attack persisted - escalating to time ban
10.0.0.1	Uncertain	0.6117	58.9%	Low	Phase 1	1	10s	2026-09-16 12:26:37	Attack Stopped
10.0.0.21	UDP Flood	0.6327	86.9%	High	Phase 2	1	10s	2026-09-16 12:25:45	Attack persisted - escalating to time ban
10.0.0.22	UDP Flood	0.6266	77.4%	High	Phase 2	1	10s	2026-09-16 12:25:45	Attack persisted - escalating to time ban
10.0.0.20	UDP Flood	0.6448	75.7%	High	Phase 2	1	10s	2026-09-16 12:25:44	Attack persisted - escalating to time ban

Verification and Approval

I hereby verify that the findings in this incident report are accurate and that the listed mitigation actions were carried out under my supervision.

SIGNATURE OVER PRINTED NAME
Network Administrator

DATE