

1. Executive Summary

		Traffic Summary		Count	
Metric	Value	Total Flows Observed		61570	
Total Threats Mitigated	30	Total Packets Analyzed		7044281003	
High Priority	7	Malicious Packets		7032847322	
Low Priority	23	True Negatives Passed		42232	
Manual Releases	0				
Manual Blocks	0	Attack Vector		Count	
		ICMP Flood		0	
ML Metrics	Value	SYN Flood		16	
False Positives	148	UDP Flood		7	
FP Rate	0.35%	Uncertain		7	
IF Precision	99.26%				
IF Recall	93.04%	Action		Count	
IF F1-Score	96.05%	Quarantined		5	
IF Accuracy	97.44%	Time Ban		4	
		Blackhole		0	
		Released		8	

2. Performance Benchmark

2a. Isolation Forest: Anomaly Detection

Metric	Value	Description
Precision	99.26%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	93.04%	Share of actual attacks successfully flagged
F1-Score	96.05%	Balanced measure combining Precision and Recall
Accuracy	97.44%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.35%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	6.96%	Actual attacks that went undetected
True Positive Rate (TPR)	93.04%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	99.65%	Normal traffic correctly identified as safe

	Predicted: Attack	Predicted: Normal
Actual: Attack	TP 19099	FN 1428
Actual: Normal	FP 143	TN 40804

2b. Random Forest: Attack Classification

Metric	Value	Description
Precision	100.00%	Share of classified flows assigned the correct attack type
Recall	100.00%	Share of attacks of each type that were correctly identified
F1-Score	100.00%	Balanced measure combining Precision and Recall
Accuracy	100.00%	Overall proportion of correct classifications

	Predicted: SYN	Predicted: ICMP	Predicted: UDP
Act: SYN	19099	0	0
Act: ICMP	0	0	0
Act: UDP	0	0	0

2c. Response Latency

Metric	Value	Description
Detection Time	298.8 ms	Average time taken to detect an attack
Mitigation Response Time	5.1 ms	Interval between the anomaly flag and the FlowMod blocking rule install

2d. Controller Resource Overhead

Metric	Value	Description
Controller CPU (Baseline)	1.11%	Ryu controller CPU usage under normal traffic
Controller CPU (Active Attack)	5.89%	Ryu controller average CPU usage during a DDoS simulation
Controller CPU (Mitigation)	9.55%	Ryu controller CPU usage during simultaneous detection and mitigation

3. Offences Summary

Source IP	Sessions	Max Offences	First Seen	Last Seen
10.0.0.19	4	5	2026-09-14 12:16:24	2026-09-14 12:18:44
10.0.0.16	2	2	2026-09-14 12:16:23	2026-09-14 12:17:34
10.0.0.17	2	2	2026-09-14 12:16:28	2026-09-14 12:17:39
10.0.0.18	2	2	2026-09-14 12:16:33	2026-09-14 12:17:44
10.0.0.8	1	1	2026-09-14 12:14:12	2026-09-14 12:15:13

4. Chronological Mitigation Log

Timestamp	Source IP	Class	Vector	Confidence	Priority	Action
2026-09-14 12:00:02	10.0.0.16	DDoS	Uncertain	-	Low	Quarantined
2026-09-14 12:00:03	10.0.0.19	DDoS	Uncertain	-	Low	Quarantined
2026-09-14 12:00:05	10.0.0.17	DDoS	Uncertain	-	Low	Quarantined
2026-09-14 12:00:06	10.0.0.18	DDoS	Uncertain	-	Low	Quarantined
2026-09-14 12:00:13	10.0.0.16	DDoS	SYN Flood	92.9%	Critical	Time Ban (1m)
2026-09-14 12:00:13	10.0.0.16	DDoS	SYN Flood	92.9%	Critical	Time Ban
2026-09-14 12:00:14	10.0.0.19	DDoS	SYN Flood	93.0%	Critical	Time Ban (1m)
2026-09-14 12:00:14	10.0.0.19	DDoS	SYN Flood	93.0%	Critical	Time Ban
2026-09-14 12:00:16	10.0.0.17	DDoS	SYN Flood	93.4%	Critical	Time Ban (1m)
2026-09-14 12:00:16	10.0.0.17	DDoS	SYN Flood	93.4%	Critical	Time Ban
2026-09-14 12:00:17	10.0.0.18	DDoS	SYN Flood	92.5%	Critical	Time Ban (1m)
2026-09-14 12:00:17	10.0.0.18	DDoS	SYN Flood	92.5%	Critical	Time Ban
2026-09-14 12:01:09	10.0.0.8	DDoS	UDP Flood	85.2%	High	Time Ban (1m)
2026-09-14 12:01:13	10.0.0.16	DDoS	SYN Flood	92.9%	Critical	Time Ban (2m)
2026-09-14 12:01:14	10.0.0.19	DDoS	SYN Flood	93.0%	High	Time Ban (2m)
2026-09-14 12:01:16	10.0.0.17	DDoS	SYN Flood	94.5%	Critical	Released
2026-09-14 12:01:17	10.0.0.7	DDoS	UDP Flood	92.0%	High	Time Ban (1m)
2026-09-14 12:01:17	10.0.0.18	DDoS	SYN Flood	92.5%	Critical	Time Ban (2m)
2026-09-14 12:01:19	10.0.0.10	DDoS	UDP Flood	92.0%	High	Time Ban (1m)
2026-09-14 12:01:20	10.0.0.3	DDoS	Uncertain	58.9%	Low	Released
2026-09-14 12:01:27	10.0.0.17	DDoS	SYN Flood	94.5%	Critical	Time Ban (2m)
2026-09-14 12:01:32	10.0.0.6	DDoS	Uncertain	68.7%	Low	Released
2026-09-14 12:02:24	10.0.0.10	DDoS	UDP Flood	73.3%	Medium	Released
2026-09-14 12:02:36	10.0.0.6	DDoS	UDP Flood	92.0%	High	Time Ban (1m)
2026-09-14 12:04:24	10.0.0.6	DDoS	UDP Flood	92.0%	High	Quarantined
2026-09-14 12:07:13	10.0.0.16	DDoS	SYN Flood	93.0%	Critical	Released
2026-09-14 12:11:39	10.0.0.9	DDoS	Uncertain	69.9%	Low	Released
2026-09-14 12:15:13	10.0.0.8	DDoS	UDP Flood	92.4%	High	Released
2026-09-14 12:17:35	10.0.0.19	DDoS	SYN Flood	93.6%	Critical	Released
2026-09-14 12:18:44	10.0.0.19	DDoS	SYN Flood	92.3%	Critical	Time Ban (5m)

5. IP Attack History (Completed Sessions)

Source IP	Vector	IF Score	Conf	Priority	Phase	Offences	Duration	Unblocked At	Reason
10.0.0.19	SYN Flood	0.6188	92.3%	Critical	Phase 2	5	11s	2026-09-14 12:18:44	Attack persisted - escalating to time ban

Source IP	Vector	IF Score	Conf	Priority	Phase	Offences	Duration	Unblocked At	Reason
10.0.0.19	SYN Flood	0.6397	93.6%	Critical	Phase 2	3	11s	2026-09-14 12:17:46	Attack persisted - escalating to time ban
10.0.0.18	SYN Flood	0.6098	93.0%	Critical	Phase 2	2	1m 11s	2026-09-14 12:17:44	Attack persisted - escalating to time ban
10.0.0.17	SYN Flood	0.6187	93.3%	Critical	Phase 2	2	1m 11s	2026-09-14 12:17:39	Attack persisted - escalating to time ban
10.0.0.19	SYN Flood	0.6091	93.6%	Critical	Phase 2	1	1m 11s	2026-09-14 12:17:35	Ban Expired
10.0.0.16	SYN Flood	0.6279	93.4%	Critical	Phase 2	2	1m 11s	2026-09-14 12:17:34	Attack persisted - escalating to time ban
10.0.0.18	SYN Flood	0.6473	93.0%	Critical	Phase 2	1	10s	2026-09-14 12:16:43	Attack persisted - escalating to time ban
10.0.0.17	SYN Flood	0.6243	90.9%	Critical	Phase 2	1	10s	2026-09-14 12:16:38	Attack persisted - escalating to time ban
10.0.0.19	SYN Flood	0.6511	92.2%	Critical	Phase 2	1	10s	2026-09-14 12:16:34	Attack persisted - escalating to time ban
10.0.0.16	SYN Flood	0.6383	93.4%	Critical	Phase 2	1	10s	2026-09-14 12:16:33	Attack persisted - escalating to time ban
10.0.0.8	UDP Flood	0.5762	92.4%	High	Phase 2	1	1m 1s	2026-09-14 12:15:13	Ban Expired

Verification and Approval

I hereby verify that the findings in this incident report are accurate and that the listed mitigation actions were carried out under my supervision.

SIGNATURE OVER PRINTED NAME

Network Administrator

DATE