

1. Executive Summary

		Traffic Summary		Count	
Metric	Value	Total Flows Observed		142709	
Total Threats Mitigated	23	Total Packets Analyzed		6810058306	
High Priority	13	Malicious Packets		6793683115	
Low Priority	10	True Negatives Passed		106576	
Manual Releases	0				
Manual Blocks	0	Attack Vector		Count	
		ICMP Flood		0	
ML Metrics	Value	SYN Flood		0	
False Positives	45	UDP Flood		16	
FP Rate	0.02%	Uncertain		7	
IF Precision	99.94%				
IF Recall	94.22%	Action		Count	
IF F1-Score	97.00%	Quarantined		4	
IF Accuracy	98.44%	Time Ban		3	
		Blackhole		0	
		Released		7	

2. Performance Benchmark

2a. Isolation Forest: Anomaly Detection

Metric	Value	Description
Precision	99.94%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	94.22%	Share of actual attacks successfully flagged
F1-Score	97.00%	Balanced measure combining Precision and Recall
Accuracy	98.44%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.02%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	5.78%	Actual attacks that went undetected
True Positive Rate (TPR)	94.22%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	99.98%	Normal traffic correctly identified as safe

	Predicted: Attack	Predicted: Normal
Actual: Attack	TP 36009	FN 2208
Actual: Normal	FP 21	TN 104368

2b. Random Forest: Attack Classification

Metric	Value	Description
Precision	100.00%	Share of classified flows assigned the correct attack type
Recall	100.00%	Share of attacks of each type that were correctly identified
F1-Score	100.00%	Balanced measure combining Precision and Recall
Accuracy	100.00%	Overall proportion of correct classifications

	Predicted: SYN	Predicted: ICMP	Predicted: UDP
Act: SYN	0	0	0
Act: ICMP	0	0	0
Act: UDP	0	0	36009

2c. Response Latency

Metric	Value	Description
Detection Time	266.2 ms	Average time taken to detect an attack
Mitigation Response Time	3.0 ms	Interval between the anomaly flag and the FlowMod blocking rule install

2d. Controller Resource Overhead

Metric	Value	Description
Controller CPU (Baseline)	1.02%	Ryu controller CPU usage under normal traffic
Controller CPU (Active Attack)	1.79%	Ryu controller average CPU usage during a DDoS simulation
Controller CPU (Mitigation)	2.72%	Ryu controller CPU usage during simultaneous detection and mitigation

3. Offences Summary

Source IP	Sessions	Max Offences	First Seen	Last Seen
10.0.0.6	3	3	2026-09-15 11:22:45	2026-09-15 11:25:26
10.0.0.20	2	2	2026-09-15 11:24:49	2026-09-15 11:25:59
10.0.0.21	2	2	2026-09-15 11:24:48	2026-09-15 11:25:59
10.0.0.22	2	2	2026-09-15 11:24:51	2026-09-15 11:26:02
10.0.0.8	1	1	2026-09-15 11:23:47	2026-09-15 11:24:48

4. Chronological Mitigation Log

Timestamp	Source IP	Class	Vector	Confidence	Priority	Action
2026-09-15 10:34:56	10.0.0.20	DDoS	Uncertain	-	Low	Quarantined
2026-09-15 10:34:56	10.0.0.21	DDoS	Uncertain	-	Low	Quarantined
2026-09-15 10:34:57	10.0.0.22	DDoS	Uncertain	-	Low	Quarantined
2026-09-15 10:35:06	10.0.0.20	DDoS	UDP Flood	75.9%	High	Time Ban (1m)
2026-09-15 10:35:06	10.0.0.21	DDoS	UDP Flood	77.9%	High	Time Ban (1m)
2026-09-15 10:35:07	10.0.0.20	DDoS	UDP Flood	83.3%	High	Time Ban
2026-09-15 10:35:07	10.0.0.21	DDoS	UDP Flood	77.9%	High	Time Ban
2026-09-15 10:35:07	10.0.0.22	DDoS	UDP Flood	86.4%	High	Time Ban (1m)
2026-09-15 10:35:08	10.0.0.22	DDoS	UDP Flood	86.4%	Critical	Time Ban
2026-09-15 10:36:07	10.0.0.20	DDoS	UDP Flood	86.6%	High	Released
2026-09-15 10:36:07	10.0.0.21	DDoS	UDP Flood	79.1%	High	Released
2026-09-15 10:36:08	10.0.0.22	DDoS	UDP Flood	86.4%	High	Released
2026-09-15 10:36:18	10.0.0.20	DDoS	UDP Flood	86.6%	Critical	Time Ban (2m)
2026-09-15 10:36:19	10.0.0.22	DDoS	UDP Flood	86.4%	Critical	Time Ban (2m)
2026-09-15 10:41:51	10.0.0.6	DDoS	Uncertain	48.2%	Low	Released
2026-09-15 10:41:59	10.0.0.21	DDoS	UDP Flood	83.2%	High	Time Ban (2m)
2026-09-15 10:51:59	10.0.0.2	DDoS	Uncertain	61.1%	Low	Released
2026-09-15 11:10:35	10.0.0.10	DDoS	Uncertain	48.4%	Low	Released
2026-09-15 11:10:36	10.0.0.8	DDoS	Uncertain	64.1%	Low	Released
2026-09-15 11:10:45	10.0.0.9	DDoS	UDP Flood	92.4%	High	Time Ban (1m)
2026-09-15 11:12:07	10.0.0.8	DDoS	UDP Flood	90.9%	High	Time Ban (1m)
2026-09-15 11:22:45	10.0.0.6	DDoS	UDP Flood	85.1%	High	Time Ban (1m)
2026-09-15 11:24:20	10.0.0.6	DDoS	UDP Flood	92.4%	High	Quarantined

5. IP Attack History (Completed Sessions)

Source IP	Vector	IF Score	Conf	Priority	Phase	Offences	Duration	Unblocked At	Reason
10.0.0.22	UDP Flood	0.6132	85.6%	High	Phase 2	2	1m 11s	2026-09-15 11:26:02	Attack persisted - escalating to time ban
10.0.0.21	UDP Flood	0.6269	77.1%	High	Phase 2	2	1m 11s	2026-09-15 11:25:59	Attack persisted - escalating to time ban
10.0.0.20	UDP Flood	0.6247	85.3%	High	Phase 2	2	1m 10s	2026-09-15 11:25:59	Attack persisted - escalating to time ban
10.0.0.6	UDP Flood	0.5620	92.4%	High	Phase 1	3	11s	2026-09-15 11:25:26	Attack Stopped
10.0.0.22	UDP Flood	0.6398	77.7%	High	Phase 2	1	11s	2026-09-15 11:25:02	Attack persisted - escalating to time ban

Source IP	Vector	IF Score	Conf	Priority	Phase	Offences	Duration	Unblocked At	Reason
10.0.0.21	UDP Flood	0.6318	75.1%	High	Phase 2	1	11s	2026-09-15 11:24:59	Attack persisted - escalating to time ban
10.0.0.20	UDP Flood	0.6315	85.3%	High	Phase 2	1	10s	2026-09-15 11:24:59	Attack persisted - escalating to time ban
10.0.0.8	UDP Flood	0.5988	92.4%	High	Phase 2	1	1m 1s	2026-09-15 11:24:48	Ban Expired
10.0.0.6	UDP Flood	0.6115	92.4%	High	Phase 1	2	11s	2026-09-15 11:24:31	Attack Stopped
10.0.0.6	UDP Flood	0.6071	85.7%	High	Phase 2	1	1m 0s	2026-09-15 11:23:45	Ban Expired

Verification and Approval

I hereby verify that the findings in this incident report are accurate and that the listed mitigation actions were carried out under my supervision.

SIGNATURE OVER PRINTED NAME

Network Administrator

DATE